POLYKETIDE SYNTHASE ENZYMES AND RECOMBINANT DNA CONSTRUCTS THEREFOR

5

1 1

Cross-Reference to Related Applications

The present application claims priority to related U.S. patent application Serial Nos. 60/102,748, filed 2 Oct. 1998; 60/139,650, filed 17 June 1999; and 60/123,810, filed 11 Mar. 1999, each of which is incorporated herein by reference.

10

15

Field of the Invention

The present invention relates to polyketides and the polyketide synthase (PKS) enzymes that produce them. The invention also relates generally to genes encoding PKS enzymes and to recombinant host cells containing such genes and in which expression of such genes leads to the production of polyketides. The present invention also relates to compounds useful as medicaments having immunosuppressive and/or neurotrophic activity. Thus, the invention relates to the fields of chemistry, molecular biology, and agricultural, medical, and veterinary technology.

Background of the Invention

20

25

Polyketides are a class of compounds synthesized from 2-carbon units through a series of condensations and subsequent modifications. Polyketides occur in many types of organisms, including fungi and mycelial bacteria, in particular, the actinomycetes. Polyketides are biologically active molecules with a wide variety of structures, and the class encompasses numerous compounds with diverse activities. Tetracycline, erythromycin, epothilone, FK-506, FK-520, narbomycin, picromycin, rapamycin, spinocyn, and tylosin are examples of polyketides. Given the difficulty in producing polyketide compounds by traditional chemical methodology, and the typically low production of polyketides in wild-type cells, there has been considerable interest in finding improved or alternate means to produce polyketide compounds.

10

15

20

25

30

This interest has resulted in the cloning, analysis, and manipulation by recombinant DNA technology of genes that encode PKS enzymes. The resulting technology allows one to manipulate a known PKS gene cluster either to produce the polyketide synthesized by that PKS at higher levels than occur in nature or in hosts that otherwise do not produce the polyketide. The technology also allows one to produce molecules that are structurally related to, but distinct from, the polyketides produced from known PKS gene clusters. See, e.g., PCT publication Nos. WO 93/13663; 95/08548; 96/40968; 97/02358; 98/27203; and 98/49315; United States Patent Nos. 4,874,748; 5,063,155; 5,098,837; 5,149,639; 5,672,491; 5,712,146; 5,830,750; and 5,843,718; and Fu et al., 1994, Biochemistry 33: 9321-9326; McDaniel et al., 1993, Science 262: 1546-1550; and Rohr, 1995, Angew. Chem. Int. Ed. Engl. 34(8): 881-888, each of which is incorporated herein by reference.

Polyketides are synthesized in nature by PKS enzymes. These enzymes, which are complexes of multiple large proteins, are similar to the synthases that catalyze condensation of 2-carbon units in the biosynthesis of fatty acids. PKSs catalyze the biosynthesis of polyketides through repeated, decarboxylative Claisen condensations between acylthioester building blocks. The building blocks used to form complex polyketides are typically acylthioesters, such as acetyl, butyryl, propionyl, malonyl, hydroxymalonyl, methylmalonyl, and ethylmalonyl CoA. Other building blocks include amino acid like acylthioesters. PKS enzymes that incorporate such building blocks include an activity that functions as an amino acid ligase (an AMP ligase) or as a non-ribosomal peptide synthetase (NRPS). Two major types of PKS enzymes are known; these differ in their composition and mode of synthesis of the polyketide synthesized. These two major types of PKS enzymes are commonly referred to as Type I or "modular" and Type II "iterative" PKS enzymes.

In the Type I or modular PKS enzyme group, a set of separate catalytic active sites (each active site is termed a "domain", and a set thereof is termed a "module") exists for each cycle of carbon chain elongation and modification in the polyketide synthesis pathway. The typical modular PKS is composed of several large polypeptides, which can be segregated from amino to carboxy termini into a loading module, multiple extender

10

15

20

25

modules, and a releasing (or thioesterase) domain. The PKS enzyme known as 6-deoxyerythronolide B synthase (DEBS) is a Type I PKS. In DEBS, there is a loading module, six extender modules, and a thioesterase (TE) domain. The loading module, six extender modules, and TE of DEBS are present on three separate proteins (designated DEBS-1, DEBS-2, and DEBS-3, with two extender modules per protein). Each of the DEBS polypeptides is encoded by a separate open reading frame (ORF) or gene; these genes are known as *eryAI*, *eryAII*, and *eryAIII*. See Caffrey *et al.*, 1992, *FEBS Letters* 304: 205, and U.S. Patent No. 5,824,513, each of which is incorporated herein by reference.

Generally, the loading module is responsible for binding the first building block used to synthesize the polyketide and transferring it to the first extender module. The loading module of DEBS consists of an acyltransferase (AT) domain and an acyl carrier protein (ACP) domain. Another type of loading module utilizes an inactivated ketosynthase (KS) domain and AT and ACP domains. This inactivated KS is in some instances called KS^Q, where the superscript letter is the abbreviation for the amino acid, glutamine, that is present instead of the active site cysteine required for ketosynthase activity. In other PKS enzymes, including the FK-506 PKS, the loading module incorporates an unusual starter unit and is composed of a CoA ligase like activity domain. In any event, the loading module recognizes a particular acyl-CoA (usually acetyl or propionyl but sometimes butyryl or other acyl-CoA) and transfers it as a thiol ester to the ACP of the loading module.

The AT on each of the extender modules recognizes a particular extender-CoA (malonyl or alpha-substituted malonyl, i.e., methylmalonyl, ethylmalonyl, and 2-hydroxymalonyl) and transfers it to the ACP of that extender module to form a thioester. Each extender module is responsible for accepting a compound from a prior module, binding a building block, attaching the building block to the compound from the prior module, optionally performing one or more additional functions, and transferring the resulting compound to the next module.

Each extender module of a modular PKS contains a KS, AT, ACP, and zero, one, two, or three domains that modify the beta-carbon of the growing polyketide chain. A

10

15

20

25

30

typical (non-loading) minimal Type I PKS extender module is exemplified by extender module three of DEBS, which contains a KS domain, an AT domain, and an ACP domain. These three domains are sufficient to activate a 2-carbon extender unit and attach it to the growing polyketide molecule. The next extender module, in turn, is responsible for attaching the next building block and transferring the growing compound to the next extender module until synthesis is complete.

Once the PKS is primed with acyl- and malonyl-ACPs, the acyl group of the loading module is transferred to form a thiol ester (trans-esterification) at the KS of the first extender module; at this stage, extender module one possesses an acyl-KS and a malonyl (or substituted malonyl) ACP. The acyl group derived from the loading module is then covalently attached to the alpha-carbon of the malonyl group to form a carbon-carbon bond, driven by concomitant decarboxylation, and generating a new acyl-ACP that has a backbone two carbons longer than the loading building block (elongation or extension).

The polyketide chain, growing by two carbons each extender module, is sequentially passed as covalently bound thiol esters from extender module to extender module, in an assembly line-like process. The carbon chain produced by this process alone would possess a ketone at every other carbon atom, producing a polyketone, from which the name polyketide arises. Most commonly, however, additional enzymatic activities modify the beta keto group of each two carbon unit just after it has been added to the growing polyketide chain but before it is transferred to the next module.

Thus, in addition to the minimal module containing KS, AT, and ACP domains necessary to form the carbon-carbon bond, and as noted above, other domains that modify the beta-carbonyl moiety can be present. Thus, modules may contain a ketoreductase (KR) domain that reduces the keto group to an alcohol. Modules may also contain a KR domain plus a dehydratase (DH) domain that dehydrates the alcohol to a double bond. Modules may also contain a KR domain, a DH domain, and an enoylreductase (ER) domain that converts the double bond product to a saturated single bond using the beta carbon as a methylene function. An extender module can also contain other enzymatic activities, such as, for example, a methylase or dimethylase activity.

10

15

20

25

30

After traversing the final extender module, the polyketide encounters a releasing domain that cleaves the polyketide from the PKS and typically cyclizes the polyketide. For example, final synthesis of 6-dEB is regulated by a TE domain located at the end of extender module six. In the synthesis of 6-dEB, the TE domain catalyzes cyclization of the macrolide ring by formation of an ester linkage. In FK-506, FK-520, rapamycin, and similar polyketides, the TE activity is replaced by a RapP (for rapamycin) or RapP like activity that makes a linkage incorporating a pipecolate acid residue. The enzymatic activity that catalyzes this incorporation for the rapamycin enzyme is known as RapP, encoded by the *rapP* gene. The polyketide can be modified further by tailoring enzymes; these enzymes add carbohydrate groups or methyl groups, or make other modifications, i.e., oxidation or reduction, on the polyketide core molecule. For example, 6-dEB is hydroxylated at C-6 and C-12 and glycosylated at C-3 and C-5 in the synthesis of erythromycin A.

In Type I PKS polypeptides, the order of catalytic domains is conserved. When all beta-keto processing domains are present in a module, the order of domains in that module from N-to-C-terminus is always KS, AT, DH, ER, KR, and ACP. Some or all of the beta-keto processing domains may be missing in particular modules, but the order of the domains present in a module remains the same. The order of domains within modules is believed to be important for proper folding of the PKS polypetides into an active complex. Importantly, there is considerable flexibility in PKS enzymes, which allows for the genetic engineering of novel catalytic complexes. The engineering of these enzymes is achieved by modifying, adding, or deleting domains, or replacing them with those taken from other Type I PKS enzymes. It is also achieved by deleting, replacing, or adding entire modules with those taken from other sources. A genetically engineered PKS complex should of course have the ability to catalyze the synthesis of the product predicted from the genetic alterations made.

Alignments of the many available amino acid sequences for Type I PKS enzymes has approximately defined the boundaries of the various catalytic domains. Sequence alignments also have revealed linker regions between the catalytic domains and at the N-and C-termini of individual polypeptides. The sequences of these linker regions are less

DYSTALL BLACKE

5

10

15

well conserved than are those for the catalytic domains, which is in part how linker regions are identified. Linker regions can be important for proper association between domains and between the individual polypeptides that comprise the PKS complex. One can thus view the linkers and domains together as creating a scaffold on which the domains and modules are positioned in the correct orientation to be active. This organization and positioning, if retained, permits PKS domains of different or identical substrate specificities to be substituted (usually at the DNA level) between PKS enzymes by various available methodologies. In selecting the boundaries of, for example, an AT replacement, one can thus make the replacement so as to retain the linkers of the recipient PKS or to replace them with the linkers of the donor PKS AT domain, or, preferably, make both constructs to ensure that the correct linker regions between the KS and AT domains have been included in at least one of the engineered enzymes. Thus, there is considerable flexibility in the design of new PKS enzymes with the result that known polyketides can be produced more effectively, and novel polyketides useful as pharmaceuticals or for other purposes can be made.

By appropriate application of recombinant DNA technology, a wide variety of polyketides can be prepared in a variety of different host cells provided one has access to nucleic acid compounds that encode PKS proteins and polyketide modification enzymes. The present invention helps meet the need for such nucleic acid compounds by providing recombinant vectors that encode the FK-520 PKS enzyme and various FK-520 modification enzymes. Moreover, while the FK-506 and FK-520 polyketides have many useful activities, there remains a need for compounds with similar useful activities but with better pharmacokinetic profile and metabolism and fewer side-effects. The present invention helps meet the need for such compounds as well.

25

30

20

Summary of the Invention

In one embodiment, the present invention provides recombinant DNA vectors that encode all or part of the FK-520 PKS enzyme. Illustrative vectors of the invention include cosmid pKOS034-120, pKOS034-124, pKOS065-C31, pKOS065-C3, pKOS065-M27, and pKOS065-M21. The invention also provides nucleic acid compounds that

10

15

20

25

30

encode the various domains of the FK-520 PKS, i.e., the KS, AT, ACP, KR, DH, and ER domains. These compounds can be readily used, alone or in combination with nucleic acids encoding other FK-520 or non-FK-520 PKS domains, as intermediates in the construction of recombinant vectors that encode all or part of PKS enzymes that make novel polyketides.

The invention also provides isolated nucleic acids that encode all or part of one or more modules of the FK-520 PKS, each module comprising a ketosynthase activity, an acyl transferase activity, and an acyl carrier protein activity. The invention provides an isolated nucleic acid that encodes one or more open reading frames of FK-520 PKS genes, said open reading frames comprising coding sequences for a CoA ligase activity, an NRPS activity, or two or more extender modules. The invention also provides recombinant expression vectors containing these nucleic acids.

In another embodiment, the invention provides isolated nucleic acids that encode all or a part of a PKS that contains at least one module in which at least one of the domains in the module is a domain from a non-FK-520 PKS and at least one domain is from the FK-520 PKS. The non-FK-520 PKS domain or module originates from the rapamycin PKS, the FK-506 PKS, DEBS, or another PKS. The invention also provides recombinant expression vectors containing these nucleic acids.

In another embodiment, the invention provides a method of preparing a polyketide, said method comprising transforming a host cell with a recombinant DNA vector that encodes at least one module of a PKS, said module comprising at least one FK-520 PKS domain, and culturing said host cell under conditions such that said PKS is produced and catalyzes synthesis of said polyketide. In one aspect, the method is practiced with a *Streptomyces* host cell. In another aspect, the polyketide produced is FK-520. In another aspect, the polyketide produced is a polyketide related in structure to FK-520. In another aspect, the polyketide produced is a polyketide related in structure to FK-506 or rapamycin.

In another embodiment, the invention provides a set of genes in recombinant form sufficient for the synthesis of ethylmalonyl CoA in a heterologous host cell. These genes and the methods of the invention enable one to create recombinant host cells with the

10

15

20

25

ability to produce polyketides or other compounds that require ethylmalonyl CoA for biosynthesis. The invention also provides recombinant nucleic acids that encode AT domains specific for ethylmalonyl CoA. Thus, the compounds of the invention can be used to produce polyketides requiring ethylmalonyl CoA in host cells that otherwise are unable to produce such polyketides.

In another embodiment, the invention provides a set of genes in recombinant form sufficient for the synthesis of 2-hydroxymalonyl CoA and 2-methoxymalonyl CoA in a heterologous host cell. These genes and the methods of the invention enable one to create recombinant host cells with the ability to produce polyketides or other compounds that require 2-hydroxymalonyl CoA for biosynthesis. The invention also provides recombinant nucleic acids that encode AT domains specific for 2-hydroxymalonyl CoA and 2-methoxymalonyl CoA. Thus, the compounds of the invention can be used to produce polyketides requiring 2-hydroxymalonyl CoA or 2-methoxymalonyl CoA in host cells that are otherwise unable to produce such polyketides.

In another embodiment, the invention provides a compound related in structure to FK-520 or FK-506 that is useful in the treatment of a medical condition. These compounds include compounds in which the C-13 methoxy group is replaced by a moiety selected from the group consisting of hydrogen, methyl, and ethyl moieties. Such compounds are less susceptible to the main *in vivo* pathway of degradation for FK-520 and FK-506 and related compounds and thus exhibit an improved pharmacokinetic profile. The compounds of the invention also include compounds in which the C-15 methoxy group is replaced by a moiety selected from the group consisting of hydrogen, methyl, and ethyl moieties. The compounds of the invention also include the above compounds further modified by chemical methodology to produce derivatives such as, but not limited to, the C-18 hydroxyl derivatives, which have potent neurotrophin but not immunosuppresion activities.

10

15

20

Thus, the invention provides polyketides having the structure:

wherein, R₁ is hydrogen, methyl, ethyl, or allyl; R₂ is hydrogen or hydroxyl, provided that when R₂ is hydrogen, there is a double bond between C-20 and C-19; R₃ is hydrogen or hydroxyl; R₄ is methoxyl, hydrogen, methyl, or ethyl; and R₅ is methoxyl, hydrogen, methyl, or ethyl; but not including FK-506, FK-520, 18-hydroxy-FK-520, and 18-hydroxy-FK-506. The invention provides these compounds in purified form and in pharmaceutical compositions.

In another embodiment, the invention provides a method for treating a medical condition by administering a pharmaceutically efficacious dose of a compound of the invention. The compounds of the invention may be administered to achieve immunosuppression or to stimulate nerve growth and regeneration.

These and other embodiments and aspects of the invention will be more fully understood after consideration of the attached Drawings and their brief description below, together with the detailed description, examples, and claims that follow.

Brief Description of the Drawings

Figure 1 shows a diagram of the FK-520 biosynthetic gene cluster. The top line provides a scale in kilobase pairs (kb). The second line shows a restriction map with selected restriction enzyme recognition sequences indicated. K is *KpnI*; X is *XhoI*, S is *SacI*; P is *PstI*; and E is *EcoRI*. The third line indicates the position of FK-520 PKS and related genes. Genes are abbreviated with a one letter designation, i.e., C is *fkbC*.

10

15

20

25

Immediately under the third line are numbered segments showing where the loading module (L) and ten different extender modules (numbered 1 - 10) are encoded on the various genes shown. At the bottom of the Figure, the DNA inserts of various cosmids of the invention (i.e., 34-124 is cosmid pKOS034-124) are shown in alignment with the FK-520 biosynthetic gene cluster.

Figure 2 shows the loading module (load), the ten extender modules, and the peptide synthetase domain of the FK-520 PKS, together with, on the top line, the genes that encode the various domains and modules. Also shown are the various intermediates in FK-520 biosynthesis, as well as the structure of FK-520, with carbons 13, 15, 21, and 31 numbered. The various domains of each module and subdomains of the loading module are also shown. The darkened circles showing the DH domains in modules 2, 3, and 4 indicate that the dehydratase domain is not functional as a dehydratase; this domain may affect the stereochemistry at the corresponding position in the polyketide. The substituents on the FK-520 structure that result from the action of non-PKS enzymes are also indicated by arrows, together with the types of enzymes or the genes that code for the enzymes that mediate the action. Although the methyltransferase is shown acting at the C-13 and C-15 hydroxyl groups after release of the polyketide from the PKS, the methyltransferase may act on the 2-hydroxymalonyl substrate prior to or contemporaneously with its incorporation during polyketide synthesis.

Figure 3 shows a close-up view of the left end of the FK-520 gene cluster, which contains at least ten additional genes. The ethyl side chain on carbon 21 of FK-520 (Figure 2) is derived from an ethylmalonyl CoA extender unit that is incorporated by an ethylmalonyl specific AT domain in extender module 4 of the PKS. At least four of the genes in this region code for enzymes involved in ethylmalonyl biosynthesis. The polyhydroxybutyrate depolymerase is involved in maintaining hydroxybutyryl-CoA pools during FK-520 production. Polyhydroxybutyrate accumulates during vegetative growth and disappears during stationary phase in other *Streptomyces* (Ranade and Vining, 1993, *Can. J. Microbiol. 39*:377). Open reading frames with unknown function are indicated with a question mark.

10

15

20

25

30

Figure 4 shows a biosynthetic pathway for the biosynthesis of ethylmalonyl CoA from acetoacetyl CoA consistent with the function assigned to four of the genes in the FK-520 gene cluster shown in Figure 3.

Figure 5 shows a close-up view of the right-end of the FK-520 PKS gene cluster (and of the sequences on cosmid pKOS065-C31). The genes shown include fkbD, fkbM (a methyl transferase that methylates the hydroxyl group on C-31 of FK-520), fkbN (a homolog of a gene described as a regulator of cholesterol oxidase and that is believed to be a transcriptional activator), fkbQ (a type II thioesterase, which can increase polyketide production levels), and fkbS (a crotonyl-CoA reductase involved in the biosynthesis of ethylmalonyl CoA).

Figure 6 shows the proposed degradative pathway for tacrolimus (FK-506) metabolism.

Figure 7 shows a schematic process for the construction of recombinant PKS genes of the invention that encode PKS enzymes that produce 13-desmethoxy FK-506 and FK-520 polyketides of the invention, as described in Example 4, below.

Figure 8, in Parts A and B, shows certain compounds of the invention preferred for dermal application in Part A and a synthetic route for making those compounds in Part B.

Detailed Description of the Invention

Given the valuable pharmaceutical properties of polyketides, there is a need for methods and reagents for producing large quantities of polyketides, as well as for producing related compounds not found in nature. The present invention provides such methods and reagents, with particular application to methods and reagents for producing the polyketides known as FK-520, also known as ascomycin or L-683,590 (see Holt *et al.*, 1993, *JACS 115*:9925), and FK-506, also known as tacrolimus. Tacrolimus is a macrolide immunosuppressant used to prevent or treat rejection of transplanted heart, kidney, liver, lung, pancreas, and small bowel allografts. The drug is also useful for the prevention and treatment of graft-versus-host disease in patients receiving bone marrow transplants, and for the treatment of severe, refractory uveitis. There have been additional

15

20

5


reports of the unapproved use of tacrolimus for other conditions, including alopecia universalis, autoimmune chronic active hepatitis, inflammatory bowel disease, multiple sclerosis, primary biliary cirrhosis, and scleroderma. The invention provides methods and reagents for making novel polyketides related in structure to FK-520 and FK-506, and structurally related polyketides such as rapamycin.

The FK-506 and rapamycin polyketides are potent immunosuppressants, with chemical structures shown below.

FK-520 differs from FK-506 in that it lacks the allyl group at C-21 of FK-506, having instead an ethyl group at that position, and has similar activity to FK-506, albeit reduced immunosuppressive activity.

These compounds act through initial formation of an intermediate complex with protein "immunophilins" known as FKBPs (FK-506 binding proteins), including FKBP-12. Immunophilins are a class of cytosolic proteins that form complexes with molecules such as FK-506, FK-520, and rapamycin that in turn serve as ligands for other cellular targets involved in signal transduction. Binding of FK-506, FK-520, and rapamycin to FKBP occurs through the structurally similar segments of the polyketide molecules, known as the "FKBP-binding domain" (as generally but not precisely indicated by the stippled regions in the structures above). The FK-506-FKBP complex then binds calcineurin, while the rapamycin-FKBP complex binds to a protein known as RAFT-1.

Binding of the FKBP-polyketide complex to these second proteins occurs through the dissimilar regions of the drugs known as the "effector" domains.



5

The three component FKBP-polyketide-effector complex is required for signal transduction and subsequent immunosuppressive activity of FK-506, FK-520, and rapamycin. Modifications in the effector domains of FK-506, FK-520, and rapamycin that destroy binding to the effector proteins (calcineurin or RAFT) lead to loss of immunosuppressive activity, even though FKBP binding is unaffected. Further, such analogs antagonize the immunosuppressive effects of the parent polyketides, because they compete for FKBP. Such non-immunosuppressive analogs also show reduced toxicity (see Dumont *et al.*, 1992, *Journal of Experimental Medicine 176*, 751-760), indicating that much of the toxicity of these drugs is not linked to FKBP binding.

15

20

10

In addition to immunosuppressive activity, FK-520, FK-506, and rapamycin have neurotrophic activity. In the central nervous system and in peripheral nerves, immunophilins are referred to as "neuroimmunophilins". The neuroimmunophilin FKBP is markedly enriched in the central nervous system and in peripheral nerves. Molecules that bind to the neuroimmunophilin FKBP, such as FK-506 and FK-520, have the remarkable effect of stimulating nerve growth. *In vitro*, they act as neurotrophins, i.e.,

15


20

they promote neurite outgrowth in NGF-treated PC12 cells and in sensory neuronal cultures, and in intact animals, they promote regrowth of damaged facial and sciatic nerves, and repair lesioned serotonin and dopamine neurons in the brain. See Gold *et al.*, Jun. 1999, *J. Pharm. Exp. Ther. 289*(3): 1202-1210; Lyons *et al.*, 1994, *Proc. National Academy of Science 91*: 3191-3195; Gold *et al.*, 1995, *Journal of Neuroscience 15*: 7509-7516; and Steiner *et al.*, 1997, *Proc. National Academy of Science 94*: 2019-2024. Further, the restored central and peripheral neurons appear to be functional.

Compared to protein neurotrophic molecules (BNDF, NGF, etc.), the small-molecule neurotrophins such as FK-506, FK-520, and rapamycin have different, and often advantageous, properties. First, whereas protein neurotrophins are difficult to deliver to their intended site of action and may require intra-cranial injection, the small-molecule neurotrophins display excellent bioavailability; they are active when administered subcutaneously and orally. Second, whereas protein neurotrophins show quite specific effects, the small-molecule neurotrophins show rather broad effects. Finally, whereas protein neurotrophins often show effects on normal sensory nerves, the small-molecule neurotrophins do not induce aberrant sprouting of normal neuronal processes and seem to affect damaged nerves specifically. Neuroimmunophilin ligands have potential therapeutic utility in a variety of disorders involving nerve degeneration (e.g. multiple sclerosis, Parkinson's disease, Alzheimer's disease, stroke, traumatic spinal cord and brain injury, peripheral neuropathies).

Recent studies have shown that the immunosuppressive and neurite outgrowth activity of FK-506, FK-520, and rapamycin can be separated; the neuroregenerative activity in the absence of immunosuppressive activity is retained by agents which bind to FKBP but not to the effector proteins calcineurin or RAFT. See Steiner *et al.*, 1997,

25 Nature Medicine 3: 421-428.



15

5

Available structure-activity data show that the important features for neurotrophic activity of rapamycin, FK-520, and FK-506 lie within the common, contiguous segments of the macrolide ring that bind to FKBP. This portion of the molecule is termed the "FKBP binding domain" (see VanDuyne *et al.*, 1993, *Journal of Molecular Biology 229*: 105-124.). Nevertheless, the effector domains of the parent macrolides contribute to conformational rigidity of the binding domain and thus indirectly contribute to FKBP binding.

"FKBP binding domain"

There are a number of other reported analogs of FK-506, FK-520, and rapamycin that bind to FKBP but not the effector protein calcineurin or RAFT. These analogs show effects on nerve regeneration without immunosuppressive effects.

Naturally occurring FK-520 and FK-506 analogs include the antascomycins, which are FK-506-like macrolides that lack the functional groups of FK-506 that bind to calcineurin (see Fehr *et al.*, 1996, *The Journal of Antibiotics 49*: 230-233). These molecules bind FKBP as effectively as does FK-506; they antagonize the effects of both FK-506 and rapamycin, yet lack immunosuppressive activity.

10

Antascomycin A

Other analogs can be produced by chemically modifying FK-506, FK-520, or

rapamycin. One approach to obtaining neuroimmunophilin ligands is to destroy the effector binding region of FK-506, FK-520, or rapamycin by chemical modification. While the chemical modifications permitted on the parent compounds are quite limited, some useful chemically modified analogs exist. The FK-520 analog L-685,818 (ED₅₀ = 0.7 nM for FKBP binding; see Dumont *et al.*, 1992), and the rapamycin analog WAY-124,466 (IC₅₀ = 12.5 nM; see Ocain *et al.*, 1993, *Biochemistry Biophysical Research Communications 192*: 1340-134693) are about as effective as FK-506, FK-520, and rapamycin at promoting neurite outgrowth in sensory neurons (see Steiner *et al.*, 1997).

One of the few positions of rapamycin that is readily amenable to chemical modification is the allylic 16-methoxy group; this reactive group is readily exchanged by

acid-catalyzed nucleophilic substitution. Replacement of the 16-methoxy group of rapamycin with a variety of bulky groups has produced analogs showing selective loss of immunosuppressive activity while retaining FKBP-binding (see Luengo et al., 1995, Chemistry & Biology 2: 471-481). One of the best compounds, 1, below, shows complete loss of activity in the splenocyte proliferation assay with only a 10-fold reduction in binding to FKBP.

There are also synthetic analogs of FKBP binding domains. These compounds

reflect an approach to obtaining neuroimmunophilin ligands based on "rationally designed" molecules that retain the FKBP-binding region in an appropriate conformation for binding to FKBP, but do not possess the effector binding regions. In one example, the ends of the FKBP binding domain were tethered by hydrocarbon chains (see Holt et al., 1993, Journal of the American Chemical Society 115: 9925-9938); the best analog, 2,

below, binds to FKBP about as well as FK-506. In a similar approach, the ends of the FKBP binding domain were tethered by a tripeptide to give analog 3, below, which binds to FKBP about 20-fold poorer than FK-506. These compounds are anticipated to have neuroimmunophilin binding activity.

10

15

20

In a primate MPTP model of Parkinson's disease, administration of FKBP ligand GPI-1046 caused brain cells to regenerate and behavioral measures to improve. MPTP is a neurotoxin, which, when administered to animals, selectively damages nigral-striatal dopamine neurons in the brain, mimicking the damage caused by Parkinson's disease. Whereas, before treatment, animals were unable to use affected limbs, the FKBP ligand restored the ability of animals to feed themselves and gave improvements in measures of locomotor activity, neurological outcome, and fine motor control. There were also corresponding increases in regrowth of damaged nerve terminals. These results demonstrate the utility of FKBP ligands for treatment of diseases of the CNS.

From the above description, two general approaches towards the design of non-immunosuppressant, neuroimmunophilin ligands can be seen. The first involves the construction of constrained cyclic analogs of FK-506 in which the FKBP binding domain is fixed in a conformation optimal for binding to FKBP. The advantages of this approach are that the conformation of the analogs can be accurately modeled and predicted by computational methods, and the analogs closely resemble parent molecules that have proven pharmacological properties. A disadvantage is that the difficult chemistry limits the numbers and types of compounds that can be prepared. The second approach involves the trial and error construction of acyclic analogs of the FKBP binding domain by conventional medicinal chemistry. The advantages to this approach are that the chemistry is suitable for production of the numerous compounds needed for such interactive chemistry-bioassay approaches. The disadvantages are that the molecular types of compounds that have emerged have no known history of appropriate pharmacological

10

15

20.

25

30

properties, have rather labile ester functional groups, and are too conformationally mobile to allow accurate prediction of conformational properties.

The present invention provides useful methods and reagents related to the first approach, but with significant advantages. The invention provides recombinant PKS genes that produce a wide variety of polyketides that cannot otherwise be readily synthesized by chemical methodology alone. Moreover, the present invention provides polyketides that have either or both of the desired immunosuppressive and neurotrophic activities, some of which are produced only by fermentation and others of which are produced by fermentation and chemical modification. Thus, in one aspect, the invention provides compounds that optimally bind to FKBP but do not bind to the effector proteins. The methods and reagents of the invention can be used to prepare numerous constrained cyclic analogs of FK-520 in which the FKBP binding domain is fixed in a conformation optimal for binding to FKBP. Such compounds will show neuroimmunophilin binding (neurotrophic) but not immunosuppressive effects. The invention also allows direct manipulation of FK-520 and related chemical structures via genetic engineering of the enzymes involved in the biosynthesis of FK-520 (as well as related compounds, such as FK-506 and rapamycin); similar chemical modifications are simply not possible because of the complexity of the structures. The invention can also be used to introduce "chemical handles" into normally inert positions that permit subsequent chemical modifications.

Several general approaches to achieve the development of novel neuroimmunophilin ligands are facilitated by the methods and reagents of the present invention. One approach is to make "point mutations" of the functional groups of the parent FK-520 structure that bind to the effector molecules to eliminate their binding potential. These types of structural modifications are difficult to perform by chemical modification, but can be readily accomplished with the methods and reagents of the invention.

A second, more extensive approach facilitated by the present invention is to utilize molecular modeling to predict optimal structures *ab initio* that bind to FKBP but not effector molecules. Using the available X-ray crystal structure of FK-520 (or FK-506) bound to FKBP, molecular modeling can be used to predict polyketides that should

10

15

20

Atty Dkt: 300622002600

- 20 -

optimally bind to FKBP but not calcineurin. Various macrolide structures can be generated by linking the ends of the FKBP-binding domain with "all possible" polyketide chains of variable length and substitution patterns that can be prepared by genetic manipulation of the FK-520 or FK-506 PKS gene cluster in accordance with the methods of the invention. The ground state conformations of the virtual library can be determined, and compounds that possess binding domains most likely to bind well to FKBP can be prepared and tested.

Once a compound is identified in accordance with the above approaches, the invention can be used to generate a focused library of analogs around the lead candidate, to "fine tune" the compound for optimal properties. Finally, the genetic engineering methods of the invention can be directed towards producing "chemical handles" that enable medicinal chemists to modify positions of the molecule previously inert to chemical modification. This opens the path to previously prohibited chemical optimization of lead compounds by time-proven approaches.

Moreover, the present invention provides polyketide compounds and the recombinant genes for the PKS enzymes that produce the compounds that have significant advantages over FK-506 and FK-520 and their analogs. The metabolism and pharmacokinetics of tacrolimus has been exstensively studied, and FK-520 is believed to be similar in these respects. Absorption of tacrolimus is rapid, variable, and incomplete from the gastrointestinal tract (Harrison's Principles of Internal Medicine, 14th edition, 1998, McGraw Hill, 14, 20, 21, 64-67). The mean bioavailability of the oral dosage form is 27%, (range 5 to 65%). The volume of distribution (VoID) based on plasma is 5 to 65 L per kg of body weight (L/kg), and is much higher than the VoID based on whole blood concentrations, the difference reflecting the binding of tacrolimus to red blood cells. Whole blood concentrations may be 12 to 67 times the plasma concentrations. Protein

Whole blood concentrations may be 12 to 67 times the plasma concentrations. Protein binding is high (75 to 99%), primarily to albumin and alpha1-acid glycoprotein. The half-life for distribution is 0.9 hour; elimination is biphasic and variable: terminal-11.3 hr (range, 3.5 to 40.5 hours). The time to peak concentration is 0.5 to 4 hours after oral administration.

10

15

20

25

Tacrolimus is metabolized primarily by cytochrome P450 3A enzymes in the liver and small intestine. The drug is extensively metabolized with less than 1% excreted unchanged in urine. Because hepatic dysfunction decreases clearance of tacrolimus, doses have to be reduced substantially in primary graft non-function, especially in children. In addition, drugs that induce the cytochrome P450 3A enzymes reduce tacrolimus levels, while drugs that inhibit these P450s increase tacrolimus levels. Tacrolimus bioavailability doubles with co-administration of ketoconazole, a drug that inhibits P450 3A. See, Vincent et al., 1992, In vitro metabolism of FK-506 in rat, rabbit, and human liver microsomes: Identification of a major metabolite and of cytochrome P450 3A as the major enzymes responsible for its metabolism, Arch. Biochem. Biophys. 294: 454-460; Iwasaki et al., 1993, Isolation, identification, and biological activities of oxidative metabolites of FK-506, a potent immunosuppressive macrolide lactone, Drug Metabolism & Disposition 21: 971-977; Shiraga et al., 1994, Metabolism of FK-506, a potent immunosuppressive agent, by cytochrome P450 3A enzymes in rat, dog, and human liver microsomes, Biochem. Pharmacol. 47: 727-735; and Iwasaki et al., 1995, Further metabolism of FK-506 (Tacrolimus); Identification and biological activities of the metabolites oxidized at multiple sites of FK-506, Drug Metabolism & Disposition 23: 28-34. The cytochrome P450 3A subfamily of isozymes has been implicated as important in this degradative process.

Structures of the eight isolated metabolites formed by liver microsomes are shown in Figure 6. Four metabolites of FK-506 involve demethylation of the oxygens on carbons 13, 15, and 31, and hydroxylation of carbon 12. The 13-demethylated (hydroxy) compounds undergo cyclizations of the 13-hydroxy at C-10 to give MI, MVI and MVII, and the 12-hydroxy metabolite at C-10 to give I. Another four metabolites formed by oxidation of the four metabolites mentioned above were isolated by liver microsomes from dexamethasone treated rats. Three of these are metabolites doubly demethylated at the methoxy groups on carbons 15 and 31 (M-V), 13 and 31 (M-VI), and 13 and 15 (M-VII). The fourth, M-VIII, was the metabolite produced after demethylation of the 31-methoxy group, followed by formation of a fused ring system by further oxidation.

30 Among the eight metabolites, M-II has immunosuppressive activity comparable to that of

10

15

20

25

30

FK-506, whereas the other metabolites exhibit weak or negligible activities. Importantly, the major metabolite of human, dog, and rat liver microsomes is the 13-demethylated and cyclized FK-506 (M-I).

Thus, the major metabolism of FK-506 proceeds via 13-demethylation followed by cyclization to the inactive M-I, this representing about 90% of the metabolic products after a 10 minute incubation with liver microsomes. Analogs of tacrolimus that do not possess a C-13 methoxy group would not be susceptible to the first and most important biotransformation in the destructive metabolism of tacrolimus (i.e. cyclization of 13-hydroxy to C-10). Thus, a 13-desmethoxy analog of FK-506 should have a longer half-life in the body than does FK-506. The C-13 methoxy group is believed not to be required for binding to FKBP or calcineurin. The C-13 methoxy is not present on the identical position of rapamycin, which binds to FKBP with equipotent affinity as tacrolimus. Also, analysis of the 3-dimensional structure of the FKBP-tacrolimus-calcineurin complex shows that the C-13 methoxy has no interaction with FKBP and only a minor interaction with calcineurin. The present invention provides C-13-desmethoxy analogs of FK-506 and FK-520, as well as the recombinant genes that encode the PKS enzymes that catalyze their synthesis and host cells that produce the compounds.

These compounds exhibit, relative to their naturally occurring counterparts, prolonged immunosuppressive action *in vivo*, thereby allowing a lower dosage and/or reduced frequency of administration. Dosing is more predictable, because the variability in FK-506 dosage is largely due to variation of metabolism rate. FK-506 levels in blood can vary widely depending on interactions with drugs that induce or inhibit cytochrome P450 3A (summarized in USP Drug Information for the Health Care Professional). Of particular importance are the numerous drugs that inhibit or compete for CYP 3A, because they increase FK-506 blood levels and lead to toxicity (Prograf package insert, Fujisawa US, Rev 4/97, Rec 6/97). Also important are the drugs that induce P450 3A (e.g. Dexamethasone), because they decrease FK-506 blood levels and reduce efficacy. Because the major site of CYP 3A action on FK-506 is removed in the analogs provided by the present invention, those analogs are not as susceptible to drug interactions as the naturally occurring compounds.

10

15

20

25

Hyperglycemia, nephrotoxicity, and neurotoxicity are the most significant adverse effects resulting from the use of FK-506 and are believed to be similar for FK-520. Because these effects appear to occur primarily by the same mechanism as the immunosuppressive action (i.e. FKBP-calcineurin interaction), the intrinsic toxicity of the desmethoxy analogs may be similar to FK-506. However, toxicity of FK-506 is dose related and correlates with high blood levels of the drug (Prograf package insert, Fujisawa US, Rev 4/97, Rec 6/97). Because the levels of the compounds provided by the present invention should be more controllable, the incidence of toxicity should be significantly decreased with the 13-desmethoxy analogs. Some reports show that certain FK-506 metabolites are more toxic than FK-506 itself, and this provides an additional reason to expect that a CYP 3A resistant analog can have lower toxicity and a higher therapeutic index.

Thus, the present invention provides novel compounds related in structure to FK-506 and FK-520 but with improved properties. The invention also provides methods for making these compounds by fermentation of recombinant host cells, as well as the recombinant host cells, the recombinant vectors in those host cells, and the recombinant proteins encoded by those vectors. The present invention also provides other valuable materials useful in the construction of these recombinant vectors that have many other important applications as well. In particular, the present invention provides the FK-520 PKS genes, as well as certain genes involved in the biosynthesis of FK-520 in recombinant form.

FK-520 is produced at relatively low levels in the naturally occurring cells, Streptomyces hygroscopicus var. ascomyceticus, in which it was first identified. Thus, another benefit provided by the recombinant FK-520 PKS and related genes of the present invention is the ability to produce FK-520 in greater quantities in the recombinant host cells provided by the invention. The invention also provides methods for making novel FK-520 analogs, in addition to the desmethoxy analogs described above, and derivatives in recombinant host cells of any origin.

The biosynthesis of FK-520 involves the action of several enzymes. The FK-520 PKS enzyme, which is composed of the fkbA, fkbB, fkbC, and fkbP gene products,

10

15

20

25

30

synthesizes the core structure of the molecule. There is also a hydroxylation at C-9 mediated by the P450 hydroxylase that is the *fkbD* gene product and that is oxidized by the *fkbO* gene product to result in the formation of a keto group at C-9. There is also a methylation at C-31 that is mediated by an O-methyltransferase that is the *fkbM* gene product. There are also methylations at the C-13 and C-15 positions by a methyltransferase believed to be encoded by the fkbG gene; this methyltransferase may act on the hydroxymalonyl CoA substrates prior to binding of the substrate to the AT domains of the PKS during polyketide synthesis. The present invention provides the genes encoding these enzymes in recombinant form. The invention also provides the genes encoding the enzymes involved in ethylmalonyl CoA and 2-hydroxymalonyl CoA biosynthesis in recombinant form. Moreover, the invention provides *Streptomyces hygroscopicus* var. ascomyceticus recombinant host cells lacking one or more of these genes that are useful in the production of useful compounds.

The cells are useful in production in a variety of ways. First, certain cells make a useful FK-520-related compound merely as a result of inactivation of one or more of the FK-520 biosynthesis genes. Thus, by inactivating the C-31 O-methyltransferase gene in *Streptomyces hygroscopicus* var. *ascomyceticus*, one creates a host cell that makes a desmethyl (at C-31) derivative of FK-520. Second, other cells of the invention are unable to make FK-520 or FK-520 related compounds due to an inactivation of one or more of the PKS genes. These cells are useful in the production of other polyketides produced by PKS enzymes that are encoded on recombinant expression vectors and introduced into the host cell.

Moreover, if only one PKS gene is inactivated, the ability to produce FK-520 or an FK-520 derivative compound is restored by introduction of a recombinant expression vector that contains the functional gene in a modified or unmodified form. The introduced gene produces a gene product that, together with the other endogenous and functional gene products, produces the desired compound. This methodology enables one to produce FK-520 derivative compounds without requiring that all of the genes for the PKS enzyme be present on one or more expression vectors. Additional applications and benefits of such cells and methodology will be readily apparent to those of skill in the art

10

15

20

25

30

after consideration of how the recombinant genes were isolated and employed in the construction of the compounds of the invention.

The FK-520 biosynthetic genes were isolated by the following procedure. Genomic DNA was isolated from *Streptomyces hygroscopicus* var. *ascomyceticus* (ATCC 14891) using the lysozyme/proteinase K protocol described in Genetic Manipulation of *Streptomyces* - A Laboratory Manual (Hopwood *et al.*, 1986). The average size of the DNA was estimated to be between 80 - 120 kb by electrophoresis on 0.3% agarose gels. A library was constructed in the SuperCosTM vector according to the manufacturer's instructions and with the reagents provided in the commercially available kit (Stratagene). Briefly, 100 μg of genomic DNA was partially digested with 4 units of *Sau*3A I for 20 min. in a reaction volume of 1 mL, and the fragments were dephosphorylated and ligated to SuperCos vector arms. The ligated DNA was packaged and used to infect log-stage XL1-BlueMR cells. A library of about 10,000 independent cosmid clones was obtained.

Based on recently published sequence from the FK-506 cluster (Motamedi and Shafiee, 1998, Eur. J. Biochem. 256: 528), a probe for the fkbO gene was isolated from ATCC 14891 using PCR with degenerate primers. With this probe, a cosmid designated pKOS034-124 was isolated from the library. With probes made from the ends of cosmid pKOS034-124, an additional cosmid designated pKOS034-120 was isolated. These cosmids (pKOS034-124 and pKOS034-120) were shown to contain DNA inserts that overlap with one another. Initial sequence data from these two cosmids generated sequences similar to sequences from the FK-506 and rapamycin clusters, indicating that the inserts were from the FK-520 PKS gene cluster. Two EcoRI fragments were subcloned from cosmids pKOS034-124 and pKOS034-120. These subclones were used to prepare shotgun libraries by partial digestion with Sau3AI, gel purification of fragments between 1.5 kb and 3 kb in size, and ligation into the pLitmus28 vector (New England Biolabs). These libraries were sequenced using dye terminators on a Beckmann CEQ2000 capillary electrophoresis sequencer, according to the manufacturer's protocols.

To obtain cosmids containing sequence on the left and right sides of the sequenced region described above, a new cosmid library of ATCC 14891 DNA was

10

15


prepared essentially as described above. This new library was screened with a new fkbM probe isolated using DNA from ATCC 14891. A probe representing the fkbP gene at the end of cosmid pKOS034-124 was also used. Several additional cosmids to the right of the previously sequenced region were identified. Cosmids pKOS065-C31 and pKOS065-C3 were identified and then mapped with restriction enzymes. Initial sequences from these cosmids were consistent with the expected organization of the cluster in this region. More extensive sequencing showed that both cosmids contained in addition to the desired sequences, other sequences not contiguous to the desired sequences on the host cell chromosomal DNA. Probing of additional cosmid libraries identified two additional cosmids, pKOS065-M27 and pKOS065-M21, that contained the desired sequences in a contiguous segment of chromosomal DNA. Cosmids pKOS034-124, pKOS034-120, pKOS065-M27, and pKOS065-M21 have been deposited with the American Type Culture Collection, Manassas, VA, USA. The complete nucleotide sequence of the coding sequences of the genes that encode the proteins of the FK-520 PKS are shown below but can also be determined from the cosmids of the invention deposited with the ATCC using standard methodology.

Referring to Figures 1 and 3, the FK-520 PKS gene cluster is composed of four open reading frames designated fkbB, fkbC, fkbA, and fkbP. The fkbB open reading frame encodes the loading module and the first four extender modules of the PKS. The fkbC open reading frame encodes extender modules five and six of the PKS. The fkbA open reading frame encodes extender modules seven, eight, nine, and ten of the PKS. The fkbP open reading frame encodes the NRPS of the PKS. Each of these genes can be isolated from the cosmids of the invention described above. The DNA sequences of these genes are provided below preceded by the following table identifying the start and stop codons of the open reading frames of each gene and the modules and domains contained therein.

	Nucleotides	Gene or Domain
	complement (412 - 1836)	fkbW
	complement (2020 - 3579)	fkbV \
30	complement (3969 - 4496)	fkbR2
	complement (4595 - 5488)	fkbR1
	5601 - 6818	fkbE

```
fkbF
      8156 - \8824
                                       fkbG
      complement (9122 - 9883)
                                       fkbH
      complement (9894 - 10994)
                                       fkbI
 5
      complement (10987 - 11247)
                                       fkbJ
      complement (11244 - 12092)
                                       fkbK
      complement (12113 - 13150)
                                       fkbL
      complement (\(\frac{1}{3212} - 23988\)
                                       fkbC
      complement (23/992 - 46573)
                                       fkbB
10
      46754 - 47788
                                       fkbO
      47785 - 52272
                                       fkbP
      52275 - 71465
                                       fkbA
      71462 - 72628
                                       fkbD
      72625 - 73407
                                       fkbM
15
      complement (73460 - 76202)
                                       fkbN
     complement (76336 - 77080)
                                       fkbO
      complement (77076 - 77535)
                                       fkbS
      complement (44974 - 46573)
                                       CoA ligase of loading domain
      complement (43777 - 44629)
                                       ER of loading domain
20
      complement (43144 - 43660)
                                       ACP of loading domain
     complement (41842 - 43093)
                                       KS of extender module 1 (KS1)
     complement(40609 - 41842)
                                       AT1
     complement (39442 - 40609)
                                       DH1
     complement (38677 - 39307)
                                       KR1
25
     complement (38371 - 38581)
                                       ACP1
     complement (37145 - 38296)
                                       KSΏ
     complement (35749 - 37144)
                                       AT2
                                       DH2 (inactive)
     complement (34606 - 35749)
     complement (33823 - 34480)
                                       KR2
30
     complement (33505 - 33715)
                                       ACP2
     complement (32185 - 33439)
                                       KS3
     complement (31018 - 32185)
                                       AT3
     complement (29869 - 31018)
                                       DH3 (inactive)
     complement (29092 - 29740)
                                       KR3
35
     complement (28750 - 28960)
                                       ACP3
     complement (27430 - 28684)
                                       KS4
     complement (26146 - 27430)
                                       AT4
     complement (24997 - 26146)
                                       DH4 (inactive)
     complement (24163 - 24373)
                                       ACP4
40
     complement (22653 - 23892)
                                       KS5
     complement (21420 - 22653)
                                       AT5
     complement (20241 - 21420)
                                       DH5
     complement (19464 - 20097)
                                       KR5
     complement (19116 - 19326)
                                       ACP5
```

M



Ф
Ū
F
ũ
Ш
þå
m
_
ä
-

		CCACTCGGCG					
		GCCCTTGTCG					
	1381	GTCGTTGGCG	TACTGCTCGC	GGTTACCGGG	GGTGCCGGCC	ACGACCAGGC	CACCGTTCCA
		GCGGTCGGGC					
5		GGTGGAGGTG					
	1561	CAGGTTCTTG	GGCGTCAGCC	CTGCCCAGTC	CGCCGGGTCG	GTGTGGCCGG	TGGCCGCCGT
	1621	TCCCGCCGTG	GTCAGCTCGT	CCAGGCAGTC	GGCCTGCTGA	CGTGCCGCCG	CCGGGACACG
	1681	CAGCTGGGAC	AGACGGGCGC	AGTGACCGTC	CGGGGCATCG	GGAGCAGGCC	GGGCCGTGGC
	1741	CGGTGAGGGG	AGCAGGACGG	CGACTGCGGC	CAGGGTGAGA	GCGCCGAGGC	CGGTGCGTCT
10	1801	TCTCGGGGCC	CGTCCGACAC	CGAGGGGCAG	AACCATGGAG	AGCCTCCAGA	CGTGCGGATG
	1861	GATGACGGAC	TGGAGGCTAG	GTCGCGCACG	GTGGAGACGA	ACATGGGTGC	GCCCGCCATG
	1921	ACTGAGGCCC	CTCAGAGGTG	GGCCGCCGCC	ATGACGGGCG	CGGGACCGCG	GGCGCTCCGG
		GGCGGTGCCC					
	2041	GACGGTGAAG	TAGCCGGTCG	GCGACTCTTT	CAAGGTGGTC	GTGACGAAGG	TGTTGTACAG
15	2101	GCCCATGTTC	TGGCCGGAGC	CCTTGGCGTA	GGTGTAACCG	GCGCTCGTCG	TGGCGCGGCC
		CGCCTGGACG					
		CGCGGTGACC					
		GTAGGTGTGC					
		GGTGATCTGG					
20	2401	GGTCAGGCTG	ATGGTGGTGT	CGGTGGCGCC	GGTGGCGGCC	AGGCCGGACG	GAGCGGGCAG
	2461	CGAACCGGGG	TCGGAGGCGG	ATCCGCTCAG	GCCGAAGAAC	TGCGTGATCC	AGTAGCTGGA
		ACAGATCGAG					
		GGGATCGACC					
		TCCGTCCGCG					
25		GTCCGGCGTC					
	2761	GCGCGGCGCG	ACGGTGGTGT	CCTTGTCGCC	GTGCCAGATG	GCCACGCGCG	GCCACGGGCC
	2821	CGACCACGAG	GGGTAGCCGT	CACGGACCCG	CCGCGCCCAC	TGGTCCGCGG	TCAGGTCGGT
	2881	CCCGGGGTTC	ATGCACAGGT	ACGCGCTGCT	GACGTCGGTG	GCACAGCCGA	AGGGCAGGCC
		GGCGACGACC					
30	3001	GGCACCGCCG	GCGGACAGCC	CGGTGATGTA	GGTGCGCTGG	GGGTCCGCGC	CGTAGGCGGA
		GACGGTGTGA					
	3121	GCTGCTCTGG	AACCAGTTGA	AGCACCTGTT	CGCGTTGTTC	GACGACGTGG	TCTCGGCGAA
	3181	CACGAGCAGG	AAGCCATAGC	GGTCCGCGAA	TGAGAGCAGG	CCGGAGTTGT	CGGCGTAGCC
		CTGGGCGTCC					
35	3301	CGCGGGCCGG	TAGACGTACA	TGTTCAGCCG	GCCCGGGTTC	GTGCCGAAGT	CCGCGACCTC
		GGTCAGGTCC					
	3421	CGCCGGGCCG	AGCAGGGCCG	CTCCGAGTAC	GAGGGCCACG	ACGGCCACGA	GACGGGTGAG
	3481	CACCCCCGC	CGTCCCGGAC	GCGACAACGA	CCCGACCGGC	GGCGAGGAGG	AGAGGGGGAA
	3541	CAGCGGGGTG	AGGATTCCCC	GGAACGGCGG	CGGCTGCATG	GCGGCTCCCT	CGATGTCGTG
40	3601	GGGGGGACAC	GGAGGGCTCC	CTGACGTCGA	TCAGTGGGAG	CGCCCCGGTG	CCCGGCACCG
	3661	TAGGGGTGGT	TCAACCCGCA	ACGGTATGGC	CCGGAGCACC	ACACCCCGCA	CCGCGCGATG
	3721	TGCGCCCGGA	CGGATTGTGT	CGCCTTGCGG	AATCTGATAC	CCGGACGCGA	CGAACGCCCC
	3781	ACCCGACACG	GGTAGGGCGT	CATGGTGTCC	GACTCGGCCG	GTCGGCCTTG	CCTGCCCTGG
	3841	ACGGACCGGG	CGTCGGCGGA	CCGGGCGTCG	GCGGGCTGGG	CGGTATGGCG	GCCGAGGACG
45	3901	CCAGCCGCGT	GGGGCGGCCG	CGCCCAAGTG	CAGTACGCCG	ACCGTGGCCG	GCGGGAGGGC
		CGGACCGGTC					
	4021	GCGGCGAACC	GGGGTCCGTG	TCCGCGGCGG	TAGACCATCA	GTGTCCGCTC	GAAGGTGATG
		ACGATGACAC					
		CGGCTGGCGG					
50		AAGACCGGGT					
		ATGTCGGTGA					
		TTGCCCCAGG					
		GTCAGGAGCG					
		TACACGTCGC					
							_

EUTHER

Ö

Y

P A T E N T Atty Dkt: 300622002600

- 31 -

	7741	GCCCTGGTGA	TCTGCTACGT	GGGCGGTGTC	GTCTCGGCCT	TCGCCTCGAC	CACCGGGATC
	7801	CTCGGTGCCC	TGATGCCGCT	GTCCGAGCCG	TTCCTGAAGT	CCGGTGCCAT	CGGGACGACC
	7861	GGCATGGTGA	TGGCCCTGGC	GGCCGCGGCG	ACCGTGGTGG	ACGCGAGTCC	CTTCTCCACC
	7921	AATGGTGCTC	TGGTGGTGGC	CAACGCTCCC	GAGCGGCTGC	GGCCCGGCGT	GTACCAGGGG
5	7981	TTGCTGTGGT	GGGGCGCCGG	GGTGTGCGCA	CTGGCTCCCG	CGGCCGCCTG	GGCGGCCTTC
	8041	GTGGTGGCGT	GAGCGCAGCG	GAGCGGGAAT	CCCCTGGAGC	CCGTTTCCCG	TGCTGTGTCG
	8101	CTGACGTAGC	GTCAAGTCCA	CGTGCCGGGC	GGGCAGTACG	CCTAGCATGT	CGGGCATGGC
	8161	TAATCAGATA	ACCCTGTCCG	ACACGCTGCT	CGCTTACGTA	CGGAAGGTGT	CCCTGCGCGA
	8221	TGACGAGGTG	CTGAGCCGGC	TGCGCGCGCA	GACGGCCGAG	CTGCCGGGCG	GTGGCGTACT
10	8281	GCCGGTGCAG	GCCGAGGAGG	GACAGTTCCT	CGAGTTCCTG	GTGCGGTTGA	CCGGCGCGCG
	8341	TCAGGTGCTG	GAGATCGGGA	CGTACACCGG	CTACAGCACG	CTCTGCCTGG	CCCGCGGATT
	8401	GGCGCCCGGG	GGCCGTGTGG	TGACGTGCGA	TGTCATGCCG	AAGTGGCCCG	AGGTGGGCGA
	8461	GCGGTACTGG	GAGGAGGCCG	GGGTTGCCGA	CCGGATCGAC	GTCCGGATCG	GCGACGCCCG
	8521	GACCGTCCTC	ACCGGGCTGC	TCGACGAGGC	GGGCGCGGG	CCGGAGTCGT	TCGACATGGT
15	8581	GTTCATCGAC	GCCGACAAGG	CCGGCTACCC	CGCCTACTAC	GAGGCGGCGC	TGCCGCTGGT
	8641	ACGCCGCGGC	GGGCTGATCG	TCGTCGACAA	CACGCTGTTC	TTCGGCCGGG	TGGCCGACGA
	8701	AGCGGTGCAG	GACCCGGACA	CGGTCGCGGT	ACGCGAACTC	AACGCGGCAC	TGCGCGACGA
	8761	CGACCGGGTG	GACCTGGCGA	TGCTGACGAC	GGCCGACGGC	GTCACCCTGC	TGCGGAAACG
	8821	GTGACCGGGG	CGATGTCGGC	GGCGGTCAGC	GTCAGCGTCG	TCGGCGCGGG	CCTCGCGGAG
20	8881	GGCTCCAGAT	GCAGGCGTTC	GACGCCGGCG	GCGGAAGCGC	CCGCCACCTC	GGACACGCAG
	8941	GGGCAGTCGG	AGTCCGCGAA	GCCCGCGAAC	CGGTAGGCGA	TCTCCATCAT	GCGGTTGCGG
	9001	TCCGTACGCC	GGAAGTCCGC	CACCAGGTGC	GCCCCGCGC	GGGCGCCCTG	GTCCGTGAGC
	9061	CAGTTCAGGA	TCGTCGCACC	GGCACCGAAC	GACACGACCC	GGCAGGACGT	GGCGAGCAGT
	9121	TTCAGGTGCC	ACGTCGACGG	CTTCTTCTCC	AGCAGGATGA	TGCCGACGGC	GCCGTGCGGG
25	9181	CCGAAGCGGT	CGCCCATGGT	GACGACGAGG	ACCTCATGGG	CGGGATCGGT	GAGCACGCGC
	9241	GCAGGTCGGC	GTCGGAGTAG	TGCACGCCGG	TCGCGTTCAT	CTGGCTGGTC	CGCAGCGTCA
	9301	GTTCCTCGAC	GCGGCTGAGT	TCCTCCTCCC	CCGCGGGTGC	GATCGTCATG	GAGAGGTCGA
	9361	GCGAGCGCAG	GAAGTCCTCG	TCGGGACCGG	AGTACGCCTC	CCGGGCCTGG	TCGCGCGCGA
	9421	AACCCGCCTG	GTACATCAGG	CGGCGCCGAC	GCGAGTCGAC	CGTGGACACC	GGCGGGCTGA
30	9481	ACTCCGGCAG	CGACAGGAGC	GTGGCCGCCT	GCTCGGCCGG	GTAGCACCGC	ACCTCGGGCA
	9541	GGTGGAACGC	CACCTCGGCA	CGCTCGGCGG	GCTGGTCGTC	GATGAACGCG	ATCGTGGTCG
	9601	GTGCGAAGTT	CAGCTCCGTG	GCGATCTCGC	GGACGGACTG	CGACTTCGGC	CCCCATCCGA
	9661	TGCGGGCCAG	CACGAAGTAC	TCCGCCACAC	CGAGGCGTTC	CAGACGCTCC	CACGCGAGGT
	9721	CGTGGTCGTT	CTTGCTCGCC	ACCGCCTGGA	GGATGCCGCG	GTCGTCGAGC	GTGGTGATCA
35	9781	CCTCGCGGAT	CTCGTCGGTG	AGGACCACCT	CGTCGTCCTC	CAGCACGGTG	CCCCGCCACA
	9841	AGGTGTTGTC	CAGGTCCCAG	ACCAGACACT	TGACAATGGT	CATGGCTGTC	CTCTCAAGCC
	9901	GGGAGCGCCA	GCGCGTGCTG	GGCCAGCATC	ACCCGGCACA	TCTCGCTGCT	GCCCTCGATG
	9961	ATCTCCATGA	GCTTGGCGTC	GCGGTACGCC	CGTTCGACGA	CGTGTCCCTC	TCTCGCGCCT
	10021	GCCGACGCGA	GCACCTGTGC	GGCGGTCGCG	GCCCCGGCGG	CGGCTCGTTC	GGCGGCGACG
40	10081	TGCTTGGCCA	GGATCGTCGC	GGGCACCATC	TCGGGCGAGC	CCTCGTCCCA	GTGGTCGCTG
	10141	GCGTACTCGC	ACACGCGGGC	CGCGATCTGC	TCCGCGGTCC	ACAGGTCGGC	GATGTGCCCG
	10201	GCGACGAGTT	GGTGGTCGCC	GAGCGGCCGG	CCGAACTGCT	CCCGGGTCCG	GGCGTGGGCC ·
	10261	ACCGCGGCGG	TGCGGCAGGC	CCGCAGGATC	CCGACGCAGC	CCCAGGCGAC	CGACTTGCGC
	10321	CCGTAGGCGA	GTGACGCCGC	GACCAGCATC	GGCAGTGACG	CGCCGGAGCC	GGCCAGGACC
45	10381	GCGCCGGCCG	GCACACGCAC	CTGGTCCAGG	TGCAGATCGG	CGTGGCCGGC	GGCGCGGCAG
	10441	CCGGACGGCT	TCGGGACGCG	CTCGACGCGT	ACGCCGGGGG	TGTCGGCGGG	CACGACCACC
	10501	ACCGCACCGG	AACCATCCTC	CTGGAGACCG	AAGACGACCA	GGTGGTCCGC	GTAGGCGGCG
	10561	GCAGTCGTCC	AGACCTTGTG	GCCGTCGACG	ACAGCGGTGT	CCCCGTCGAG	CCGAACCCGC
	10621	GTCCGCATCG	CCGACAGATC	GCTGCCCGCC	TGCCGCTCAC	TGAAGCCGAC	GGCCGCGAGT
50	10681	TTCCCGCTGG	TCAGCTCCTT	CAGGAAGGTC	GCCCGCTGAC	CGGCGTCGCC	GAGCCGCTGC
	10741	ACGGTCCACG	CGGCCATGCC	CTGCGACGTC	ATGACACTGC	GCAGCGAACT	GCAGAGGCTG
	10801	CCGACGTGTG	CGGTGAACTC	GCCGTTCTCC	CGGCTGCCGA	GTCCCAGACC	GCCGTGCTCG
	10861	GCCGCCACTT	CCGCGCAGAG	CAGGCCGTCG	GCGCCGAGCC	GGACGAGCAG	GTCGCGCGGC
	10921	AGTTCGCCGG	ACGTGTCCCA	CTCGGCGGCC	CGGTCACCGA	CAAGGTCGGT	CAGCAGCGCG
							·

DOGLOSIE OBEZOL

SOLDNIN

Ü

m

面

N

أيما

MOTON

m

N

450.

P A T E N T Atty Dkt: 300622002600

- 35 -

	20701	GCTCCACGAG	AACGGCAGCC	GCACCTCCGC	TTCCTGTTCC	GCGAGCAGCG	GCAGGCAGGT
	20761	GACGTGCAAG	GCCGCGTCGA	ACAGCGCCGG	GTGGACGCCA	TAGTGCGGCG	TGTCGTCCGC
	20821	CTGTTCCCCG	GCGATCTCCA	CCTCGGCGTA	CAGGGTTTCG	CCGTCGCGCC	AGGCGGTGCG
	20881	CAGTCCCTGG	AACGCTGGGC	CGTAGCTGTA	GCCGGTCTCG	GCCAGCCGCT	CGTAGAACGC
5	20941	GCTCACGTCG	ACGCGTCGCG	CGCCCGGCGG	CGGCCACGCG	GGCGGCGGGA	CCGCCGCGAC
	21001	GCTTCCGGCC	CGGCCGAGGG	TGCCGCTGGC	GTGCCGGGTC	CAGCTGTCCG	TGCCCTCGGT
		ACGCGCGTGG					
	21121	CACATCCACC	GCGCCGGTCA	CCGGCACCAC	GAGCGGGGTC	TCGATGACCA	GTTCATCCAC
	21181	CACCCGCAA	CCGGTCTCGT	CACCGGCCCG	GATGACCAGC	TCCACAAACG	CCGTACCCGG
10		CAGCAGAACC					
		CCGGCCAGTG					
		CATCGGATGC					
		CAGCCAGTAC					
		CGGTTCGACC					
15		CGTCAGCCAC					
		TTCCATCGCC					
		CTCCGCCACC					
		ATCCACCGGC					
		CCCGCCGGAA					
20		CGTGTGĢGAG					
		CGTCACCACT					
		ACGCGCCGCG					
		AGCCATCGCC					
		GCGGGCGCG					
25		GGAGTGTCCG					
		CACCGCGACC					
		CGCCAACATC					
		CATACGAGCC					
		AGCACCCTGC					
30		CCGGGCATCG					
		CTGCGCGACC					
		CTGCCCCGC					
		AGCCGACTCC					
		GCTCACCCCG					
35		CGCCTCGGTG					
		CACATGCAGC					
		GGCGACACCC					
		CGGAACCTCA					
		CAGCGTCGTC					
40		CTTGTGGAGG					
		GTTGGAGGCG					
	23161	GTTGCGCTCG	GCGTCGGAGA	GCTTTTCGAC	GACGAGGACG	CCGGCCCCCT	CGGCGAAACC
	23221	GGTGCCGTCC	GCCGCGTCAG	CGAACGCCTT	GCACCGTCCG	TCCGGCGCGA	CGCCGCCCTG
		CCGGGAGAAC					
45		CAGCGAGCAC					
		CGAACACGCC					
		TCCGGCGAGC					
		GCCGTAGCCG					
		CGGCACGATG					
50		CGGGTCGAGT					
	23701	GGCGCCGCG	AGTGCGCCGG	CCCGCCCGGT	GGCGGACTCG	GCGGCGGCGT	GCAGCGCGGC
	23761	CACGTCCCAG	CCGCGGTCGG	TGGGGAAGTC	GCCGATCGCG	TCGCGGCCGT	CCGCGACGAG
	23821	CTGCCACAGC	TCTTCCGGTG	AGGTGACGCC	GCCCGGCAGT	CGGCAGGCCA	TGCCGACGAC
	23881	GGCGAGCGGC	TCGTTCGCCG	CGGCGCGCAG	CGCGGTGTTC	TCCCGGCGGA	GCTGCGCGTT
		· - -					

Destant to the second

23941 GTCCTTGACC GACGTCCGCA GCGCCTCGAT CAGGTCGTTC TCGGCCATCG CCTCATCCCT

m

<u>а</u> М

N

Y

P A T E N T Atty Dkt: 300622002600

		07101	CCN CCTCCTC	00000000000				
								GCGAGCAGGC
								CGGAGTCGGC
								GTGAGCGGCG
	_							GGCTCCCCGG
	5							GAGGACACAC
								AGTTCGACGG
•								CGCGGCAGGG
		27601	TGCCGTGCCG	CATGGCGAGG	ACCATCTTGA	TGACACCGGC	GACACCCGCG	GCGGCCTGAG
		27661	TGTGGCCGAT	GTTGGACTTC	AGCGAGCCCA	GCAGCACCGG	GGTGTCGCGC	CCCTGCCCGT
	10	27721	AGGTGGCCAG	CACCGCCTGT	GCCTCGATGG	GATCGCCCAG	CCTGGTGCCG	GTGCCGTGCG
		27781	CCTCCACGGC	GTCCACGTCC	GCCGGGGTGA	GCCCGGCGTT	GGCCAGGGCC	TGCCGGATCA
		27841	CCCGCTCCTG	CGAGGGCCCG	TTCGGCGCCG	ACAACCCGTT	GGAAGCACCG	TCCTGGTTGA
		27901	CCGCCGAACC	CCGGACAACC	GCCAGCACAC	GGTGGCCGTT	GCGCTCGGCA	TCGGAGAGCC
		27961	TCTCGACGAT	CAGCACACCG	GACCCCTCGG	CGAAACCGGT	GCCGTCAGCC	GCATCCGCGA
	15			GCGCGCGTCG				
								CCGGAGCGCA
				GGCCTGGTGC				
				CTCCAGACCG				
				GCCGAAACCG				
Ф	20			GCCGGTGTCG				
				CGAGGTCTCC				
Ē				CCCGAAGAAC				
O T D				CGACGTGCCC				
				CGTCGGAAAC				
Ų.	25 .			CGACGCGACC				
ļ.		28681	GCTCGTCCTG	CCGGACGGCC	GCGGTCGTGG	TGCGGGTCGG	CGATGCCGTC	CGGCCGGACA
gi				GAGCTTCGCC				
2				TACGCCCGTC				
				GAGTTCCTTG				
Ø	30			CGCGGTGCAC				
N				CGCGATCCGG				
,				TGCGCGCAGC				
				CGAGGACCGC				
				GCCGTCGCGG				
þá	35			GCCCAGGCC				
		29281	CCAGCGCGTC	GAGGAACGCG	TTCGCGGCCG	CGTAGTTGCC	CTGTCCGGG	CTGCCGAGCA
		29341	CACCGGCGGC	CGACGAGTAG	AGGACGAACG	CGGCCAGTTC	CGTGTCCTGG	GTGAGTTCGT
				CGCGGCGTCC				
				GACGCCGTCG				
	40	29521	GCGCCGGGTC	GATCCCCGCC	AGTACGGAGG	CGAGTTCGTC	CCCCTCCCC	ACGTCGCAGG
		29581	CGATCGCCGT	GACCTCGGCG	CCGGGCACGT	CCCTCCCCCT	CCCCTCCCC	GACAGCATCA
				CACGCCGTGG				
				GGTGACGAGC				
				GGCCAGACGG				
	45			GGTGGCCGCT				
•				GCCGGGGTGT				
		29941	ACCCCACACC	GGGCCCGGTG	TCGGCCTGCG	CCACCCCCTC	CCCCTACCCC	TCCTCCCTCT
		30001	GGAAGCGCTG	CACGGCGGTC	ACCACCCCCC	CCCCCACTTC	GGCG I MCCGG	TCCACCCCC
		30061	CACCGCCGCC	CCCCTCCCC	CCACCAMCA	CGCCCAGIIC	CACCCTCCCC	TCGAGCGGGG
	50			GCCGTGCGCG				
	50			CGCGGTCGTG				
				GGCTCCCGTG				
				GGTCTCGTCC				
				GGTGGCGTGG				
		20261	CCGCGGCGAG	GCGGAGTGCG	GCGCCGAGCA	GCGCCGGGTG	CAGGCCGTAC	CGTCCGGCGT

	30421	CGGCGAGCTG	TCCGTCGGCG	AGGGCCACTT	CCGCCCAGAC	GGCGTCGTCG	TCGGCCCAGA
	30481	CGGCGCGCGG	GCGGGGCAGC	GCGGGCCCGT	CCGTGTACCC	GGCTCGGGCC	AGACGGTCGG
	30541	CGATGTCGTC	GGGGTCCACC	GGCCGGGCCG	TGGCGGGCGG	CCACGTCGAC	GGCATCTCCC
	30601	GCACGGCCGG	GGCCGTCCGC	GGGTCGGGGG	CGAGGATTCC	GTGCGCGTGC	TCGGTCCACT
5		CCCCCGCCGC					
		TCACCGTGAC					
		TGAACGTGTC					
		GGGCCGCGGC					
		CGACCCGGCC					
10		CCGGGTGCGC					
		GCCAGTAGCG					
		GGTCGATGAC					
		TCAGGGCGGA					
		TCAGGCTCCG					
15		CCCCGAACCG					
		CGCCCGCGGC					
		ACTCCTCGAG					
		TGAAGCGGCC					
		TCGACGCGGG					
20		CCCGTTCCGA					
		GGGCCCGTGC					
		CGGCGGCCAG					
		CGAGCTGTGC					
		CGTGGAGGTC					
25		CGAAGACGTC					
		CGGAGAAGAG					
		CGATCAGCGC					
		GCTCGTCCTC					
		CCTGCGGGGT					
30		GTTCGGGGGC					
		CGAAGGAGGA					
		TGAGGAGTTC					
		GGGTGCGCGG					
		CCGCGGCGGC					
35		CGCGATGCTG					
		TCCCGGTGCC					
		GCGCCTGCCG					
		CACCGTCCTG					
		CGGCGTCGGA					
40		CAGCCGCATC					
		AGTCCACGAA					
		ACTCCCCGA					
		CCGTGTCCAC					
		GCACACTGGT					
45		CGTAGAAGTA					
		TCCCGGCGTG					
		TCGCCAGCGC					
		CGAGGAAGCC					
		GCCCGTCCAC					
50		CCAGCAGCCG					
		CCACGATCGC					
		TGGCCCGCGC					
		CGAAGACGAG					
		CGACGCCGGT					

かったりが

M


TU

		36901	CCGCGGCGCC	AGTGAGCGGG	GCCAGCTGTC	CCGCGACGTC	CCGCAGTCCC	TCCGGGGTCC
		36961	GGGCCGACAT	CGGCCAGACC	ACGTCCTCGG	GCACCGGCTC	GGCTTCGGGT	GCGGACACGG
		37021	GTGCGGGCGC	GGCGGGGGGC	CCGGCCTCCA	GGACGACATG	GGCGTTGGTG	CCGCTGATGC
	_	37081	CGAACGACGA	. GACACCCGCA	CGCCGGGCGC	GCCCGGTGAC	CGGCCACGGC	TCACTGCGGT
	5							ACGTGCAGCG
								GCGACGCCGG
		37261	CCGCGGCCTG	GGTGTGGCCG	ATGTTCGACT	TGAGCGAGCC	GATCAGCAGC	GGATGCACGC
		37321	GTTCGCGCCC	GTAGGCCACT	TGCAGGGCCT	GGGCCTCGAC	GGGGTCGCCG	AGACGGGTGC
		37381	CGGTGCCGTG	TGCCTCCACG	GCGTCGACGT	CACCCGGCGC	CAGGCCGGCG	TCGGCGAGCG
	10	37441	CACGCTGGAT	GACGCGCTGC	TGCGCAGGCC	CGTTCGGGGC	GGACAGCCCG	TTCGACGCGC
		37501	CGTCGGAGTT	GACCGCGGAG	CCGCGCACCA	GCGCCAGCAC	GGGGTGGCCG	TGGCGGGTGG
		37561	CGTCGGAGAG	CCGCTCCAGC	ACCAGGACAC	CGGCGCCCTC	GGCGAAGCTC	GTGCCGTCCG
		37621	CGGTGTCCGC	GAAGGCCTTG	GCACGGCCGT	CGGGGGCGAG	CCCGCGCTGC	CGGGAGAACT
		37681	CGACGAACCC	GGTCGTCGTC	GCCATCACCG	TGACACCGCC	GACCAGGGCG	AGCGAGCACT
	15	37741	CCCCCGAGCG	CAGCGACCGC	GCGGCCTGGT	GCAGCGCCAC	CAGCGACGAC	GAACACGCCG
		37801	TGTCGACGGT	GACCGACGGG	CCCTCCAGAC	CGAAGTAGTA	CGAGAGCCGC	CCGGAGAGAA
		37861	CGCTGGTCGG	CGTGCCGGTC	GCCCCGAAAC	CGCCCAGGTC	CACGCCCGCG	CCGTAGCCCT
			GGGTGAACGC					
			CCGCTCGTTC					
4	20	38041	CCAGCGCCTC	ACGCGGGCTG	ATCCCGAAGA	ACGCGGCGTC	GAAGTCGGCG	GCGCCGGTGA
Ф		38101	GGAAGCCGCC	GTGACGCACG	GAAACCTTGC	CGACCGCGTC	GGGGTTCGGG	TCGTAGAGCG
\$		38161	CGGCGAGGTC	CCAGCCGCGG	TCGGCGGGGA	ACTCGGTGAT	CGCGTCCCCG	CCGGAGTCGA
		38221	CCAGCCGCCA	CAGGTCCTCC	GGTGACCGCA	CGCCACCGGG	CATCCGGCAC	GCCATGGCCA
ũ		38281	CGATCGCCAG	CGGCTCGTTC	CCCGCCACCG	TCGGTGCGGG	CACTGTCGCC	GCCGGAGCGG
þ.	25	38341	CAGGGGCCGG	CTCACCCCGC	CGTTCCTCAT	CCAGGCGGGC	GGCGAGCGCG	GCCGGTGTCG
		38401	GGTGGTCGAA	GACGGCCGTC	GCGGAGAGCC	GTACCCCCGT	CGTCTCGGCG	AGGCTGTTGC
J		38461	GCAACCGGAC	ACCGCTGAGC	GAGTCGATGC	CGAGGTCCTT	GAACGCCGTC	GTGGGCGTGA
₽		38521	TCTCGGAGGC	GTCGGCGTGG	CCGAGCACGG	CGGCCGTGGC	CGCACACACG	ATGGCCAGCA
		38581	GGTCACGATC	GCGGTCGCGG	TCGCGGTCGC	GGTTGTCCTC	CGCACGGGCG	GCGATGCGGC
ţ <u>o</u>	30	38641	GCTCGGTCCG	CTGCCGGACG	GGCTCGGTGG	GAATCGCCGC	GACCATGAAC	GGCACGTCCG
Ñ		38701	CGGCGAGGCT	CGCGTCGATG	AAGTGGGTGC	CCTCGGCCTC	GGTGAGCGGC	CGGAACCCGT
***		38761	CGCGCACCCG	CTGCCGGTCG	GCGTCGTCAA	GTTGTCCGGT	GAGGGTGCTG	GTGGTGTGCC
		38821	ACATGCCCCA	GGCGATGGAG	GTGGCGGGTT	GGCCGAGGGT	GTGGCGGTGG	GTGGCGAGGG
		38881	CGTCGAGGAA	GGCGTTGGCG	GCGGCGTAGT	TTCCTTGTCC	GGGGCTGCCG	AGGACGGCGG
g	35	38941	CGGCGCTGGA	GTAGAGGACG	AAGTGGGTGA	GGGGTTGGTT	TTGGGTGAGG	TGGTGCAGGT
		39001	GCCAGGCGGC	GTTGGCTTTG	GGGTGGAGGA	CGGTGGTGAG	GCGGTCGGGG	GTGAGGGCGT
		39061	CGAGGATGCC	GTCGTCGAGG	GTGGCGGCGG	TGTGGAAGAC	GGCGGTGAGG	GGTTGGGGGA
		39121	TGTGGGCGAG	GGTGGTGGCG	AGTTGGTGGG	GGTCGCCGAC	GTCGCAGGGG	AGGTGGGTGC
		39181	CGGGGGTGGT	GTCGGGGGGT	GGGGTGCGGG	AGAGGAGGTA	GGTGTGGGGG	TGGTTCAGGT
	40	39241	GGCGGGCGAG	GATGCCGGCG	AGGGTGCCGG	AGCCGCCGGT	GATGATGATG	GCGTGTTCGG
		39301	GGTTGAGGGG	GGTGGTGGTG	GGTGGGGTGG	TGGTGTGGAG	GGGGGTGAGG	TGGGGTCGGT
		39361	GGAGGGTGTG	GTGGGTGAGG	CGGAGGTGGG	GGTGGTCGAG	GGTGGCGAGT	TGGGCCAGGG
		39421	GGAGGGGAGT	GTGGGGGTGG	TCGGTTTCGA	TGAGGCGGAT	CCGCTGGGGG	TGTTCGTTCT
		39481	GGGCGGTGCG	GGTGAGGCCG	GTGACGGTGG	CCCCCCCCC	CTCCCTCCTC	GTGTGGACGA
	45	39541	TGAGGGTGTG	GTCGGTGGTG	GTGAGGTGGT	GTTGCAGGGC	CCTCACCACC	CGGGTGGCGC
		39601	GGGTGTGGGC	GCGGGTGGGT	ATGTCCTCGG	GGTCGTCGGG	GTGGGCGGCG	GTGATCAGGA
		39661	CGTGTCCCTC	GGGCAGGTCA	CCGTCGTAGA	CCCCCTCCCC	GACCGCGAGC	CACTCCAACC
		39721	GGAGCGGGTT	CGGCCCCGAC	GGGGTGTCGG	CCCGCTCCCT	CACCACCACC	GAGTCCAACC
		39781	ACACGACAGG	ACGGCCATCC	GGGTCGGCCA	CCCGCTCCCT	CAGCACCAGC	TCCCCCCC
	50	39841	TGAGGGCGAC	GCGCACCGCG	GCGGCCCA	TECCETTEN	GUGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	CTCCACCACA
		39901	ACGGCAGCTC	GATCCCGCCG	CCCGCGTCGA	CCCCCCCCC	GTGCACGCCC	CCCTCGAGCA
		39961	GTGCCGGATG	CACACCGAAA	CCGCGCGCCT	CGCCCCCTC	CTCCTCCCC	ACCCCCACCT
		40021	CGGCATACAC	GGTGTCACCA	TCACCCCACC	CACCCCCAA	C1CG1CGGGC	AGCGCCACCI CCCCACCCC
		40081	ACTCATAACC	GGCATCCCC	ACTOCCOCCAGG	ACAACCCCCA	CACCTCCACC	CCCCCCCCC
		10001	HOTOMIANCE	OGCATCCCGC	AGIICGICAT	AGAACCCCGA	GHCGICGACG	600606006

	40141	TGGCCGGCGG	CCACTGCGAG	AACGGCTCAC	CGGAAGCGTT	GGAGGTATCC	GGGGTGTCGG
	40201	GGGTCAGGGT	GCCGCTGGCG	TGCCGGGTCC	AGCTGCCCGT	GCCCTCGGTA	CGCGCGTGGA
	40261	CGGTCACCGG	CCGCCGTCCG	GCCTCATCGG	CCCCTTCCAC	GGTCACCGAC	ACATCCACCG
_	40321	CTGCGGTCAC	CGGCACCACG	AGCGGGGATT	CGATGACCAG	TTCATCCACC	ACCCCGCAAC
5	40381	CGGTCTCGTC	ACCGGCCCGG	ATGACCAGCT	CCACAAACGC	CGTACCCGGC	AGCAGAACCG
	40441	TGCCCCGCAC	CGCGTGATCA	GCCAGCCAGG	GATGCGTACG	CAATGAGATC	CGGCCGGTGA
	40501	GAACAACACC	ACCACCGTCG	TCGGCGGGCA	GTGCTGTGAC	GGCGGCCAGC	ATCGGATGCG
	40561	CCGCCCCGGT	CAGCCCGGCC	GCGGACAGGT	CGGTGGCACC	GGCCGCCTCC	AGCCAGTACC
	40621	GCCTGTGCTC	GAACGCGTAG	GTGGGCAGAT	CCAGCAGCCG	CCCCGGCACC	GGTTCGACCA
10	40681	CCGTGCCCCA	GTCCACCCC	GCACCCAGAG	TCCACGCCTG	CGCCAACGCC	CCCAGCCACC
	40741	GCTCCCAGCC	ACCGTCACCA	GTCCGCAACG	ACGCCACCGT	GCGGGCCTGT	TCCATCGCCG
	40801	GCAGCAGCAC	CGGATGGGCA	CTGCACTCCA	CGAACACCGA	CCCGTCCAGC	TCCGCCACCG
					TCCGGTACCA		
	40921	CGGTCACCCA	GGCGCTGTCC	ACGGTCGACC	ACCACGÇCAC	CGACCCGGTC	CCGCCGGAAA
15	40981	TTCCCTTCAG	TACCTCAGCG	AGTTCGTCCT	CGATGGCCTC	CACGTGAGGC	GTGTGGGAGG
	41041	CGTAGTCGAC	CGCGATACGA	CGCACCCGCA	CCCCATCAGC	CTCATACCGC	GCCACCACCT
	41101	CCTCÇACCGC	CGACGGGTCC	CCCGCCACCA	CCGTCGAAGC	CGGACCATTA	CGCGCCGCGA
	41161	TCCACACACC	CTCGACCAGA	CCCACCTCAC	CGGCCGGCAA	CGCCACCGAA	GCCATCGCCC
	41221	CCCGGCCGGC	CAGCCGCGCC	GCGATCACCC	GACTGCGCAA	CGCCACCACG	CGGGCGGCGT
20					CCGCCGCGAT		
					GCCACAGCGC		
					GCTCCGCCAC		
	41461	CCCGCACATC	CCAGCCCGTG	TGCGGCAACA	ACGCCCGCGC	ACACTCCTCC	ATACGAGCCG
	41521	CGAACACCGC	GGAACGGTCC	ATGAGTTCCA	CGCCCATGCC	CACCCACTGG	GCACCCTGCC
25	41581	CGGGGAAGAC	GAACACCGTA	CGCGGCTGAT	CCACCGCCAC	ACCCATCACC	CGGGCATCAC
	41641	CCAGCAGCAC	CGCACGGTGA	CCGAAGACAG	CACGCTCACG	CACCAACCCC	TGCGCGACCG
	41701	CGGCCACATC	CACCCCACCC	CCGCGCAGAT	ACCCCTCCAG	CCGCTCCACC	TGCCCCCGCA
					ACGGCACCAA		
20	41821	CACGCGACGG	CCCAGGAACA	CCCTCCAGGA	TCACGTGCGC	GTTCGTACCG	CTCACCCCGA
30	41881	ACGACGACAC	ACCCGCATGC	GGTGCCCGAT	CCGACTCGGG	CCACGGCCTC	GCCTCGGTGA
	41941	GCAGCTCCAC	CGCACCGGCC	GACCAGTCCA	CATGCGACGA	CGGCTCGTCC	ACGTGCAGCG
	42001	TCTTCGGCGC	GATCCCATGC	CGCATCGCCA	TGACCATCTT	GATGACACCG	GCGACACCCG
	42061	CAGCCGCCTG	CGCATGACCG	ATGTTCGACT	TGACCGAACC	GAGGTAGAGC	GGCGTGTCGC
25	42121	GGTCCTGCCC	GTAGGCCGCG	AGGACGGCCT	GCGCCTCGAT	CGGGTCGCCC	AGCCGCGTGC
35	42181	CGGTGCCGTG	CGCCTCCACC	ACGTCCACAT	CGGCGGCGCG	CAGTCCGGCG	TTGACCAACG
	42241	CCTGCCGGAT	CACGCGCTGC	TGGGCGACGC	CGTTGGGGGC	GGACAGTCCG	TTGGAGGCAC
	42301	CGTCCTGGTT	CACCGCCGAG	CCGCGGACGA	CCGCGAGAAC	GGTGTGCCCG	TTGCGCTCGG
	42361	CGTCGGAGAG	CCGCTCCAGC	ACGAGAACGC	CGACGCCCTC	GGCGAAGCCG	GTCCCGTCCG
40					CCGGGGAGAG		
40	42401	CCACGAGCTC	TGCGGTGTTC	GCCATGACGG	TGACACCGCC	GACCAGCGCC	AGGGAGCACT
	42541	TCTCCACCT	CAGTGCCTGT	GCCGCCTGGT	GCAGGGCGAC	CAGCGACGAC	GAGCACGCCG
	42001	CCCTCCTCT	GACCGCCGGG	CCCTGAAGTC	CGTACACGTA	CGAGAGGCGC	CCGGACAGGA
	42001	CGCTCGTCTG	CGTCGCCGTG	ACACCGAGCC	CGCCCAGGTC	CCGGCCGACG	CCGTAGCCCT
45	42721	CCCCCMMCMC	GCCCATGAAC	ACGCCGGTGT	CGCTCTCCCG	GAGCCTGTCC	GGCACGATGC
73	42/01	CCACCCCCTC	GAACGCCTCC	CAGGAGGTCT	CCAGGATCAG	GCGCTGCTGG	GGGTCCATCG
	42041	ATTCCCCCCTC	GTTCGGACTG	ATGCCGAAGA	ACGCGGCGTC	GAACCCGGCG	CCGGCCAGGA
	42901	ATCCGCCGTG	GCGTGTCGTG	GAGCGGCCGG	CCGCGTCCGG	GTCCGGGTCG	TACAGCGCGT
	42901	CCCCCACACACACACACACACACACACACACACACACACA	GCCCCGGTCG	GTGGGGAACT	CGGTGATCGC	CTCGGTACCG	GCGGCGACGA
50	43021	TCCCCACAC	GTCCTCCGGC	GAGGCGACCC	CGCCGGGCAG	TCGGCACGCC	ATGCCGACGA
50	43UVI	CCCCCACCEC	GCCCCCCAA	CCGAGGGTCT	GGGCGGTCGC	GGGTGCCGCT	GTCGCGGAGC
	43141	CCCCACACC	CCTCCCCCCC	GCACGCGGAG	TGGGGTGGTC	GAACGCGGTT	GACGCGGGCA
	43261	GCCCCTTCTC	CCCCARCCEC	GCGACGGTGT	TGGTGAACTC	GACGGTGGTG	AGCGAGTCGA
	43201	CCCTCCCCTC	GCGGAACGTG	CGGTCCGGGG	AGCAGTGTCC	GGCGCCCGGC	AGGCCCAGGA
	43321	CGGTGGCGAC	GCTGTCGCGG	ACCAGGTCGA	GCAGTACGTC	CTCCCGGCCC	GCACGGGCCG

P A T E N T Atty Dkt: 300622002600

		43381	CGGCGAGGCG	GTTCGCCCAC	TCCTGTTCCG	TGGCGTCGGG	CTCGGCCGGT	CCGGTCAGTG
		43441	CGGTGAGGAT	CGGCGGCGTG	GCGCCCGCCA	TCGTCGCGGC	CCGCGCCCCG	GCGGAACCGG
		43501	TCCGGGCCAC	GATGTACGAG	CCGCCGCCCG	CGATGGCCTT	CTCGATCAGG	TCGCCGGTGA
		43561	GCGCCGGCCG	TTCGATGCCG	GGCAGCGCGC	GGACGGTGAC	GGTGGGGAGT	CCCTCCGCGG
	5	43621	CCCGTGGCCG	GGTGTGGGCG	TCGGCGCCGG	CCGGGCCGTC	GAGCAGGACG	TGCACGAGCG
		43681	CGCCGGGGTT	CGCGGCTTCC	TCGGCTGCGG	TGGTCACGTG	GGTGAGGCCG	GTCTCGTCGC
		43741	GGAGCAGGCC	GGCGACGGTG	TCGGCGTCCT	CCCCGGTGAC	CAGGACCGGC	GCGTCCGGGC
		43801	CGATCGGAGG	CGGCACGGTG	AGGACCATCT	TGCCGGTGTG	CCGGGCGTGG	CTCATCCACG
		43861	CGAACGCGTC	CCGCGCACGG	CGGATGTCCC	ACGGCTGCAC	CGGCAGCGGG	CACAGCTCAC
	10	43921	CGCGGTCGAA	CAGGTCGAGG	AGCAGTTCGA	GGATCTCCCG	CAGGCGCGCG	GGATCCACGT
	,	43981	CGGCCAGGTC	GAACGGCTGC	TGGGCGGCGT	GGCGGATGTC	GGTCTTGCCC	ATCTCGACGA
		44041	ACCGGCCGCC	CGGTGCGAGC	AGGCCGATGG	ACGCGTCGAG	GAGTTCACCG	GTGAGCGAGT
			TGAGCACGAC					
		44161	CATGGTCGGT	GTCGAAGCCG	TCGGCGTGCA	GCAGGTGTTG	TTTGGCGGGA	CTGGCGGTGG
	15	44221	CGTACACCTC	GGCGCCGAGG	TGGCGGGCGA	TCCGGGTCGC	CGCCATGCCG	ACACCGCCCG
		44281	TCGCGGCGTG	GACCAGGACC	TTCTGGCCGG	GTCGCAGCTC	CCCCCCCTCC	ACGAGGCCGT
		44341	ACCAGGCGGT	GGCGAACACG	ATGGGCACGG	ACCCCCCAT	GGGGAACGAC	CATCCCCCTC
		44401	GGATCCGTGC	GACCAGCCGC	CGGTCCGCGA	CCACGCTGCG	CCCCAACGCC	TCCTCCACCA
		44461	GACCGAACAC	GCGGTCGCCG	GGGGCCAGGT	CCTCGACGCC	GGGTCCGACT	TCCTGCACGA
	20	44521	TGCCCGCGGC	CTCCCCCCCC	ATCTCCCCCT	CGCCCGGGTA	GGTCCGACT	CCCATCACCA
		44581	CGTCGCGGAA	GTTCAGCCCC	GCGCCGCGA	CGTCGATGCG	GACCTCGCCG	GCGGTCAGCA
		44641	GCGCGGCGG	ACGTCGAGCG	GGGCGACGAC	CACCTCCCCC	ACCOUNTCCCC	ACCCCCCCCC
1000 1000 1000 1000		44701	GCGCAGCGCC	CACTGGCGCG	GTCGCCAGGG	CCCTCCTCTC	CCCCCCTACC	ACCCCCCCA
		44761	CGTAGGCCAC	GUCGGCCCCC	ACCCCCATCT	CCCCTTCCCC	CACCCACCCC	CCCCCCCC
U	25	44821	CGAGGTCGTC	ATCGCCGTCC	CTCTCCACCA	CCACCAACCA	TCCCCCTTCC	CCCCCCTCCC
j.		44881	GGCGCAGCGC	CTCGTCCCAG	ACCCCCCCC	CCTCCCCCTC	CCCCATCTCC	CCCCCCCCC
ជា		44941	CGCCCACCGC	GCGCCGGGTG	ACCACCCTCC	GGCCCCCTCA	CCCCCTCCCC	CCCACCTCCC
Ħ		45001	GCCGCTCCCA	GACCAGTTCG	CACACCGTCC	CCTCCCCACT	CCCCCTCCCC	ACCACATCC
		45061	CCGGCAGCCC	CGCGAGCCGC	CACAGCG1GG	CCTCGCCACT	CCCCCTCCCC	CCCATCCTCC
	30	45121	TGACGTGCCA	GATCTCGTCG	GCGCGCTGGA	ACTACCCCAC	CCCCCCCCC	CACTCCCCCA
N		45181	GGATCGCCTC	GGCGGGGACG	CGGGGGCCGT	CCCAAACGAC	CCGGCGCGCG	CACTOGGCGA
A20"		45241	CGAGGACGGG	GTGCGGGCGG	·CCCCCCCCC	CCCCCTCCCC	CACACCCCCC	ACCTCCTCCC
		45301	CGACGGTCTC	GATCTCCCGG	GGGTGGATGT	TCTCCCCCCC	GCGGATGATC	ACCICCIGGG
		45361	CCCGGCCGGT	GATCGTCACG	TOTOCOCTOT	CCCCCTCACC	TCCCACCTCC	CCCCTCCCCT
ļ.	35	45421	ACCAGCCGTC	CACGAGCACC	TGGGGGGTCC	CCTCCCCCTC	CCCCTCCTAC	CCCACCATCA
		45481	GGCTCGGCCC	GCTCGCCCAC	ACCTCCCCCT	CCTCCCCCCC	TCCCACCTCC	CCCCCCCACA
		45541	CCGGGTCGAC	GAACCGCAGC	CACACCCCC	CCACCCCAC	CCCCCACCAC	CCCCCAACCC
		45601	GCGCATCCTC	CAGGGTGTTG	GCGGTGAGCG	ACCCCCTCCT	CTCCCTCCAC	CCCTACCTCT
		45661	CGAGCAGGG	CACGCCGAAC	GTCCCCTCCA	AGCCGGICGI	CACCCACCCC	CCCCACCTICC
	40	45721	ATCCGGCGAC	CAGCGCCACG	CCCACCCCC	CACCCCCCCC	CTCCCCCCAC	ACCCCCCCCA
		45781	GGAGGTAGCG	CAUCUCCACG	CCCACCCCCA	CCACCACCCT	CIUGUUGAU	TCCCCCACCC
		45841	CGTCGAGGAC	GTCACCCCC	ACCARCCCCC	CCACCAMACC	CCCCCACCC	TCGGCCAGGG
		45901	GGACGGCGAG	CACCCACACC	TCCTCCCCCA	CCAGGATACG	GGCGGACGCG	CCGACCGTGA
		15961	GUNCGUCGAG	CTCCCTCACC	CCCCACCACC	GGCTGTGGAA	CAGCGGGGG	GGCCAGAGCA
	45	46021	GTTCGTCGTC	TCCCCAAACC	ACCCCAGGACG	GCACGTCGCA	GTGCATCGCG	GACCACAGGC
	73	46021	CGCTGCGCTG	TECCECAAACC	ACGCCCTTGG	GACGGCCGGT	GGTGCCGGAG	GTGTAGAGCA
		46001	TCCAGGCGGG	CMACCACAC	CCGAGGTCGT	CGCGGGGCGG	GCACGGCGGC	TCGGTCCCGG
		46141	CGAGGTCCTC	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	CAGTCCGGTG	CCCGGCGCCC	GACGAGCACG	ACGGTGGCGT
		46201	CGGTGCCGGT	GUGGUGCACC	TGGTCGAGGT	GGGTTTCGTC	GGTGACCAGC	ACGGTCGCGC
	50	40201	CGGAGTCCGT	CAGGAAGTGG	GCGAGTTCGG	CGTCGGCGGC	GTCCGGGTTG	AGCGGGACGG
	50	40321	CGACGGCGGC	GGCGCGGCC	GCGGCGAGGT	AGACCTCGAT	GGTCTCGATC	CGGTTGCCGA
		46381	GCAGCATCGC	GACCCGGTCG	CCGCGGTCGA	CGCCGGACGC	GGCGAGGTGT	CCGGCGAGCC
		46441	GGCCGGCCCG	GAGCCGGAGT	TGCGTGTACG	TCACGGCGCG	TTGGGAATCC	GTGTAGGCGA
		46501	TCCGGTCGCC	GCGTCGCTCG	GCATGGATGC	GGAGCAATTC	GTGCAACGGC	CGGATTGGTT
		46561	CCACACGCGC	CATGGAAACA	CCTTTCTCTC	GACCAACCGC	ACAACAGCAC	GGAACCGGCC



P A T E N T Atty Dkt: <u>300622002600</u>

		49861	GTCATCCCGC	CGGACGAGGT	GCGGTTCGAC	CCGCCGGGAC	TCGCCCGGTG	GATGGACGAA
		49921	CAGGCGATTA	CCCGGATCTA	CGCGCCGACG	GCCGTACTGC	GCGCGCTGAT	CGAGCACGTC
		49981	GATCCGCACA	GCGACCAGCT	CGCCGCCCTG	CGGCACCTGT	GCCAGGGCGG	CGAGGCGCTG
		50041	ATCCTCGACG	CGCGGTTGCG	CGAGCTGTGC	CGGCACCGGC	CCCACCTGCG	CGTGCACAAT
•	5	50101	CACTACGGTC	CGGCCGAAAG	CCAGCTCATC	ACCGGGTACA	CGCTGCCCGC	CGACCCCGAC
		50161	GCGTGGCCCG	CCACCGCACC	GATCGGCCCG	CCGATCGACA	ACACCCGCAT	CCATCTGCTC
		50221	GACGAGGCGA	TGCGGCCGGT	TCCGGACGGT	ATGCCGGGGC	AGCTCTGCGT	CGCCGGCGTC
•		50281	GGCCTCGCCC	GTGGGTACCT	GGCCCGTCCC	GAGCTGACCG	CCGAGCGCTG	GGTGCCGGGA
		50341	GATGCGGTCG	GCGAGGAGCG	CATGTACCTC	ACCGGCGACC	TGGCCCGCCG	CGCGCCCGAC
	10	50401	GGCGACCTGG	AATTCCTCGG	CCGGATCGAC	GACCAGGTCA	AGATCCGCGG	CATCCGCGTC
		50461	GAACCGGGTG	AGATCGAGAG	CCTGCTCGCC	GAGGACGCCC	GCGTCACGCA	GGCGGCGGTG
		50521	TCCGTGCGCG	AGGACCGGCG	GGGCGAGAAG	TTCCTGGCCG	CGTACGTCGT	ACCGGTGGCC
		50581	GGCCGGCACG	GCGACGACTT	CGCCGCGTCG	CTGCGCGCGG	GACTGGCCGC	CCGGCTGCCC
		50641	GCCGCGCTCG	TGCCCTCCGC	CGTCGTCCTG	GTGGAGCGAC	TGCCGAGGAC	CACGAGCGGC
	15	50701	AAGGTGGACC	GGCGCGCGCT	GCCCGACCCG	GAGCCGGGCC	CGGCGTCGAC	CGGGGCGGTT
						TGCCGGATCT		
						ACGCTCGGCG		
-						GGTGCCGATG		
						GCGGCGGACG		
Ф	20	51001	CCCCCGATCG	CGCCCTCCGC	GGAGAACGGG	CCGGCCCCCC	TCACCGCGGC	ACAGGAACAG
Φ						GCGCCCTCCT		
						GCGCTCGACG		
Q T Q						CGCGATCGGG		
Ū.						CCGGTCGGCG		
ļ.	25					GACCTCGTGA		
						GTGCTGCTGC		
m						CGGGAGTTGT		
E						GAACGGAGTC		
						CTGGGGGGCG		
Ø	30					CGGGCGTTCC		
N						GCCCACGACG		
40.						ACCGCCGACA		
ġ						ACCGACCACC		
						ACGCCGTCGT		
\$****	35					CACCAGGCGG		
						GTGTCGTTCC		
						GAGCCGTTCC		
						CTCTTCGACG		
						CGTGCCACCG		
	40					GACCTCACCG		
						AGACAGTCGA		
						CCGCGCACAG		
						CGTCGCCGGA		
						CCACGGACCG		
	45	52501	ACGGTCGCGG	CGGCTTCCTC	ACCGGGGCGG	CCGGCTTCGA	CGCGGCGTTC	TTCGGCATCA
						AGCAGCGCCT		
						AGACGCTGCG		
						TCGGCGCCGA		
						GCCTCGCGTA		
	50	52801	CGGCGGTCAC	GGTCGACACG	GCGTGTTCGT	CGTCGCTGGT	GGCGCTGCAC	CAGGCCGGGC
						CCCTGGTCGG		
						AGGGCGGCCT		
						GTTTCGCCGA		
						GCCACCGCGT		
					o. iocochnod	55071000001		510000011

đ

\$

(i)

N

	56341	GGAGCTTCAC	CACGGCGGCG	TCCGTCCCGA	TCGTGTTCGC	GACCGCGTGG	TACGGCCTGG
	56401	TCGACCTCGG	CACACTGCGC	GCCGGCGAGA	AGGTCCTCGT	CCACGCGGCC	ACCGGCGGTG
	56461	TCGGCATGGC	CGCCGCACAG	ATCGCCCGCC	ACCTGGGCGC	CGAGCTCTAC	GCCACCGCCA
	56521	GTACCGGCAA	GCAGCACGTC	CTGCGCGCCG	CCGGGCTGCC	CGACACGCAC	ATCGCCGACT
5	56581	CTCGGACGAC	CGCGTTCCGG	ACCGCTTTCC	CGCGCATGGA	CGTCGTCCTG	AACGCGCTGA
	56641	CCGGCGAGTT	CATCGACGCG	TCGCTCGACC	TGCTGGACGC	CGACGGCCGG	TTCGTCGAGA
	56701	TGGGCCGCAC	CGAGCTGCGC	GACCCGGCCG	CGATCGTCCC	CGCCTACCTG	CCGTTCGACC
	56761	TGCTGGACGC	GGGCGCCGAC	CGCATCGGCG	AGATCCTGGG	CGAACTGCTC	CGGCTGTTCG
	56821	ACGCGGGCGC	GCTGGAGCCG	CTGCCGGTCC	GTGCCTGGGA	CGTCCGGCAG	GCACGCGACG
10	56881	CGCTCGGCTG	GATGAGCCGC	GCCCGCCACA	TCGGCAAGAA	CGTCCTGACG	CTGCCCCGGC
	56941	CGCTCGACCC	GGAGGGCGCC	GTCGTCCTCA	CCGGCGGCTC	CGGCACGCTC	GCCGGCATCC
	57001	TCGCCCGCCA	CCTGCGCGAA	CGGCATGTCT	ACCTGCTGTC	CCGGACGGCA	CCGCCCGAGG
	57061	GGACGCCCGG	CGTCCACCTG	CCCTGCGACG	TCGGTGACCG	GGACCAGCTG	GCGGCGGCCC
	57121	TGGAGCGGGT	GGACCGGCCG	ATCACCGCCG	TGGTGCACCT	CGCCGGTGCG	CTGGACGACG
15	57181	GCACCGTCGC	GTCGCTCACC	CCCGAGCGTT	TCGACACGGT	GCTGCGCCCG	AAGGCCGACG
	57241	GCGCCTGGTA	CCTGCACGAG	CTGACGAAGG	AGCAGGACCT	CGCCGCGTTC	GTGCTCTACT
	57301	CGTCGGCCGC	CGGCGTGCTC	GGCAACGCCG	GCCAGGGCAA	CTACGTCGCC	GCGAACGCGT
	57361	TCCTCGACGC	GCTCGCCGAG	CTGCGCCACG	GTTCCGGGCT	GCCGGCCCTC	TCCATCGCCT
	57421	GGGGGCTCTG	GGAGGACGTG	AGCGGGCTCA	CCGCGGCGCT	CGGCGAAGCC	GACCGGGACC
20	57481	GGATGCGGCG	CAGCGGTTTC	CGGGCCATCA	CCGCGCAACA	GGGCATGCAC	CTGTACGAGG
	57541	CGGCCGGCCG	CACCGGAAGT	CCCGTGGTGG	TCGCGGCGGC	GCTCGACGAC	GCGCCGGACG
	57601	TGCCGCTGCT	GCGCGGCCTG	CGGCGGACGA	CCGTCCGGCG	GGCCGCCGTC	CGGGAGTGTT
	57661	CGTCCGCCGA	CCGGCTCGCC	GCGCTGACCG	GCGACGAGCT	CGCCGAAGCG	CTGCTGACGC
	57721	TCGTCCGGGA	GAGCACCGCC	GCCGTGCTCG	GCCACGTGGG	TGGCGAGGAC	ATCCCCGCGA
25	57781	CGGCGGCGTT	CAAGGACCTC	GGCATCGACT	CGCTCACCGC	GGTCCAGCTG	CGCAACGCCC
	57841	TCACCGAGGC	GACCGGTGTG	CGGCTGAACG	CCACGGCGGT	CTTCGACTTC	CCGACCCCGC
					TGACCGGCAC		
	57961	GGACCGCGGC	CACGGCCGGT	GCGCACGACG	AGCCGCTGGC	GATCGTGGGA	ATGGCCTGCC
	58021	GGCTGCCCGG	CGGGGTCGCG	TCACCCGAGG	AGCTGTGGCA	CCTCGTGGCA	TCCGGCACCG
30	58081	ACGCCATCAC	GGAGTTCCCG	ACGGACCGCG	GCTGGGACGT	CGACGCGATC	TACGACCCGG
	58141	ACCCCGACGC	GATCGGCAAG	ACCTTCGTCC	GGCACGGTGG	CTTCCTCACC	GGCGCGACAG
	58201	GCTTCGACGC	GGCGTTCTTC	GGCATCAGCC	CGCGCGAGGC	CCTCGCGATG	GACCCGCAGC
	58261	AGCGGGTGCT	CCTGGAGACG	TCGTGGGAGG	CGTTCGAAAG	CGCCGGCATC	ACCCCGGACT
	58321	CGACCCGCGG	CAGCGACACC	GGCGTGTTCG	TCGGCGCCTT	CTCCTACGGT	TACGGCACCG
35	58381	GTGCGGACAC	CGACGGCTTC	GGCGCGACCG	GCTCGCAGAC	CAGTGTGCTC	TCCGGCCGGC
	58441	TGTCGTACTT	CTACGGTCTG	GAGGGTCCGG	CGGTCACGGT	CGACACGGCG	TGTTCGTCGT
	58501	CGCTGGTGGC	GCTGCACCAG	GCCGGGCAGT	CGCTGCGCTC	CGGCGAATGC	TCGCTCGCCC
	58561	TGGTCGGCGG	CGTCACGGTG	ATGGCGTCTC	CCGGCGGCTT	CGTGGAGTTC	TCCCGGCAGC
	58621	GCGGCCTCGC	GCCGGACGGC	CGGGCGAAGG	CGTTCGGCGC	GGGTGCGGAC	GGCACGAGCT
40	58681	TCGCCGAGGG	TGCCGGTGTG	CTGATCGTCG	AGAGGCTCTC	CGACGCCGAA	CGCAACGGTC
	58741	ACACCGTCCT	GGCGGTCGTC	CGTGGTTCGG	CGGTCAACCA	GGATGGTGCC	TCCAACGGGC
	58801	TGTCGGCGCC	GAACGGCCG	TCGCAGGAGC	GGGTGATCCG	GCAGGCCCTG	GCCAACGCCG
	58861	GGCTCACCCC	GGCGGACGTG	GACGCCGTCG	AGGCCCACGG	CACCGGCACC	AGGCTGGGCG
	58921	ACCCCATCGA	GGCACAGGCG	GTACTGGCCA	CCTACGGACA	GGAGCGCGCC	ACCCCCTGC
45	58981	TGCTGGGCTC	GCTGAAGTCC	AACATCGGCC	ACGCCCAGGC	CGCGTCCGGC	GTCGCCGGCA
	59041	TCATCAAGAT	GGTGCAGGCC	CTCCGGCACG	GGGAGCTGCC	GCCGACGCTG	CACGCCGACG
	59101	AGCCGTCGCC	GCACGTCGAC	TGGACGGCCG	GCGCCGTCGA	ACTGCTGACG	TCGGCCCGGC
	59161	CGTGGCCCGA	GACCGACCGG	CCACGGCGTG	CCGCCGTCTC	CTCGTTCGGG	GTGAGCGGCA
	59221	CCAACGCCCA	CGTCATCCTG	GAGGCCGGAC	CGGTAACGGA	GACGCCCGCG	GCATCGCCTT
50	59281	CCGGTGACCT	TCCCCTGCTG	GTGTCGGCAC	GCTCACCGGA	AGCGCTCGAC	GAGCAGATCC
	59341	GCCGACTGCG	CGCCTACCTG	GACACCACCC	CGGACGTCGA	CCGGGTGGCC	GTGGCACAGA
	59401	CGCTGGCCCG	GCGCACACAC	TTCGCCCACC	GCGCCGTGCT	GCTCGGTGAC	ACCGTCATCA
	59461	CCACACCCCC	CGCGGACCGG	CCCGACGAAC	TCGTCTTCGT	CTACTCCGGC	CAGGGCACCC
	59521	AGCATCCCGC	GATGGGCGAG	CAGCTCGCCG	CCGCCCATCC	CGTGTTCGCC	GACGCCTGGC
						• •	

COOLUMNO, COUNCY

TEDHEGO

m

Ø

N

74.

	62821						CAGCGCGTCA
	62881						ACGCTGCGCG
	62941	GCAGCGACAC	CGGCGTGTTC	ATGGGCGCGT	TCTCCCATGG	GTACGGCGCC	GGCGTCGACC
_	63001						TTGTCGTACT
5	63061						TCGCTGGTCG
		CCCTGCACCA					
		GTGTCACGGT					
		CCCCCGACGG					
	63301	GCGCCGGCGT					
10	63361						ATCTCCGCAC
		CCAACGGCCC					
		CCGCCGACGT					
	63541	AGGCACAGGC					
	63601					TGTCGCCGGC	
15	63661					GCACGTGGAC	
		CGCATGTGGA					
	63781	ACGCGGGACG	CCCGCGCCGC	GCGGGCGTGT	CGTCGCTCGG	TATCAGCGGT	ACGAACGCCC
		ACGTGATCCT					
20	63901					GGGGCAGGTG	
20		AGGGGTATCT					
	64021					CCGGGTGATG	
	64081					TGCTCAGTGG	
	64141	GTGTGGAGTT	GATGGACCGT	TCTGCGGTGT	TCGCGGCTCG	TATGGAGGAG	TGTGCGCGGG
25		CGTTGTTGCC					
25	64261	AGCGGGTGGA	GGTGGTCCAG	CCGGCCAGCT	GGGCGGTCGC	GGTCAGCCTG	GCCGCACTGT
		GGCAGGCCCA					
		CGGCGTGCGT					
		GCCAGGTCAT					
20	64501	CCGGTGAGGT	CGGTCTGGTC	GAGGGCGTGT	GGATCGCGGC	GCGTAACGGC	CCCGCCTCGA
30	64561	CAGTCGTGGC	CGGCGAGCCG	TCGGCGGTGG	AGGACGTGGT	GACGCGGTAT	GAGACCGAAG
		GCGTGCGAGT					
	64681					GAAGGCCGCG	
	64741	GGTGGTCGAC	CGTGGACAGC	GCCTGGGTGA	CCGAGCCGGT	GGATGAGAGT	TACTGGTACC
35		GGAACCTGCG					
33	64861					GGAACAGGCC	
		CGTCGTTGCG	CACCGGTGAC	GGCGGCTGGG	AGCGATGGCT	GACGGCGTTG	GCGCAGGCGT
	64981 65041					ACCGGTGCCA	
	65101					GCTGGAAGCG	
40						CATGCTGGCC	
40	65221	CACTACCCCC	TCATCACCCC	GGTGTTGTTC	TCACCGGCCG	GATCTCGTTG	CGCACGCATC
	65201	CCTGGCTGGC	CCCCCCCCCC	GTGCGGGGCA	CGGTCCTGCT	GCCGGGCACG	GCCTTTGTGG
	653/1	AGCTGGTCAT	CCTCCTCCCC	GACGAGACCG	GTTGCGGGAT	AGTGGATGAA	CTGGTCATCG
	65/01	AATCCCCCT	CCCACCCCC	GCGACCGCAG	CCGTGGATCT	GTCGGTGACC	GTGGAAGGAG
45	65461	CTGACGAGGC	CCCCACCCC	ACCCT CACCC	TCCACGCCCG	CACCGAAGGC	ACCGGCAGCT
73	65521	GGACCCGGCA	TCCCCACCCC	MUCCUTGACCC	CCGACACCCC	CGACACCCCC	AACGCTTCCG
	65581	GTGTTGTCGG	CTACTTCCCC	CTCCTCGCAGT	GGCCACCTGC	CACTGCCGCG	AMOMMOGOGO
	65641	CCTCGGAGTT GAATGCGGGC	TECETECE	CATCCTCACA	CCCTCTACCG	GTTCGGACCC	ATGTTCCGCG
	65701	ACCGTGCCGC	CGACCCCCAC	CCTTTCCCCA	TCCACCCCCC	CCTCCTCCAC	CICCCCGAGG
50	65761	AGAGCGGCAG	CCTCCTCATC	CTCCAATCCC	ACCCCCA CCA	CACCCTCGAC	CECCCCEECE
	65821	CCTGGCACGG	CGTCCGGTTC	CIGGWAICGG	CCCCCACCAT	CCTCCCCCTC	CCCCTCCTAC
	65881	CGGGCCCGGA	CGGCCTCCGG	CTCCATCCC	CCCACACCCC	CAACCCTCCC	GEGGICGIAC
	65941	TCGACGCGCT	CGTGACCCGG	TUCCUCEDAC	CGCACCTCGC	GUMCCGICCC	CCCATCCTCC
	66001	GGGTCGGGTG	GGCCCCGGTG	CCCCGGAAG	CCCCCCCCCC	TCCCTCCCAC	CCGAIGCIGC
	2001	230100010		CCCGIACCIG	0000000000	1CCG1CCGAC	GCGGWCG I GC

COSTONE OFFICE

P A T E N T Atty Dkt: 300622002600

- 49 -

66061 TGACGCTGG GGGGACGACGA GCCGACCGG CGGTGATCTT CCAGGTGACCG 66181 CCGCCAAGGC GGTGCTCCGG GCCGACCGGC CGGTGATCTT CCAGGTGACC 66181 CCGCCAAGGC GGCCCCATGTG GGGTGGTGC CGGTGATCTT CCAGGTGACC 66211 TCCTCGTGA AAGGGACCGG GAAGAGTCC TGGAGGGGG GAAGGGGCAC 66361 GGGCACGCC GTCCCTGACG CTCCCGACA CCGGGTCGTG GAAGGGCGCC 66361 GGGCACGCC GTCCCTGACG CTCCCGACA CCGGGTCGTG GCACCTGCGG 66481 CCGGCGAGGT GCGGACCTT GCCGCTGCTC CCACCGACGC CCGGACCGG 66481 CCGGCGAGGT GCGGATCGG GTACGCGGC GGGGCCTGAA CTTCCGGGAT 66541 GCGCCGTCGTGC GCACCTGCCC CCACCGACGC GGCCGCGGT 66541 GCGCCTTCGG ACCGGTGCCG ATCACCGACC GGCGCACCA GGCCGCGGGT 66541 GCGCCTTCGG ACCGGTGCCG ATCACCGACC GGCGCACCA GGCCGCGGT 66611 TCCACCTGCC CAGCGGGGC CCCGGACCCA GGCCGCGGTG 66711 TCCACCTGCC CAGCGGGGG TCCCTGATCA CCGGTTCCC GACCGACGA GGCCGCGGT 66811 TCGACCTGGC GGCCGTCCAG ATCGCGCGC ATCTGGCCG GACCGCTGTC 66911 CCCCCTTCCC CAGCGGGGG TCCCTGATCA ACGGATCGCC GACCGCTGCC 66911 CCCCCTTCGC CAGCGGTTC CCGCCGCGCA ACGGCTGCTC GACCGCTGCC 66911 CCCCCTTCGC CTAGCCGCGTC CAGCACCCGC GACCGCTGCC 66911 CCCCCTCAGC CTCGCCCTCGGC CTCTGCCCG GACCGCTGCC 67011 TCCTCACCG GACCGCCTC CAGCACCCTC ACGGAAGCGC ATCTGCCCG 67011 TCCTCACCG CACCGCCTC CACCACCCC CGGGAGCGCT CAACTCCCTC 67011 CCGTCCACCG CTCGGACCTGT CCGCCGCGTT CAACTCCTC 67021 CCGTCCACCG CTCGGACCTGT CCGCCACCCT CAACTCCCTC 67021 TCCTCACCGC CTCGGACCTGT CCGCCACCTT CAACTCCTC 67021 TCCTCACCGC CTCGGACCTTC CAACACCCCT CTCACCCGC CTCACCCCC 67041 TGCACCCGC CTGGGACTGC CAACACCCCT CCGCACCCTC CAACACCCCC 67041 GCACCACCCC CTCGGACCTC CAACACCCCC CCGAAGCCC CTGCACCCCC 67041 GCACCACCCC CTACCCCCC CAACACCCC CCCACACCCCC CCGCACCCC 67041 GCACCTCCCC CTCGGACCTC CAACCCCCC CCCACACCCC CCCCACCCCC 67041 GCCGCCACCC CAACCCCCC CAACCCCC CCCACCCCC CCCCACCCCC CCCCACCCC 67041 GCCGCCCACC CACCCCCCC CAACCCCC CCCACCCCC CCCCACCCC CCCCACCCCC 67041 GCCGCCCACC CACCCCCC CAACCCCC CCCACCCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCACCCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCCACCCC CCCCCC							•	
66181 CCGCCAAGGC GGCCGCAGGC CTGGTCCGGC CCGCACACCC 66241 TCCTCCTGCA AACGGACCGG GGAAGGCCG CTGGACGGCGC GAAGGCCGAC 66311 GGGCCACGC GTCCCTGAGG CTCCCGGACA CGGGTCGTG GAAGGCCGAC 66311 GGGCCACGC GTCCCTGAGG CTCCCGGACA CGGGTCGTG GCACGCGGG 66411 CCGGCGAGGT GCGGACTG GCGCTGCTGC CCACCGACGC CCCGGACGGG 66411 CGGCCAGGT GCGGACCTG GTCGCGGCG GGGCCTGAA CTTCCGGGAT 66511 AGACCGGCC CGGTCTGCG TACGCGCG GGGCCTGAA CTTCCGGGAT 66511 AGACCGGCC CGGTCTGCG ACCGTTGCGC CGGCGACCG GGCCCGGACG 66611 GGCCTTCGG ACCGTTCGC ACCGTTCGC CGGCGACCG GGCCCGGACG 66611 TCGACCTGC CGGGGGGC TCCGTGATGA CGCGGTTCCG GACCGCGTGG 66711 TCGACCTGC CGGGGGGC TCCGTGATGA CGCGGTTCGC GACCGCGTGC 66811 TCGACCTGC CGGCGGCGC CCGGCGACA ACGCGCGCGC 66811 TCGACCTGC CGGCGTCCAG ATCGCGCGC ATCTGCGGC GACCGCGTGC 66911 CGCCCTTCCC CAAGCGGTTCC CCCGCGACA AGGTCTGCT 66911 CCGCCTTCCC CAACGCGTTC CCGCGGTGC ATCTGCGCG TCTCTGCGCG 66811 TCGACCGGC GCCCCTCCAG ATCGCCGCG ATCTGCGCG GACCGCGTGC 67011 TCCTCACGC GTCCTCGCC CTCTGCGC GGGGTGGACG TTCTGCCGCG 67011 TCCTCACGC GCACCCCTTC CCGCGGTGC ATCTCGGCG GTTCATCAGC 67011 TCCTCACGC GCACCCCTC CAACACCCT TCGACCTGGC GTTCATCAGC 67011 TCCTCACGC GCACCCCTC CAACACCCT CGCGACGCG GTTCATCAGC 67011 TCCTCACCGC CAACCCCTC CAACACCCT TCGACCTGAT GAACCCGCG GTTCATCAGC 67011 TCCTCACCGC CAACCCCTC CAACACCC CGCACACCC CAACCCCC CAACACCC CAACACCCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCCC CAACACCC CAACACCC CAACACCCC CAACACCC CAACACCCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCC CAACACCCC CAACACCC		66061	TGACGCTGCG	CGGCGACGAC	GCCGACCCGC	TCGGGGAGAC	CCGGGACCTG	ACCACCCGTG
66241 TCCTCGTCGA AACGGACCG GGACAGGTCC TGGACGGCG GAAGCGCAC 66301 CACTCGGCA GCCCCATGTG CGGCTGCGC ACGGCCTCTT CGAGGCACC 66361 GGGCCACGC GTCCCTGACG CTCCCGGACA CCGGCTCTT GCAGCCACC 66421 CCGGTTCCCT CGACGACCTT GCCGTCGTCC CACCGACGC CCCGGACCGG 66421 CCGGCGAGGT GGGCGTCGG GTACGCGCGG CGGCCTCAA CTTCCGGAT 66541 CGCTCGGAGT GGTCGCCGAT GCGCGTCCGC CGGCGACCG GGCCCTGAA CTTCCGGAT 66541 GGCCGCTTCGG ACCGGTCGCG GTACGCGCGC CGGCGACCG GGTCCTGGGG 66661 GCGCCTTCGG ACCGGTCGCG ATCACCGACC GGCGGCTGCT GGCGGATG 66721 GGACGTTCCC GCAGGCGGCG TCCGTGATGA CCGCGTTCGC GACCGCGGT 66721 GGACGTTCCC GCAGGCGGCG TCCGTGATGA CCGCGTTCGC GACCGCGGT 66721 GGACGTTCCC GCAGGCGGCG TCCGTGATGA CCGCGTTCGC GACCGCGTG 66841 TCGGCCGGC GGCCGTCCG CCCGCCGAGA AGGTCCTGAT CCACCGGGG 66841 TCGGCCGGCG GGCCGTCCG CCCGCCGAGA AGGTCCTGAT CCACCGGGG 66861 CCGCGTTCGC GCACGCGTT CCGCCGGTC ATCTGGGCG GACGCGTT 67021 TCCTCGACGC GTCCGTCGCC CTCGCCGGTC ATCTGGGCG GGAGGTGTAC 67021 TCCTCGACGC GTCCGTCGCC CTGCTCGCG CGGTGGCGC GTTCATCGAC 67021 TCCTCGACGC GCACGCCGT CAGCAGCCT TCGACCTGC ATCTGTGAT GAACCGCGC 67021 TCCTCACCG CACCCCCT CAGCAGCCT TCGACCTGC GACCGCGT GATCTGATC 67021 TCATCACCG CACCCCCCC CAGCAGCCG TCGACCTGC GCACCGGCG GAACCTCTCGC CGCCGCCT GATCTGACGTC CAGCGGCGC GAACCTCCCC CAGCAGCCG GAACCGCT CAGCGGCCG GAACCTCCCC CAGCACCCC CCGCCACCTG GATCCGGCC GAACCGCC CCGCCACCTG GAACCCCCC CACCCCCC CAGCACCCC CCGGCACCCC CCGCCACCTG GAACCCCCC CACCCCCC CAGCACCCC CCGCCACCCC CACCCCCCCC		66121	TTCTCGACGC	GCTGCTCCGG	GCCGACCGGC	CGGTGATCTT	CCAGGTGACC	GGTGGCCTCG
66301 CACTCGGCGA GCCCCATGG CTCCCGGACA CCGGCCTCTT CGAGGCACC 6631 GGGCACCACCC CGACGACCT CTCCCGGACA CCGGGTCGT GCAGCTCGG 66421 CCGGTTCCCT CGACGACCTT CCCCTGACC CCGGCCTGAC 66481 CCGCGGTGT GCGGTTCGC GTACGCCGC CGGCCTGAA CTTCCGGGAT 6651 GGACGTCGGT GCGGTTCGC GTGCGCGT CGGCGCGGACG GCGCGGGT 6651 GGACGTCCGT GCGCGTTCGC CGGCGCGC CGGCCTGAA CTTCCGGGAT 6651 GGACGTTCCC GCAGGTCGCC ATCACGCCC CGGCGACACC GGTCCTGGGG 6661 GGACTTCCG ACCGGTCGCC ATCACGACC GGCGGCTGCT CGGCGGGT 66781 TCGACCTGCC CGCGGTCGCC CCCGGCAACC GGCGCTTCAG CACCGCGGGT 66781 TCGACCTGGC CGCGGCTGCC CCCGGCAAA AGGTCTTAT CCACGCGGCG 66841 TCGACCGGCC GCCCCTCCAA ATCACCGAC ATCTGGGCG GAGGTTAA 66961 CGCCCGCAA GCCCCTCCAA ATCACCGCGC ATCTGGGCG GAGGTTAA 66961 CCGCGTTCGC CCACGCCGTCC ATCGGCGC GAGGTCTAC 67081 CGCCCGCAA GCCCCTCCAA ATCGCCGGC ATCTGGGCG GAGGTTAA 66961 CCGCGTTCGC CACAGCCGTT CCGCCGGTG ATCGGGCGC GATCTAGGC 67081 CGGACATCCG CACACCCTC CAGCAGCCGT CACCTCAGC 67081 CGGACATCCG GCACCCCTC CAGCAGCCGT CAGCAGCCGT TCTTCGCCGA TCTTCGAC 67081 CGGACATCCG GCACCCCTC CAGCAGCCGT CAGCAGCCGT CAGCAGCCG GATCTCGGC 67081 CGGCCCGCAC CAACCCCCAC CACCCCCC CCGGCCCCC GGATCCCCG 67261 CTCACACCGC CAGCCCCCC CACCCCCC CCGGCCCCC GGATCCCCC 67261 CCCGCGCCCCCA CACCCCACC CCACCCCC CCGCCCCCT GGATCCCCAC 67381 ACACCTACCT GCTCTCCCGC ACCCCACCC CCGACCCCC CCGACCCCC 6741 CCGACCTCGC CACCCCCCC CAACCCCCC CCGACCCCC CCGCACCCCC 6741 CCGACCCCCA CAACCCCCCC CAACCCCCC CCGCACCCCC 6741 CCGACCCCCA CAACCCCCCC CAACCCCCC CCGCACCCCC 6741 CCGACCGCCA CACCCCCCC CAACCCCCC CCGCACCCC CCGCACCCCC 67561 CCCCGCGACC CAACCCCCCC CCACCCCC CCGCACCCC CCGCACCCC 67561 CCCCGCGACC CAACCCCCCC CCACCCCC CCGCACCCC CCGCCCCCC 67561 CCCCGCACCC CAACCCCCCC CCACCCCC CCGCACCCC 67661 CCCCGCGACC CAACCCCCCC CCACCCCC CCGCACCCC 67661 CCCCGCACCC CAACCCCCC CCCCCCCCCC CCCCCCCC		66181	CCGCCAAGGC	GGCCGCAGGC	CTGGTCCGCA	CCGCTCAGAA	CGAGCAGCCC	GGCCGCTTCT
66361 GGGCCACGC GTCCCTGACG CTCCCGGACA CCGGCTCGTG GCAGCTGCG 66421 CCGGTTCCCT CGACGACCTT GCCGTCGTCC CACCGACGC CCCGGACCGG 66421 CCGGCGAGT GGGCGTCGGG GTACGGCGGC CGGCCTGAA CTTCCGGGAT 66541 GCCCGGATG GGTCGCCGAT GCGCGTCCGC CGGCCAGCAA CTCCGGGATGGG 66661 AGACCGGCC CGGTGTGCAC GACCTGGCG CGGCCTGAA CTTCGGGAT 66661 AGACCGGCC CGGTGTGCAC GACCTGGCG CCGGCGACCG GGTCCTGGG 66661 GCGCCTTCGG ACCGGTCGCG ATCACCGACC GGCGGCTGCT CGGCCGGATG 66721 GGACGTTCCC GCAGGCGGGG TCCGTGATGA CGCGCTTGCC GACCGCGTGG 66781 TCGACCTGC CGGGGTGCGC CCGGCCAGA AGGTCCTGAT CCACGGGGG 66841 TCGGCCGGC GGCCGTCCAA ATCCCGACC ATCTGGGCG GACGGTTGC 66961 CCGCCGCAA AGGCCATCTG GTGAACCTGA AGGTCCTGAT CCACGGGCG 66961 CCGCCGCAA AGGCCATCTG GTGAACCTGA AGGTCCTGAT CCACGGGCG 67021 TCCTCGACGG GCCCGTCCAC ATCTCGCGG CGGTGGCGC GTTCATCGAC 67021 TCCTCGACGG GTCCATCGC CAGCAGCCT TCGACCTGC ATTCTGACAGA 67021 TCCTCGACGG CACCCCCC CAGCAGCCGT TCGACCTGC GACGCGCGT 67021 TCCTCACGC GCACCCCCC CAGCAGCCGT TCGACCTGC GACGCCGCG 67041 TGCACCACGC CACCCCCCC CAGCAGCCGT TCGACCTGC CGGCGGCGCG GACGTCTCGC 6721 TCATCACCG CACCCCCC CAGCAGCCGC TCGATCCCGC CGCCACCTG 6721 TCATCACCGC CAGCTGCTG CACCCCCC CCGCACCTC CCGCCACCTG 67321 TCATCACCGC CGACCCCCC CACCCCC CCGCACCCC CCGCACCCT GATCTCCGG 67321 TCATCACCG CGACCCCCC CACCCCC CCGACACCCC CCGCACCCT 67321 TCATCACCG CGACCCCCC CACCCCC CCGACCCCC CCGCACCCT 67321 TCATCACCG CGACCCCCC CACCCCC CCGACCCCC CCGCACCCT 67441 GCGCGCTCAG CGCCCCCC CACCCCC CCGACCCCC CCGCACCCC 67561 ACCCGCGTCA CGCCCCCC CACCCCC CCGACCCCC CCGCACCCC 67561 ACCGCGTCAG CGCCCCCC CACCCCC CCGACCCCC CCGCACCCC 67661 CCCGCGACC CGCCCCCC CACCCCC CCGCACCCC CCCGCACCCC 67661 CCCGCGGCA CGCCCCCC CACCCCC CCGCACCCC CCGCACCCC 67661 CCCGCGCCAC CGCGCCCCC CCCCACCCC CCCCACCCC CCCGCACCCC 67661 CCCGCGCACCC CGCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC 67661 CCCGCGCACCC CCCCCCC CCCCACCCC CCCCACCCC CCCCACCCC CCCCACCCC 67661 CCCCCCCCC CCCCCCC CCCCCCCCCCCCCCCC		66241	TCCTCGTCGA	AACGGACCCG	GGAGAGGTCC	TGGACGGCGC	GAAGCGCGAC	GCGATCGCGG
66421 CCGGCTCGCG GCGATCGCG GTACGGCGC CCGGGCCGGA CTTCCGGGAT 66541 CGCTCGGTGT GGGATCGCG GTACGGCGC CGGGCTGAA CTTCCGGGAT 66541 CGCTCGGTGT GGTCGCCGAT GCGGCTCCCC TCGGCGACCG GGCCGCGGGT 66661 AGACCGGCCC CGGTGTGCAC GACCTGGCGC CGGGGACCG GGTCCTGGGG 66661 GGCCCTTCGG ACCGGTCGCG ATCACGCACC GGCGGACCG GGTCCTGGGG 66661 GGCCCTTCGG ACCGGTCGCG ATCACCGACC GGCCGGTTGC CGCCGGATG 66781 TCGACCTGGC CGGGGTGCGC CCCGGCGAGA AGGTCTTGAT CAACGCGGCG 66841 TCGACCGGCG CGCCGTCAGA ATCACCGAC ATCTGGGGC GAGGATGAC 66961 CCGCGTTCGC CGACGCGTTC CGCGCGAGA AGGTCTGAT CAACGCGGCG 66841 TCGACCGGCG GGCCGTCAGA ATCGGCGGC GAGGAGTAC 66961 CCGCGTTCGC CGACGCGTTC CGCCGGTGC ATCTGGGCG GGAGGTTAC 67081 CGGACATCCG CGACGCGTTC CGCCGGTCC ATCTGGCCG ATCTGGCCG GAGGAGCA 67081 CGGACATCCG CAACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCGGC 67081 TCGACCGGC CACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCGGC 67081 CGGACATCCG CAACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCGGC 67261 GTCACACCGC CAGCACCCTC CAGCAGCCCT TCGACCTGAT GGACGCGGC 67261 GTCACACCGC CAGCACCCTC CAGCAGCCCT CGGACGTCTG 67261 GTCACACCGC CAGCCTCCGC ACCCTCGCC GCACCTCTCC 67381 ACACCTACCT GCTCTCCGC ACCCTCACCCC CCGACCACCC CCGCACCCTG 67381 ACACCTACCT GCTCTCCGC ACCCTCACCCC CGACCTCTGC CCGCACCCTG 67381 ACACCTACCT GCTCTCCGC ACCCTCACCC CAGCCTCGC CCGCACCCTG 67381 ACCCTACCACCC CAACCTCCCC CAACCTCCC CCGCACCCTG 67381 ACCCTACCACCCC CAACCTCCCC CAACCTCCC CCGCACCCTG 67381 ACCCTACACCGC GCAACCTACCC CAACCTCGCC GCACCTCGC CCGCACCTG 67561 CCCCGGACCA CAACCTCCCC CAACCTCGCC CACCCTGC CCGCACCTG 67561 ACCGCGGCAC AGCGCTCCC CAACCTCCCC CACCCTGC CCGCACCTG 67561 ACCGCGTCGA AGGCTCCCC CAACCTCCCC CACCCTGC CCGCACCCT 67561 ACCGCGCACCA CAACCTCCCC CAACCCCC CACCCTGC CCGCACCCTG 67561 CCCCGGACCA CGACCTCCC CAACCCCC CACCCTGC CCGCACCCC CCGCACCGC 67561 CCCTCACCCC GAAACTCACC GACCCCCAC ACCCCGCC GCCCACCGC GTGCCACCG 67561 CCCTCACCCC GAAACTCAC GACCCCCC ACCCCGCC GCCCACCGC GTGCGCC 67561 CCCTCACCCC GAAACTCAC CACCCCCC CCCCCACCCC GCCCACCCC CCCCCCCC	5	66301	CACTCGGCGA	GCCCCATGTG	CGGCTGCGCG	ACGGCCTCTT	CGAGGCAGCC	CGGCTGATGC
66481 CGGTCGGTC GGGCTCGCAT GCGCGCTCGGC GGGCCTGAA CTTCCGGGGGT 66501 AGACCGGCC CGGTTGCAC GACCTGGCGC CCGGCGACCG GGTCCTGGGG 66661 AGACCGGCC CGGTTGCAC GACCTGGCGC CCGGCGACCG GGTCCTGGGG 66661 TCGACCTTCGG ACCGGTCGCG ATCACCGACC GGCGGCTCCT CGGCCGGATG 66721 GGACCTTCGC CGGGCGTCGC TCCGTGATGA CCGGCTTCGC GACCGGTGGG 66781 TCGACCTGGC CGGGCTGCGC CCCGGCGAAA AGGTCCTGAT CCACGCGGGG 66841 TCGGCCGCGAT GGCCGTTCAG ATCACGGAC ATCTGGGGGC GAGGGTGTAC 66961 CGGCCGCGAT GGCCGCTTCGG ATCACGGGCG ATCTGGGGGC GAGGGTGTAC 66961 CGGCCGTATCG CGACCGCTTC GTGGACCTGG ACGAGGGCA TTGGCCGAT 66961 CGGCCGTATCG CGACGCGTC CGCCGGGTCG ATCTCGTGC CGACGAGCGG ATCTCGGCG GTTCATCGAC 67021 TCCTCGACC GTCCGTCGC CTGCTCGCG CGGTGGCCG GTTCATCGGG 67081 CGGACATCCG GCACGCGTC CAGCAGCCGT TCCACCTGAT GGACGCCGGC 67081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCCACCTGAT GGACGCCGGC 67141 TGCAGCGGAT CATCGTCGGC CTGCTCGGC CTGTTCGCGG CGACGTCGAT 67261 GTCACACCGG CAAGCTGGTG CTGACGGCC GGAGGGGTT CGGCCAGCTG 67321 TCATCACCGG CGACCCCACC CACCTCCCC CGACACCAC CCCCCACCCAC 67321 TCATCACCGG CGACCCCAC CACCTCGCC CGACACCAC CCCCGCACCCC 67441 GGGACGTCGG CACCCCACC CAACTCCCC CCGACACCAC CCCCGCACCCC 67541 ACCGCGTCTT CCACACCGC GGAACCCTCG CCCACCCCC CCGACACCAC 67561 CCCGCGGACA CACCCTCCC CGACACCCC CCGACACCAC CCCCGGCACCC 67621 CCCGCGGACA CACCTCGCC GGAACCCTCG CGCACCCCC GCGACCCCC GCGACCCCC 67621 CCCGCGGACA CGACCTCCC CGGACCCCC CCGACGCCCC CGCACCCCC 67621 CCCGCGGACA CGACCTCCC CGCACCCCC CGCACCCCC GCGCACCCC 67621 CCCGCGGACA CGACCTCCC CGCACCCCC CGCACCCCC GCCACCCCC 6761 GCCCGCGCAC CACCCTCCC CGCCACCCC GCCACCCCC GCGCACCCC 6761 CCCTCACCGC GACCCCAC CACCCCAC CCCCACCCCC GCCACCCCC 6761 CCCCGGGACA CGCCCACCC CACCCCACCC CCCCACCCCC GCCACCCCC 6761 CCCCGGGCAC CGCCACCCC CCCCACCCC CCCCACCCCC GCCACCCCC 6761 CCCCGGGCAC CGCCACCCC CCCCACCCCC CCCCACCCCC CCCCACCCCC 6761 CCCCGGGCAC CGCGCACCCC CCCCACCCCC CCCCACCCCC CCCCACCCCCC		66361	GGGCCACGCC	GTCCCTGACG	CTCCCGGACA	CCGGGTCGTG	GCAGCTGCGG	CCGTCCGCCA
66541 CGCTCGGTCT GGTCCCCGAT GCGCTCCGC TCGGCAGCG GGTCCTGGGG 66661 AGACCGGCCC CGGTGTGCC ACCTGGCGC CCGGCGACCG 66661 GGCCTTCCG ACCGGTCGCG ATCACCGACC GGCGCGTCGC GGCCGGATG 66781 TCGACCTGGC CGGGCTGCC CCGGCGAGA AGGTCCTGAT CACCGGTGGG 66781 TCGACCTGGC CGGCTGCCA ATCACCGACC GGCGGTTGGC GACCGGTGG 66841 TCGACCTGGC CGGCCTCCAG ATCACCGGCGA AGGTCCTGAT CACCGGCGGG 66841 TCGACCTGCC GGCCGTCCAG ATCACCGGCG ATCTGGGCGG GAGGTGTAC 66901 GCGCCGCGAA GCGCCATCTG GTGGACTGG ATCTGGGCGA TCTTGGCCGAT 67021 TCCTCGACGC GTCCGTCGCC CTGCTCGGC CGGTTGGCC GATCTGGCCGAT 67081 CGGACATCCG GACGCCTCT CACCAGCCCT TCGACCTGAT GAACCGGCC 67081 CGGACATCCG GACGCCTC CACCAGCCCT TCGACCTGAT GAACCGCCTC 67081 TGCACCGCG CACGCCCTC CACCAGCCCT TCGACCTGAT GAACCGCGCC 67141 TGCAGCGGAT CATCGTCCAG CTGCTCGGCC CGACCGCCC CGACCGCCCC 67261 GTCACACCGC CTGGGACGTG CGGCAGGCCG CGGCGCGCT GGACCGCCGC 67261 GTCACACCGG CAACCTGGTG CGCAGCGCC CGGACCCACCACCACCACCACCACCACCACCACCACCACC		66421	CCGGTTCCCT	CGACGACCTT	GCCGTCGTCC	CCACCGACGC	CCCGGACCGG	CCGCTCGCGG
66601 AGACCGGCCC CGGTGTGCAC GACCTGGGC CGGGCACCG GGTCCTGGGG 66721 GGACCTTCGG ACCGGTCGG ATCACCGACC GGGGGTGGT CGGCCGGATG 66721 GGACCTTCCC GCAGGCGGGG TCCGTGATGA CCGGGTGGT CGCCGGATG 66721 TCGACCTGGC GGGGCTGGC CCCGGCGAGA AGGTCCTGAT CCACGGGGG 66841 TCGGCCGCAGA GCGCCATCTG GTGGACCTGG ACCGGGCGA TCTGGGCG GGAGGTGTAC 66901 GCGCCGCAGA GCGCCATCTG GTGGACCTGG ACGGAGCGCA TCTGGCCGAT CGCGGCGA ACGCCGATC GTGCACCTGGAT CCACGGGGC GGAGGTGTAC CGCCGGAT CGCCGCAGA AGGTCCTGAT GACTGGCTC GT021 TCCTCGACCG GTCCGTCGC CTGCTGCGC GTCACTCGAG GTCATCACGAG GT081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCCACCTGAT GGACGCCGC GTCATCACGAG GT081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCCACCTGAT GGACGCCGC GTCATCACGAG GT081 CGGACATCCG CTGGGACGGC GGAGGCCGC CGACGGCCGC GTACACCAC CGGCCACGC GTACACCAC CGGCACGCCG GAACGTGCTG GT261 GTCACACCGG CAACGTGCTG CTGACGGCC GGAGGCGC GGACGCGC GAACGTGCTG GT321 TCATCACACG CAACGTGGTG CTGACGGCC GGAGGCCGC CGACACCAC CACCACCAC CACCACCAC CCACCACCAC CCACCA		66481	CCGGCGAGGT	GCGGATCGCG	GTACGCGCGG	CGGGCCTGAA	CTTCCGGGAT	GTCACGGTCG
66661 GCGCCTTCGG ACCGGTCGCG ATCACCGACC GCGGTGGT CGGCCGGTGGG 66781 TCGACCTGCC GCAGGCGGGCG TCCCTGATGA CCGCGTTCGC GACCGGTGGG 66841 TCGGCCGGC GGCCGTCAG ATCGCGGGGC GGGGGGGGGG		66541	CGCTCGGTGT	GGTCGCCGAT	GCGCGTCCGC	TCGGCAGCGA	GGCCGCGGGT	GTCGTCCTGG
66721 GGACGTTCCC GCAGGCGGGC TCCGTGATGA CCGCGTTCCC GACCGCGGGG 66781 TCGACCTGGC CGGGCTGCGC CCCGGCGAA AGGTCCTGAT CCACGCGGGG 66841 TCGGCGGGG GGCGTCCAG ATCGGGCGC ATCTGGGCGC GAGGTGTAC CCACGCGGGG GGCGTTCCG GGGCGTTCCG GTGGACCTGG ACGGAGCGCA TCTGGCCGAT 66961 CCGCGTTCGC CGACGCGTTC CCGCCGGTCG ATGTCGTGCC CAACTCGCTC 67021 TCCTCGACGC GTCCGTCGGC CTGGTCGCGG CGGGTGGCCG GTTCATCGACG GTCGTCACGG GTCACCTCGCT CAACTCGCTC CAACTCGCTC CAACTCGCTC CAACTCGCTC CAACTCGCTC CAACTCGCTC CAACTCGCTC CAACTCGCTC CAACTCGCCG GTCATTCGTCGG CTGCTCACGC CTGGACAGCCGT TCGACCTGAT GAACGCCGG GTTCATCGAG CTGCTCACGC CTGGACACCAC CTGACGGCC GGGAGGCCGT GGACCGTGCTG CTGCTCACGC CTGGGACCTG CTGACGGCC GGGAGGCCGT GGACCCACCG CAACCCACCC CCGGACACCAC CCACCCC CCGACACCAC CCACCCC CCGACACCAC CCACCCC CCGACACCAC CCACCCC CCGACACCAC CCACCCCC CCGACACCAC CCACCCC CCGACACCAC CCACCCTG CACCCACCC CCACCCC CCGACACCAC CCACCCC CCGACACCAC CCACCCTCG CCGCACCCC CCGACACCAC CCACCCT CCACACCCC CCGACACCCAC CCACCCC CCGACACCAC CCACCCTG CACCCTGC CCGCACCCC CCGACACCAC CCACCCC CCGACACCCAC CCACCCC CCGACACCCAC CCACCCC CCGACACCCA CCACCCAC	10							
66781 TCGACCTGGC GGGGCTGCGC CCCGGCGACA AGGTCCTGAT CCACGGGGG G6841 TCGGCGGGG GGCGTCCAG ATCGGCGGGC ATCTGGGCGC GGAGGTGTAC 66901 GCGCCGCGAA GCGCCATCTG GTGGACCTGG ACGGAGGGCC TCTGGCCGAT 66901 CCGCGTTGC CGACGCGTTC CCGCCGGTCG ATGTCGTGCC CTGCTCAGC GTGACCTGA ATGTCGTGCC CTGCTCAGC GTGACCTGAT GACGCGCGC TCGTCAGC GTCGTCGCG CTGCTCGCG CGGTGGCCGC GTTCATCAGA 67021 TCCTCGAGCG CTCGTCGAGC CTGCTCGCGC CGGCAGCCGCT TCGACCCGCG GTTCATCAGA 67081 CGGACATCCG CACAGCCGTC CAGCAGCCGT TCGACCCGC GTTCATCAGA 67081 CGGACATCCG CTGGACACTC CAGCAGCCGT TCGACCCGC CGACGCGCGC GTTCATCAGA 67141 TGCAGCGGA CATCGTCGAG CTGGCAGCGC CGGCAGCCGC CGGCAGCCTG GACCCCACC CGGCAGCCGC CGACACCAC CACCCACC		66661	GCGCCTTCGG	ACCGGTCGCG	ATCACCGACC	GGCGGCTGCT	CGGCCGGATG	CCGGACGGCT
66841 TCGGCGCGG GGCCGTCCAG ATCGGCGCG ATCTGGCGCG GGAGGTGTAC 66901 GCGCCGGAA GCGCACCATCTG GTGCACCTGG ACGGAGCGA TCTGGCCCAT 66901 CCGCGGTTGC CGACGCGGTC ACGGAGCGAT TCTGGCCCGAT 67021 TCCTCGACGC GTCCGTCGGC CTGCTCGCGG CGGGTGGCCG CAACTCGGCTC CAGCTGCGCG CGGGTGGCCG GTTCATCGACG 67081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCGGCG 67141 TGCACGCGAT CATCGTCCGA CTGCTCGGCC TGTTCGCGCG CGACGTGCTG 67201 CGGTCACGC CTGGGACGTG CTGACGGCC GGGAGGCGT CGGCTGCATG 67201 CGGTCACGC CTGGGACGTG CTGACGGCC GGAGGCGCT GGATCCCGA 67321 TCATCACCGG CGACCTGCGC ACCCTCGCC GCATCCTCGC CGCCCACCCT GGATCCCG 67381 ACACCTACCT GCTCTCCCGC ACCCTACCC CCGGACACCAC CCCCCACCC CGGACCCAC CCCCCACCC CGGCACCC CCGGCACCC 67441 GCGACGTCG CGACCCCCAC CAACTCCCC CCGGACCCC CCGGCACCC CGCACCCT GCTCGACAC 67531 ACACCTACCT GCACCCCCC CAACCCCCC CCGACACCCA CCCCCGGCACC 67441 GCGACGTCG CAACCCTCGC ACCCCACCC CCGGCACCC CCCCCACCC CCCCCACCC CCGCACCCC CCGCACCCC CCCCACCC CCCCCACCC CCCCACCCC CCCCACCCC CCGCACCCC CCCCACCCC CCCCCACCCC CCCCACCCC CCCCCACCCC CCCCCC		66721	GGACGTTCCC	GCAGGCGGCG	TCCGTGATGA	CCGCGTTCGC	GACCGCGTGG	TACGGCCTGG
66961 CCGCGGGAA GCGCCATCTG GTGGACCTGC ACGGGGCA TCTGGCCGAT (67021 TCCTCGACGC GTCCGTCGGC CTGCTGCGGC GGGTGGCCG GTTCATCGAC (67021 TCCTCGACGC GTCCGTCGGC CTGCTCGCGC CGGGTGGCCG GTTCATCGAG (67081 CGGACATCCG GCACGCCGT CAGCAGCCGT TCGACCTGAT GGACGCGGC (67141 TGCAGCGGAT CATCGTCGAG CTGCTCGGCC TGTTCGCGCG GAGCGGTT CGGCTGGAT (67201 CGGCTCACGC CAGCAGCGT CGGCAGGCC GGGAGGGGT CGGCTGGTG (67201 GGTCACACCGG CAAGCTGGT CGCAGGCCG GGAGGGGT CGGCTGGAT (67321 TCATCACCGG CAGCCTCCGCA ACCCTCGCCG CACTCTCGC CCGCCACCTC (67381 ACACCTACCT GCTCTCCCGC ACCCACCC CCGACACCAC CCCCGGCACCT (67441 GCGACGTCG CGCCTCCCGC ACCCACCC CCGACACCAC CCCCGGCACCT (67561 ACCGCGTCT CCACACCGCC GGAACCCTC CCGACACCAC CCCCGGCACCT (67561 ACCGCGTCA CACCTCGCC GGACCCCT GTCGACACC (67561 ACCGCGTCA CACCTCCCC ACCCACCC CGACCCCC GGCACCTG (67681 GCCCGGGACA CGACCTCGCC GGAACCCTC CGGCACCCC (67681 GCCCGGACAC CGACCTCGCC GCGTTCGTC TCTACTCCGC GGTCGACAC (67681 GCCCGGACAC CGACCTCGCC GCGTTCGTC TCTACTCCGC GGTCGCCGC (67681 GCCGGGCA AGGGCTCCC GCGACGCCA ACCCGTTCC CGACGCGCC (67681 GCCGTCACCG GAGCTGCC GCGAGCCCT TCGACTGGGG CACTG (67681 GCCTCACCGC GAACCTCACC GCCGACGCCA ACCCGTTCCT CGACGGCCAC (67681 GCCTCACCGC GAACCTCACC GACCGGACC ACCGCGCAC CCGGGCCGC (67881 CGCTCACCG GACACCGCC GCCAGGCCA CCGGCGCCG (67921 TCGTCGTCC GACCGACCGG GCCGGCCGC GCCGACGCCA CCGGCCGCAC (68041 AGCCCTTGC CGCCACACCG GCCGGCCGC GCCGACCGCC (68041 AGCCCTTGC CGCCCACGG GCCGGCCG CGCGACCGC (68041 AGCCCTTGC CGCCCACGG GCCGGCCGC CGCGACCGC (68281 CGGACCGTC CCCCCCACC CTCGGCTTCG CCGCCCCAAC (68281 CGGACCGTC CCCCCCACC CTCCGCTTCC CCGCCCCAC (68281 CGGACCGCC CTTCCGCGAC CTCGGCCC CCGCACCCC CCGCCCCCCCCC CCGCGCCCC CGCCGCCCC CGCCGC								
66961 CCGCGTTCGC CGACGCGTTC CCGCCGGTCG ATGTCGTGCT CAACTCGCTC 67021 TCCTCGACGC GTCCGTCGGC CTGCTCGGC GGGGTGGCG GTTCATCGAG 67081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCCGGC 67141 TCCAGCGGAT CATCGTCGAG CTGCTCGGCC TGTTCGCGCG GGACGGCGGC GTCATCCGCG CTGTCGCGC CTGGACGGCG CTGCTCGGCC TGTTCGCGCG CGACGTGCTG GTCACCACGC CTGGACGTGT GGCACGCGCGC GGAGGCGTT CGGCTGGATCCCGAG 67261 GTCACACCGG CGACGTGGTG CTGACGGTC CGCGGCAGCCGC GGATCCCCGAG 67321 TCATCACCGG CGGCTCCGCA ACCCTCGCG GCATCCTCC CCGCACCCC CCGCACCCC CGGACACCA CCCCGCACCTG GATCCTCGCG GCATCCCCAC CCACCTCGC CGCCACCTG CTGACGTAT CACACCGC CGACCCCCA CACCTCGCC CCGCACCCC CCGCACCCC CTGCACACCA CCCCCGCACCCC CCGCACCCC CTGCCACCCC CACCCCCC CCGCACCCC CTGCCACCCC CTGCACCCC CACCCCCC CTGCCACCCC CTGCACCCC CTGCACCCCC CTGCACCCC CTGCACCACC CTGCACCACCACC CTGCACCACC CTGCACCACCACCACCACCACCACCACCACCACCACCACCAC		66841	TCGGCGCGGC	GGCCGTCCAG	ATCGCGCGGC	ATCTGGGCGC	GGAGGTGTAC	GCGACCACCA
67021 TCCTGAGGG GTCCGTCGGC CTGCTCGGG GGGGTGGGCG GTTCATCGAGG 67081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCGGC 67141 TGCAGGGGAT CATCGTCGAG CTGCTGGGC TGTTCGGGCG GGACGTGGTG 67261 GTCACACCG CTGGGACGTG CGGCAGGCGC GGAGGCGTT CGGCTGGATG 67261 GTCACACCGG CAAGCTGGTG CTGACGGCC CGCGGCCGCT GGATCCCGAG 67321 TCATCACCGG CAGCTCGCC GCGATCCTCG CCGCGCCCCT GAT21 TCATCACCGG CGGCTCCGC ACCCTCGCC GCGACCCAC CCCCCCCC CGACACCAC CCCCCCCC	15	66901	GCGCCGCGAA	GCGCCATCTG	GTGGACCTGG	ACGGAGCGCA	TCTGGCCGAT	TCCCGCAGCA
67081 CGGACATCCG GCACGCCGTC CAGCAGCCGT TCGACCTGAT GGACGCCGC (67141 TGCAGCGGAT CATCGTCGAG CTGCTCGGCC TGGACGCGCC CGGACGTGCTGG (67261 GTCACACCG CTGGAGGTG CGGCAGGCGCG GGGAGGCGCT CGGCTGGATG CGCTGGAGGCGC GGAGGCGCGC GGACGCGCGC GGAGGCGCGC GGAGGCGCGC GGAGGCGCGC GGACCCACCC								
67141 TGCAGCGGAT CATCGTCGAG CTGCTCGGCC TGTTCGCGG CGACGTGCTG G 67261 GTCACACCGC CTGGACGTG CGGCAGGCGC GGGAGGCGTT CGGCTGGATG G 67321 TCATCACCGG CAGCTCGGC ACCCTCGCCG GCATCCCGAG G 67321 TCATCACCGG CGGCTCCGGC ACCCTCGCCG GCATCCCGC CCGCACCTG G 67321 ACACCTACCT GCTCTCCCGC ACCCCACCCC CCGACACCAC CCCCGGCACC G 67441 GCGACGTCGG CGACCCCAC CAACTCGCCA ACGACGCCC CGCATCCCCC GCGATCCCCG 67561 ACCGCGTCTT CACACCGCC GGAACCCTCG ACGACGCCC CTGGCACAC G 67561 ACCGCGGCA CACCGTCCT AAACCCAAGG CCGACGCCC CTGGCACAC G 67621 CCGGCGACAC CGACCTCGC GCGTTCGTC TCTACTCCGC GGTCGACAAC G 67621 CCGCGGACAC CGACCTCGC GCGTTCGTC TCTACTCCGC GGTCGACCAC G 67621 CCGCGGACAC CGACCTCGC GCGTTCGTC TCTACTCCGC GGTCGCCGC G 67681 GCCCGGGGCA AGGGCTGCCC GCGATCCCC TCGCATGGGC CACGGCGCT G 67741 GCGTGGCGCA AGGGCTGCCC GCGCACTCCC TCGCATGGGC CACGGCGCT G 67741 GCGTTGACGC CGCGGACGCC GCGCACTCCC TCGCATGGGC CACGGCGCT G 67861 CGTTGACGC CGCGGACGCC GCGCACTCCC TCGCATGGGC CACGGCGCC G 67861 CGTTGACGC CGCGGACGG ATGCGGCACC CTGCACAGGG CCGCCACGGC G 67861 CGTTGACGC CGCGGACCGG GCCGGACGCG CGCCACCGC CGCCGCACC G 67981 GCGGTCTGC CGCGCACCGG GCCGGACGGC CGCCACGGC CGCCCCACGC G 67981 GCGGTCTGC CGCGCACCGG GCCGGACCGG CGCGCACGGC CGCCCCACGC G 68041 AGCCCTTGC CGCGCACCGG GCCGGGCCG CGCGCACGGT CCGCCCGCAC G 68101 AGGTCGTGCT CGCCCAGCG GCCGGGCTGC CGCCGCCAC GCGCACGGC GCGCACG		67021	TCCTCGACGC	GTCCGTCGGC	CTGCTCGCGG	CGGGTGGCCG	GTTCATCGAG	ATGGGGAAGA
67201 CGGTCCAGGC CTGGGAGGTG CGGCAGGGCG GGGAGGCGTT CGGCTGGATG 67261 GTCACACCGG CAAGCTGGTG CTGACCGGTG GATCCCGAG 67321 TCATCACCGG CGGCTCCGGC ACCCTCGCCG GCATCCTCCC CCGCACCTG 67381 ACACCTACCT GCTCTCCCG ACCCTCGCCG CACTCCTCC CCGCACCTG 67381 ACACCTACCT GCTCTCCCG ACCCTCGC CCGACACCAC CCCCGGCACC 67441 GCGACGTGG CGACCCCCAC CAACTGGCA CCACCCTCG CCGCACCTG CGGATCCCCAC 67441 GCGACGTGG CGACCCCCAC CAACTGGCA CCACCCTCG CGGAACCCC CGGAACCCC 67561 ACCGCGTGA CACCGTCCC GGAACCCTC AAACCCAAGG CCGACGCCC CTGGCACCTG 67561 ACCGCGGCA CGACCCTCC AAACCCAAGG CCGACGCCC CTGGCACCTG 67681 GCCCGGACA CGACCTCCC GCGATCCC CGACCGC CTGGCACCT 67741 GCCGTGCCA AGGGCTCCC GCGCATCCC CAACCGC GCAGCCCC CTGGCACCTG 67681 CGCTCACCGC GAAACTCACC GACCGCCC CTGCACAGG CGCAGGCCAC 67861 CGTTGAGCGC CGCGGACGCC GCCAGTCCC TCGCATGGGG CGCGAGGC 67861 CGTTGAGCGC CGCGACGGC ATGCGGCAC GCCATGGGG CGCGCACGG CAGGCCAC GCGAGCCC CGCGCACGG CGCGCACGG CGCGCACGG CGCGCACGG CGCGCACGG CGCGCACGG CGCGCACGG CGCGCACGG CGCGCACGG CGCGCCCCAC GCGCCCCAC GCGCACGG CGCGCCCCAC CGCGCACGG CGCGCCCCAC CGCGCCCCA CGCGCCCCC CGCGCCCCA CGCGCCCCC CGCGCCCCC CGCGCCCCC CGGCCCCC CGGCCCCCC								
67261 GTCACACCGG CAAGCTGGTG CTGACGGTCC CGCGGCCGCT GGATCCCGAG 67321 TCATCACCGG CGGCTCCGGC ACCCTCGCCG GCATCCTCG CCGCACACCAG 67381 ACACCTACCT GCTCTCCCGC ACCCCACCCC CCGACACCAG CCCGGCACCCG 67441 GCGACGTCGG CGCACCCCAC CAACTCGCCA CCACCCCTGGC CCGCACCCCG CGCACCCAC 67441 GCGACGTCGG CGACCCCCCGC GGAACCCTCG CGCACACCAC 67561 ACCGCGTCTT CCACACCGC GGAACCCTCG ACGACGCCGC CTGGCACCCC 67561 ACCGCGTCGA CACCGTCCTC AAACCCAAGG CCGACGCCGC CTGGCACAC 67561 ACCGCGTCGA CACCGTCGC GGGTACCCCG GGTCGCCGG 67681 GCCCGGGGCA GGGCAACTAC GTCGCGGGGA ACGCGTTCCT CGACGCGGC 67681 GCCCGGGGCA AGGGCTTCCC TCGCATGGG CACGCGCC CGACCTCGC GGAACCTCCC TCGCATGGG CACGCGCC CGACGCGC AGGCCGCA AGGGCTTCCT CACGCGGCAC CGCGACCCC CGCGAACCCC CGCGACCCC CGCGACCCC CGCGACCCC GCCACCCG GAAACTCACC GACGCGGCA CGCCAGCGCAT CCGGCGCACC GC7921 TCGTCGTCGC GACGCCACC GACCCGACC ACCTCACCC AGCTCGACG CACGCGACC GC7981 GCGGTCGCC GACGCACCG GCCGGCACC GCCGCACC GCCGGCACC GCCGCACC GCCGCCCAAC GCCGCACC GCCGCACC GACCCTACC CACCCCACC GCCGCACC GCCGCGCAC GCCGCCCAAC GCCGCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCACC GCCGCCCACC GCCGCCCACC GCCGCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCAC GCCGCCCACC GCCCCCACC GCCCCACC GCCCCACC GCCCCCAC GCCCCACC CCCCCACCC CCCCCACC CCCCCACC GCCCCACC GCCCCACC GCCCCACC GCCCCACCC CCCCCACCC CCCCCACCCAC CCCCCACCCAC CCCCCACCCAC CCCCCACCCAC CCCCCACCCAC CCCCCACCCAC CCCCCACCA		67141	TGCAGCGGAT	CATCGTCGAG	CTGCTCGGCC	TGTTCGCGCG	CGACGTGCTG	CACCCGCTGC
67321 TCATCACCGG CGGCTCCGGC ACCCTCGCCG GCATCCTCG CCGCCACCTG 67381 ACACCTACCT GCTCTCCCGC ACCCCCC CCGACACCAC CCCCGGCACC GCT441 GCGACGTCGG CGACCCCCC ACACTCGCC CCGACACCAC CCCCGGCACC GCT441 GCGACGTCGG CGACCCCCC CAACTCGCC ACACCTCGC CCGCATCCCC CGCATCCCC CGCACCCTCG CCGCATCCCC CGCACCTCG CCGCATCCCC CGCACCCTCG ACGACGCCT GCTCGACACCGC GGACCCCTG ACGACGCCT GCTCGACACCGC GGACCCTCG ACGACGCCT GCTCGACACCGC GGACCTCGC GGACCCTCG ACGACGCCT GCTCGACACCGC GGACCTCGC GGACCTCG CGACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCTC GACGCCACC GGACACCTC GACGCCTC GACGCCAC GGACACCTC GACGCCACC AGGCCACCC AGGCCACCC CGCCACGCCAC CGCCACCCC GGACACCCC GCCAGCCCAC CGCCACCCC GAACACCAC GCCAGCCCAC CGCCACCGC GAACACCAC GCCAGCCCAC CGCCACCGC GACGCCACC GCCACCCG GACGCCACC GCCCACCGC GACGCCCAC GCCGCACCGC GCCACCGC GACGCCCAC GCCGCACCGC GCCACCGC GCCCACCGC GCCCCCACCC GCCCACCCC GCCCACCGC GCCCCCACCCC GCCCCACCCC GCCCCACCCC GCCCACCCC CGCCACCCC CCCCCCCC	20							
67381 ACACCTACCT GCTCTCCGC ACCCCACCC CCGACACCAC CCCCGGCACC GCT441 GCGACGTCGG CGACCCCCAC CAACTCGCCA CCACCCTCGC CGGCATCCCC GT501 CCGCCGTCTT CCACACCGCC GGACCCTCG ACGACGCCCT GCTCGACAAC GT561 ACCGCGTCGA CACCGTCGC AAACCCAAAGG CCGACGCCG CTGGCACAC GT6761 ACCGCGTCGA CACCGTCCC AAACCCAAAGG CCGACGCCG CTGGCACAC GT6621 CCCGCGACAC CGACCTCGC GCGTTCGTC TCTACTCGC GGTCGCCGC GT661 GCCCGGCAC AGGCCTCC CGACGGCAC TCCACACGCC CGACGCCAC CGACGCCAC AGGCCGCA AGGCTTCCT CGACGGCGC CTGGCACCTG GT741 GCCGTGCGA AGGCTTGCC GCGCACCCC TCGCATGGGG CATGTGGGG CATGTGGGG GT741 GCCGTCACCG GAAACTCACC GACGGCAC CCCAGCGCAT CCGGCGCAC GCACGCAC GCACGCCAC CGCGCACCG GACGACCAC GCACGCCAC CGCGCACCGC GACGCCAC CGCGCACCGC GACGCCAC CGCGCACCGC GACGCCAC CGCGCACCGC GACGCCAC CGCGCACCGC GACGCCACCG GCCGCACCGG CGCCCCACAC GCGCCCAAC GCACGCCCAAC GCACGCCCAAC GCACGCCCAAC GCACGCCCAC CTGCCCACACGC GCCGCACCGC GCCGCACACGC GCCGCACACGC GCCCCACAC GCACGCCCAC CTGCCCACAC GCACGCCCAAC CGCCCACAC GCACGCCCAC CTGCCCACAC GCACGCCCAAC GCACGCCCAC CTGCCCCACC CTGCCCCACC CTGCCCCACC CGCCCACAC GCACGCCCAC CCGCCCACCGC GCCGCACCGC GCCGCCACCGC GCCGCACCGC GCCGCCACCGC GCCCCACCCCC CTGCCCCAC CTGCTCGACC CTGCTCGACC CCGCCGACGCC CCGCCGACGCC CCGCCGACGCC CCGCCGACGCC CCGCCGCACCGC CCGCCCACCGC GCCGCCACCGC CCGCCCACCCCC CCGCCGCGCC CCGCCGCGCC CCGCCGCGCC CCGCCG								
67441 GCGACGTCGG CGACCCCAC CAACTCGCCA CCACCTCGC CGCATCCCC (AF5501 CCGCCGTCTT CCACACCGCC GGAACCCTTCG ACGACGCCTT GCTCGACAAC (AF551 ACCGCGTCGA CACCGTCTC AAAACCCAAGG CCGACGCCGC CTGGCACCTG (AF621 CCCGCGACAC CGACCTCGCC GCGTCGTCGTC TCTACTCCGC GGTCGCCGC (AF681 GCCCGGGCA GGGCAACTAC GTCGCGCGA ACGCGTTCT CGACGGCGC (AF741 GCCGTGCAC GGGAACTAC GTCGCGCGA ACGCGTTCT CGACGGCGC (AF741 GCCGTCACCG GAAACTCACC GCGCGACC GCCAGCGCAT CCGGCGCAC (AF741 GCCGTCACCG GAAACTCACC GCGCGACC GCCAGCGCAT CCGGCGCAC (AF7861 CGTTGACGC CGGACACGA ATGCGGCTT TCGACGGCGAC (AF7861 CGTTGACGC CGCGACGGC ATGCGGCGAC GCCAGCGCAT CCGGCGCACG (AF7861 CGTTGACGC CGCGACGGC ATGCGGCGAC AGCTCACCA AGCTCACCA AGCTCGACGG CGCCGCACGG (AF7861 CGTTGACGC CGCCACCGC GCCGACGGT CGCCCGCACG (AF7861 AGCCCTGGC CGCCACCGC GCCGGCCGA CGCCGACGGT CGCCCGCACG (AF7861 AGCCCTGGC CGCCACCGG CCCGGCCGG CGCGCACGGT CGCCCGCACG (AF7861 AGCCCTGGC CGCCACCGC GCCGGCCGA CGCCGCACGGT CGCCCGCAC (AF7861 AGCCCTGGC CGCCCACACGG CCCGGCGCGA CCGCGCACGGT CGCCCGCACGG CGCGCACGGT CGCCCGCACGG CCGGCACGGT CGCCCGCACGG CCGCCACGGT CCGCCCGCAC (AGCCGCCGA CGCGCCGCACGGT CGCCCCCACACGG CCGCCGCGCGA CCGCCGCACGG CCGCCGCACGG CCGCCGCACGG CCGCCGCACGG CCGCCGCACGG CCGCCGCCGA GCACCGGC CGACACGGG CCGCCCGC								
67501 CCGCCGTCTT CCACACCGCC GGAACCCTCG ACGACGCCT GCTCGACAAC (67561 ACCGCGTCGA CACCGTCCTC AAACCCAAGG CCGACGCCGC CTGGCACACC (67621 CCCGCGACAC CGACCTCGC GCGTTCGTCG TCTACTCCGC GGTCGCCGC CTGGCACCTG (67681 GCCCGGGCA GGGCAACTAC GTCGCGGCA ACGCGTTCCT CGACGCGCT CGACGCGCA AGGCGTTCCT CGACGCGCT CGACGCGCA AGGCCTACCC GCGCAGTCCC TCGCATGGGG CATGTGGGCG CATGTGGGCA AGGCTTCCT CGACGCGCT CGACGCGCACCG GCACCACCC GACACCAC GCCAGCCA								
67561 ACCGCTCGA CACCGTCCTC AAACCCAAGG CCGACGCCG CTGGCACCTG 67621 CCCGCGACAC CGACCTCGCC GCGTTCGTCG TCTACTCCGC GGTCGCCGC CTGGCACCTG CGACGCGCTC CGACGGGCA GGCCAACTAC GTCGCGGCGA ACGCGTTCCT CGACGCGGTC CGACGGGCA AGGCTTCCC CGACGGGCCA AGGCTTCCC CGACGGGCC CGCGAGTCCC TTGCATGGGG CATGTGGGC CGACGGGCAC CGCGAGTCCC TCGCACGGGCA CCGGCAGCGC CGACGGACCG CATGTGGGC GAAACTCACC GACGCGGACC GCCAGCGCAT CCGGCCAGC CGACGGACGC ATGCGGCCAC CGCGCAGC CGCGCAGC CGCGCAGC CGCGCAGC ATGCGGCCAC CGCGCAGC CGCGCAGC CGCGCACCG GACGCGCAC AGCTCACCC AGCTCACCC AGCTCGACGG CGCCGCAAC CGCGCACCG GCCGCCACCG GCCGCCACCG GCCGCCACCG GCCGCCCAC CGCCCCACCG GCCGCCCAC CGCCCCACCG GCCGCCCAC CGCCCCCACCG GCCGCCCAC CGCCCCCACCG GCCGCCCCAC CTGCCTCTT CCCGGCCCCA CCGCCCCCACCG GCCGCCCCAC CTCGCTCACCC CGCCCCCACCC CTGCTCCACCC CGCCGCCCAC CTGCTCACC CGCCGCCCAC CTGCTCACC CGCCGCCCA GCACGCGCC CGCGCCCAC CTGCTCACC CGCCGCCCAC CTGCTCACC CGCCGCCCAC CTGCTCACC CGCCGCCCAC CTGCTCACC CGCCGCCCAC CTGCTCACC CGCGCTCACC CGCGGTCCAC CGCGGTCCAC CGCGGTCCAC CGCGGTCCAC CGCGGTCCAC CGCGGTCCAC CGCGGTCGAC CGCGGTCGAC CGCGGTCGAC CGCGGTCGAC CGCGGGTCAC CGCGGGTCAC CGCGGGTCAC CGCGGGTCAC CGCGGGTCAC CGCGGGTCAC CGCGGGTCAC CGCGGGGCC CGCGCGGGAC CGGCGGGAC CGGCGGGAC CGGCGGGAC CGGCACACCAC GCCTCTGAC CGCGGGGAC CGGCACACCAC GCCTCCTGAC CGCGCGGGAC CGGCACACCAC GCCTCCTGAC CGCGCACACC CGGCACACC CGAGGCCCC CGGAGACAC CGAGGCCCC CGAGGCCCC CGAGGACAC CGAGGCCCC CGAGGCCCCC CGAGGCCCC CGCGCCCACGGC CGCCGACGCC CGCGGCCCCCCCACGGC CGCCGACGCC CGCCGACGCC C								
67621 CCCGCGACAC CGACCTCGCC GCGTTCGTCG TCTACTCCGC GGTCGCCGGC 6 67681 GCCCGGGGCA GGGCAACTAC GTCGCGCGA ACGCGTTCCT CGACGCGCTC C 67741 GCCGTCACCGC GAAACTCACC GCGCAGTCCC TCGCATGGGG CATGTGGGCG C 67781 GCGTCACCGC GAAACTCACC GACGCGAC CCCAGCGCAT CCGGCGCAGC C 67861 CGTTGAGCGC CGCGGACGGC ATGCGGCTT TCGACGCGGC GACGCGTACC C 67921 TCGTCGTCGC GACGACCGTC GACCTCACCC AGCTCGACG CGCCGCGCAG C 67981 GCGGTCTGC CGCGACCGG GCCGGCCGA GCCGCCGCGA C 68041 AGCCCCTGGC CGTGCGTCTT GCCGGGCGCA GCCGCCGCAAC C 68041 AGCCCCTGGC CGTCCACCG GCCGGGCTA CCGCCGCCGA GCAGCGGCG C 68161 CGGACCGTC CTCCGCACG GCCGGGTCC TCGCGTACG GCCGCGCAC C 68221 GGCTCGCGC CGTCCGCAC CTCGGTTTCG ATTCGCTGAC CGCGGTCGAC C 68281 CGGAGGCGCT CACCGCCAC CTGCTGACC TGATCGACCG GGTGTTCAGC C 68341 GGGAGTCCCT GCCCGCGGT ACGGCCGCC CGACGACGC TCCCACCGCC C 68341 GGGAGTCCCT GCCCGCGGT ACGGCCGCC CGACGACGC TCCCACCGCC C 68461 TGTGGCGCT CGTCGAGTC GGCGTCGCC CGGCGGGGC CGCGCGGGAC C 68521 GGGACGTCA CGCCGCCAC CTGCTCGAC TGATCGACCG CGCCCGGGGAC C 68521 GGGACGTCA CGCCGCTC CGGCGGCC CGGCGGGGC CGGCGGGGC CGGCGGGGC CGGCGG	25							
67681 GCCCGGGGCA GGGCAACTAC GTCGCGCGA ACGCGTTCCT CGACGCGCTC G 67741 GCCGTGCGA AGGGCTGCCC GCGCAGTCCC TCGCATGGGG CATGTGGGCG G 67801 CGCTCACCGC GAAACTCACC GACGCGACC GCCAGCGCAT CCGGCGCAGC G 67801 CGCTGACGC GACGACGCC ATGCGGCTGT TCGACGCGGC GACGCTACC G 67921 TCGTCGTCGC GACGACCGTC GACCTCACCC AGCTCGACGG CGCCGTCGCG G 67981 GCGGTCTGC CGCGCACCGG GCCGGCCGG CGCCGCCGCAC G 68041 AGCCCCTGC CGTGCCTCTT GCCGGGCCGA CCGCCGCCAAC G 68101 AGGTCGTGCT CCGCCACCG GCCGGGCTC TCGCGTACG GCTGGGCGAC G 68121 GGCTCGCGC CGTTCCGCGAG CTCGGTTCC CGCGCACC GGCGGCGAC G 68221 GGCTCGCGC CGAGACGGG CTCGGTTC CGCGCACCC GGTTCAGC GACGACGCT CACCGCCCAC CTGCTGCAC CTGCGCGCG CGCGGGCGC GCGGGGCGAC GACGACGACGC GACGACGACGC GACGACGACGC GACGACGACGC CGCGCGAC GACGACGACGC CGCGCGGAC GACGACGACGC GACGACGACGC CGCGCGGAC GACGACGACGA GACGACGACGA GACGACGACGA GACGACGACGACGACGACGACGACGACGACGACGACGACG		67561	ACCGCGTCGA	CACCGTCCTC	AAACCCAAGG	CCGACGCCGC	CTGGCACCTG	CACCGGCTCA
67741 GCCGTGCGCA AGGGCTGCCC GCGCAGTCCC TCGCATGGGG CATGTGGGGG G 67801 CGCTCACCGC GAAACTCACC GACGCGGACC GCCAGCGCAT CCGGCGCAGC G 67801 CGTTCAGCGC CGCGGACGGC ATGCGGCTGT TCGACGGGC GACGCGTACC G 67921 TCGTCGCC GACGACCGT GACCTCACCC AGCTCGACGG CGCCGCTCGCG G 67981 GCGGTCTGGC CGCGCACCGG GCCGGCCGC CGCCGCACCGT CGCCCGCAAC G 68041 AGCCCCTGGC CGTGCGTCTT GCCGGGCTAC CCGCCGCAAC G 68101 AGGTCGTCT CCGCCACCGG GCCGGGCTC TCGCGTACCG GCTGGGCGAC G 68221 GGCTCGCGC CGAGACCGGC CTCGGTTCC ATTCGCTACC GGTGTTCAGC G 68221 GGCTCGCGC CGAGACGGG CTGCGGTCC CGCCGCACCG GCCGGACCGC G 68281 CGGAGGCGCT CACCGCCAC CTGCTCGAC CGGCGGCGC CGCGCGGAC G 68341 GGGACTCCCT GCCGCGAC CTGCTCGAC CGGCGGACC CGCCGCGGAC G 68401 TGTGGCGGCT CGTCGCGAT CCGCCGCGC CGCGCGGAC GGCGCGGAC G 68401 CGATCGCCAT CGTGCGATC GCCGCGAC CGGCCGGAC GCCCCGCGGAC GCGCGGAC GCGCGGAC GCGCGGAC GCGCGGAC GCGCGGAC GCGCGGAC GCGCACGAC GCCTCCTCAC GCCCCGC GGCACGAC GCCTCCTCAC GCCCGCGGAC GCGCACGAC GCCTCCTCAC GCCCGCGGAC GCGCACGAC GCCTCCTCAC GCGCACGAC GCCTCCTCAC GCCCCGCG GGCACGAC GCCTCCTCAC GCGCACGAC GCCTCCTCAC GCGCACGAC GCCTCCTCAC GCGCACGAC GCCTCCTCAC GCGCACGAC GCCCCCGCG GGAACGGC GCGCAAGCGC GCGCAAGCGC CGGAACGCG CGGAACGCG CGGCAAGCGC GCGCAAGCGC GCGCAAGCGC CGGCAAGCGC CGGCAAGCGC CGGCAAGCGC GCGCACGAC GCGCCACGAC GCGCCACGAC GCGCCACGAC GCGCCACGAC GCGCCACGAC GCGCCACGAC GCCCCCACGAC GCCCCCACGAC GCCCCCACGAC GCCCCCACGAC GCCCCCACGAC GCCCCCCACGAC GCCCCCCACGACC GCCCCCCACGACC GCCCCCCACCGACCACC GCCCCCCACCGACCACCT TCCCCCACC GCCCCCACCGAC GCCCCCCACCGACCACCT TCCCCCACC GCCCCCCACCCACCC GCCCCCCACCCACCC								
67801 CGCTCACCGC GAAACTCACC GACGCGGAC GCCAGCGCAT CCGGCGCAGC 67861 CGTTGAGCGC CGCGGACGGC ATGCGGCTGT TCGACGGGG GACGCGTACC CGCGGACGGC GACGTCACCC AGCTCGACGG CGCCGCACGG GACGACCGT CGCGCACCGG GCGGCACCGG GCGGCACCGG CGCGCACCGG CGCGCACCGC CGCGCACCAC CTCGGTTTCG ATTCGCTACC CGCGGGTCC CGCGCACCAC CTGCTTCCG CGCGCACCAC CTGCTCACC CGCGCACCAC CTGCTCACCGC CGCGCACCAC CTGCTCACC CGCGCACCAC CTGCTCACC CGCGCGCAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCGCGGAC CGCACCACCAC CGCCCCAC CTGCTCACCAC CGCCCCAC CGCACCACCAC CGCCCCACCAC CGCACCACCAC CGCCCCACCAC CGCACCACCAC CGCCCCACCAC CGCACCACCAC CGCACCACAC CGCACCACCAC CGCACCACAC CGCACCACAC CGCACCACCAC CGCACCACAC CGCACCACAC CGCACCACAC CGCACCACAC CGCACCACAC CGCACCACAC CGCACCACAC CGCACCACCAC CGCACCACAC CCGCACCACAC CCGACACACAC								
67861 CGTTGAGCGC CGCGGACGGC ATGCGGCTGT TCGACGCGGC GACGCGTACC (67921 TCGTCGTCGC GACGACCGTC GACCTCACCC AGCTCGACGG CGCCGTCGCG (67981 GCGGTCTGGC CGCGCACCGG GCCGGCCGG CGCGCACGGT CGCCGCACCG GACGTCTGGC CGCGCACCGG GCGGCCGGA GCAGCGGCGC CGCGCACGGT CGCCGCACCG GACGTCGGC CGCGCACGGT CGCCGCACCG GACGCGCGC CGGCCGAC GACGCGCGC CGGCCGAC CGAGCGGCGC AGCGCGCGAC CGAGCGGCGC CGAGCGGCGC CGAGCGGCGC CGAGCACGGT CCGCCACCGC GCCGCACGGT CTGGCGACGC CGAGACCGGC CGAGACCGGC CGAGACCGGC CGAGACCGGC CGAGACCGGC CGAGACCGGC CGAGACCGGC CGAGACCGCC CACCGCCCAC CTGCTCGACC CGAGCACGCT CACCGCCCAC CTGCTCGACC CGAGCACGCT CCCCACCGCC CGAGACGCC CGACCACGC CGACCACGC CGAGCACGC CGAGCACGC CGAGCACGC CGAGCACGC CGACCACGCC CGACCACGC CGACCACGC CGACCACGC CGACCACGCC CGACCACGC CGCCACCGACG CGCCCCGGGGA CCGCCGCGGGAC CGGCACGGC CGGCAAGGCC CGACCACGC CGACCACGC CGCCACACG CGCCCCCGACGC CGCCACACGC CGCCACACG CGCCCCGACACG CGCCCCCGACACG CGCCCCGACACG CGCCCCGACACG CGCCCCGACACG CGCCCACGCC CGACCACGC CGCCACACGC CGCCACACG CCGCCACGCC CGCCACACGC CGCCACACGC CCGCACACAC CCGCCACGCC CGCCACACGC CCGCACACAC CCGAGCACAC CCGAGACAC CCGAGACAC CCGAGACAC CCGAGACAC CCGAGACAC CCGAGACACAC CCGCACACACA								
67921 TCGTCGTCGC GACGACCGTC GACCTCACCC AGCTCGACGG CGCCGTCGCG G 67981 GCGGTCTGGC CGCGCACCGG GCCGGGCCGG CGCGCACGGT CGCCCGCAAC C 68041 AGCCCTGGC CGTGCGTCTT GCCGGGCGTA CCGCCGCCGA GCAGCGGCGC A 68101 AGGTCGTGCT CCGCCACGCG GCCGCGGTCC TCGCGTACGG GCTGGGCGAC C 68161 CGGACCGTCC GTTCCGCGAG CTCGGTTTCG ATTCGCTGAC CGCGGTCGAC C 68221 GGCTCGCGC CGAGACGGG CTGCGGCTGC CGACGACGCT GGTGTTCAGC C 68281 CGGAGCGCT CACCGCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC C 68341 GGGATCCCT GCCCGCGGT ACGGCCGCT CCGTGGCGC CGCGCGGAC C 68461 TGTGGCGAT CGTCGAGTC GGCACCGAC CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTTAC GACGCCGAC CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTTTAC GACGCGACC CGGACGCGC CGGCAAGGCG T 68581 GGGCGGTTA CCTGGCCGG GCGCGGACA CGGACCGCG CGGCAAGGCG T 68641 TCGAGCGCG CCGGATGAC CCGCGCGACAC CGGCCACGCG GGAAACGGCG T 68641 GCGAAGCGCT CGGCATGAC CCGCACCAC CCGCTCCTGAC AGCGCGACAC CGGAACAC CGGACACAC CGGACCAC CGGACACAC CGGACCAC CGGACACAC CGAGGCCCAC GGCACACAC CGAGGCCCAC GGCGCGGC GGAGGTCGGC GGACACAC CGAGGCCCAC GGCACACAC CGAGGCCCAC GGCGCGGC GGAGGCCAC CGGAGCACAC CGAGGCCCAC GGCGCGGC GGACACAC CGAGGCCCAC GGCGCGGC GGACACAC CGAGGCCCAC GGCGCGCG GGAGGCCAC CGGAGCACAC CGAGGCCCAC GGCCGCCG GGAGGCCCAC GGCCGAGCAC CGAGGCCCAC GGCCGCCGC GGCCGAGCAC CGAGGCCCAC GGCCGCCGC GGCCGAGCAC CGAGGCCCAC GGCCGCCGC GGCCGACGGC GGCCGCCGC GGCCGACGGC GGCCGCCGCC GGCCGACGGC GGCCGCCGCC GGCCGAGCAC CGGCCGCCGCC GGCCGACGAC CGGCCGCCGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGACGGC GGCCGCCGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGCCGCC GGCCGACGCC GGCCGACGCC GGCCGACGCC GGCCGCCGCC GGCCGACGCC GGCCGCCGCC GGCCGCCGCC GGCCGCCCGC	30							
67981 GCGGTCTGGC CGCGCACCGG GCCGGGCCGG CGCGCACGGT CGCCCGCAAC C 68041 AGCCCCTGGC CGTGCGTCTT GCCGGGCGTA CCGCCGCCGA GCAGCGGCGC A 68101 AGGTCGTGCT CCGCCACGCG GCCGCGGTCC TCGCGTACGG GCTGGGCGAC C 68161 CGGACCGTCC GTTCCGCGAG CTCGGTTTCG ATTCGCTGAC CGCGGTCGAC C 68221 GGCTCGCGC CGAGACGGGG CTGCGGCTGC CGACGACGCT GGTGTTCAGC C 68281 CGGAGGCGCT CACCGCCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC C 68341 GGGAGTCCCT GCCCGCGGTG ACGGCCGCT CCGTGGCGGC CGCGCGGGAC C 68401 CGATCGCCAT CGTGGCGAT GCGTGCCGGC TGCCCGGTGG TGTGACGTC C 68521 GGGACGTCA CGTCGAGTC GGCCGCACC CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCA CCTGGCCGG GCGCGCACC CGACCGCGC CGGCAAGGCG C 68581 GGGGCGGTTA CCTGGCCGG GCGGCGACC CGGACGCGC CGGCAAGGCG T 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCACC CGACCGCGC GGAGGTCGC C 68701 TCGAGCGCGC CCGGATCAGT CCGGCGGCC CCGAGCACC CGAACGCGC CGAACGCGC CGAACGCGC CGAGGCCAC CGGCGCGC CGGAGCACC CGAGGCCAC CGGCGCGC CGAGGCCAC CGGCGCGC CGAGGCCAC CGGCGCGC CGAGGCCAC CGGCGCGC CGAGGCCAC CGGCGCCG CGAGGCCAC CGGCGCGCG CCGAGGCCAC CGGCGCCG CGAGGCCAC CGGCGCCG CGAGGCCAC CGGCGCCG CGAGGCCAC CGGCGCCG CGAGGCCAC CGGCGCCG CGAGGCCAC CGGCGCCGC CGAGGCCAC CGAGCCACGC GGCCCACGCCAC CGAGCCACGC GGCCCACGCC GCGCCCACGCC GCGCCCACGCC GCGCCCACGCC CGCCGCCCACCGCC GCGCCCCACCGCC CGACCGCC CGACGCCC CGACGCCC CGACCGCC CGACCGCC CGACCGCC CGACCGCC CGACCGCC CGACCGCC CGACCGCC CGACCGCC CCACCGCC CGACCGCC CCACCGCCC CGACCGCC CCACCGCCC CCACCGCC CCACCGCCC CA								
68041 AGCCCCTGGC CGTGCGTCTT GCCGGGCGTA CCGCCGCGA GCAGCGGCGC A 68101 AGGTCGTGCT CCGCCACGCG GCCGCGGTCC TCGCGTACGG GCTGGGCGAC G 68161 CGGACCGTCC GTTCCGCGAG CTCGGTTTCG ATTCGCTGAC CGCGGTCGAC G 68221 GGCTCGCGGC CGAGACGGGG CTGCGGCTGC CGACGACGCT GGTGTTCAGC G 68281 CGGAGGCGCT CACCGCCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC G 68341 GGGAGTCCCT GCCCGCGGTG ACGGCCGCTC CCGTGGCGGC CGCGCGGGAC G 68401 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTCG G 68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC G 68521 GGGACGTCGA CGCGCTGTAC GACGCGGAC CGGACGCGGC CGGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGGACC CGGACGCGGC CGGCAAGGCG T 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTCCTGAC G 68701 TCGAGCGCGG CCGGATCAGT CCGCGCGCG GGAGGCCAC GCGAGGCCAC GCGGCGGCG GGAGGCCAC GCGAGGCCAC GCGCGGCGC GGAGGCCAC GCGAGGCCAC GCGAGGCCAC GCGAGGCCAC GCGCGGCGC GGAGGCCAC GCGGCGCGC GGAGGCCAC GCGGCGCG GGAGGCCAC GCGGCGCGCG GGAGGCCAC GGAGGCCAC GGAGGCCAC GGAGGCCAC GGAGGCCAC GGAGGCCAC GCGCGCGC								
68101 AGGTCGTGCT CCGCCACGCG GCCGCGGTCC TCGCGTACGG GCTGGGCGAC (68161 CGGACCGTC GTTCCGCGAG CTCGGTTTCG ATTCGCTGAC CGCGGTCGAC (68221 GGCTCGCGCC CGAGACGGGG CTGCGGCTGC CGACGACGCT GGTGTTCAGC (68281 CGGAGGCGCT CACCGCCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC (68341 GGGAGTCCCT GCCCGCGGTG ACGGCCGCTC CCGTGGCGGC CGCGCGGGAC (68401 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTCG (68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC (68521 GGGACGTCGA CGCGCTGTAC GACGCGGAC CGGACGACG CGGCAAGGCG TGGAGACGCG CGGCAAGGCG CGGACGCGC CGGCAAGGCG CGGAAGCGC CGGAAGCGC CGGAAGCGC CGGAAACGGCG CGGAAACGGCG TCGAGAGCGC CCGAAACGGCG TCGAAACGGCG TCGAGAGCGC CCGAAACGGCG TCCACGACG CCGAAACGGCG TCCACGACGCG CCGAAACGGCG TCCACGACGCG CCGAAACGGCG TCCAGAGACAC CGAAGGCCAC CGAAACGGCG TCCAGAGACAC CCGAGGACAC CGAAGGCCAC CGAGGCCAC CGAGGCCAC CGAGGCCAC CGAGGCCAC CGAGGGCCAC CGAGGCCAC CGAGCCACGCC CGAGCGCCAC CGAGCCACGCC CGAGCCACGCC CGAGCCACGCC CGAGCCACGCC CGAGCCCAC CGAGCCCAC CGAGCCCAC CGAGCCCACCAC CGAGCCCACCACCACCACCACCACCACCACCACCACCACC								
68161 CGGACCGTCC GTTCCGCGAG CTCGGTTTCG ATTCGCTGAC CGCGGTCGAC CG8221 GGCTCGCGC CGAGACGGGG CTGCGGCTGC CGACGACGCT GGTGTTCAGC CG8281 CGGAGGCGCT CACCGCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC CG8341 GGGAGTCCCT GCCCGCGGTG ACGGCCGCTC CCGTGGCGGC CGCGCGGGAC CG8441 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTC CGA441 TGTGGCGGCT CGTGGAGTC GGCACCGACG CGATCACCAC GCCTCCTGAC CG8521 GGGACGTCGA CGCGCTGTAC GACGCCGACC CGATCACCAC GCCTCCTGAC CG8521 GGGACGTCGA CGCGCTGTAC GACGCGGAC CGGACGCGC CGGCAAGGCG TCGACACGCG CGGCAAGGCG TCGACACGCG CGGCAAGGCG TCGACACGCG CGGCAAGGCG TCGACACGCG CCGAAACGGCG TCGACACGCG CCGAAACGGCG TCGACACGCG CCGAAACGGCG TCGACACAC CCGCAGCAAC CCGCAGCACAC CCGCAGCACAC CCGCAGCACAC CCGCAGCACAC CCGCAGCACAC CCGCAGCACAC CCGAGGGCCAC CGAGGGCCAC CGAGGCCAC CGAGCCGCC CGACGCGC CGCGCCGCCC CGCCGCCGCC GGCCGACGGC CGCGCCGCC CGCCGCCGCC CGCCGCCGCC CGCCGC	2.5							
68221 GGCTCGCGGC CGAGACGGGG CTGCGGCTGC CGACGACGCT GGTGTTCAGC C 68281 CGGAGGCGCT CACCGCCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC C 68341 GGGAGTCCCT GCCCGCGGTG ACGGCCGCTC CCGTGGCGGC CGCGCGGGAC C 68401 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTCG C 68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTGTAC GACGCGGACC CGGACGCGGC CGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGGACT TCCGACGCGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAC GCCTGCTGCT CGAAACCGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC C 68761 GTGCGGCCGC GCAGGGCTAC GGGCTGGGC CCGAGGACAC CGAGGGCCAC C 68821 GTGGTTCCAC GAGCCTGCT TCCGGACGC TGCCGTACGT GCTCGGGCTG C 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG C 68941 GGCTGCGCCT GGGCGAGTGC GAACTCGCTC TGGCCGAGGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69121 AACGGCTCTC CGACGCCGA CGGCTCGCGC CGACGGGCT CGCCGTCGTC C 69181 CCGTCACGTC CGACGGCC TCCAACGGCC TCACCGCCC GAACGGCTC T	35							
68281 CGGAGGCGCT CACCGCCCAC CTGCTCGACC TGATCGACGC TCCCACCGCC C 68341 GGGAGTCCCT GCCCGCGGTG ACGGCCGCTC CCGTGGCGGC CGCGCGGGAC C 68401 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTCG C 68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTGTAC GACGCGGACC CGGACGCGGC CGGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGGAGT TCGACGCGGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC G 68761 GTGCGGCCGC GCAGGGCTAC GGGCTGGCC CCGAGGACAC CGAGGGCCAC G 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG G 69121 AACGGCTCTC CGACGCCGC CGGCTCGGC TCACCGCGC GAACGGGCTC T 69181 CCGTCACGTC CGACGGCCC TCCAACGGCC TCACCGCGC GAACGGGCTC T								
68341 GGGAGTCCT GCCCGCGGTG ACGGCCGCTC CCGTGGCGGC CGCGCGGGAC C 68401 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTCG C 68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTGTAC GACGCGGACC CGGACGCGGC CGGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGGACT TCGACGCGGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC G 68761 GTGCGGCCGC GCAGGGCTAC GGGCTGGCC CCGAGGACAC CGAGGGCCAC G 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 68941 GGCTGCGCT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69121 AACGGCTCTC CGACGCCGC CGGCTCGGC CAACCGGCCT TCCACCGCCC GAACGGCCTC T								
40 68401 CGATCGCCAT CGTGGCGATG GCGTGCCGGC TGCCCGGTGG TGTGACGTCG C 68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTGTAC GACGCGGACC CGGACGCGGC CGGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGGAGT TCGACGCGGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC C 68761 GTGCGGCCGC GCAGGGCTAC GGGCTGGCG CCGAGGACAC CGAGGGCCAC C 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG C 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG C 68941 GGCTGCGCCT GGGCGAGTGC GAACTCGCTC TGGCCGAGGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGC CAACCGGCCT TCCAACGGCC TCACCGCCC GAACGGGCTC T								
68461 TGTGGCGGCT CGTCGAGTCC GGCACCGACG CGATCACCAC GCCTCCTGAC C 68521 GGGACGTCGA CGCGCTGTAC GACGCGGACC CGGACGCGGC CGGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGGAGT TCGACGCGGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC G 68761 GTGCGGCCGC GCAGGGCTAC GGGCTGGCG CCGAGGACAC CGAGGGCCAC G 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 69001 CGGCCGCTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG G 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGC GAACGGGCTC T 69181 CCGTCACGTC CGACGGCCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T	40	68341	GGGAGTCCCT	GCCCGCGGTG	ACGGCCGCTC	CCGTGGCGGC	CGCGCGGGAC	CAGGACGAGC
68521 GGGACGTCGA CGCGCTGTAC GACGCGGACC CGGACGCGGC CGGCAAGGCG T 68581 GGGGCGGTTA CCTGGCCGGG GCGGCGAGT TCGACGCGGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC G 68761 GTGCGGCCG GCAGGGCTAC GGGCTGGCG CCGAGGACAC CGAGGGCCAC G 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA G 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG G 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGC TCACCGCGC GAACGGGCTC T	40	68401	CGATCGCCAT	CGTGGCGATG	GCGTGCCGGC	TGCCCGGTGG	TGTGACGTCG	CCCGAGGACC
68581 GGGCGGTTA CCTGGCCGGG GCGGCGGGT TCGACGCGGC GTTCTTCGAC A 68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG T 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC C 68761 GTGCGGCCGC GCAGGGCTAC GGGCTGGCG CCGAGGACAC CGAGGGCCAC C 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG C 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG C 68941 GGCTGCGCT GGGCGAGTGC GAACTCGCTC TGGCCGAGGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69061 CGTTCGGCG GGGCGGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGCC GAACGGGCTC T								
68641 GCGAAGCGCT CGGCATGGAC CCGCAGCAAC GCCTGCTGCT CGAAACGGCG TGCGAGCACGCG CGGAGCACGCGC CGGAGCACGCG CGGAGCCGCG CGGAGCCGCG CGGAGGCCAC CGGCGCGCG CGAGGCCAC CGGCGCGCG CGAGGCCAC CGCGCACGC CGCGCACGC CGCCGACGG CGCCGACGG CGGCCGACGG CGGCCGCCGC CGGCCGACGG CGGCCGACGG CGGCCGCGC CGGCCGACGG CGGCCGCGC CGGCCGCGC CGCCGCCGC CGCCGC								
45 68701 TCGAGCGCGG CCGGATCAGT CCGGCGTCGC TCCGCGGCCG GGAGGTCGGC G 68761 GTGCGGCCG GCAGGGCTAC GGGCTGGGCG CCGAGGACAC CGAGGGCCAC G 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG G 69061 CGTTCGGCG GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGC TCACCGCGCC GAACGGGCTC T		68581	GGGGCGGTTA	CCTGGCCGGG	GCGGCGGAGT	TCGACGCGGC	GTTCTTCGAC	ATCAGTCCGC
68761 GTGCGCCGC GCAGGGCTAC GGGCTGGGCG CCGAGGACAC CGAGGGCCAC G 68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCCT GGGCGAGTGC GAACTCGCTC TGGCCGAGGG GGTCTCCGTA G 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG G 69061 CGTTCGGCG GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG G 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGCC GAACGGGCTC T	45	68641	GCGAAGCGCT	CGGCATGGAC	CCGCAGCAAC	GCCTGCTGCT	CGAAACGGCG	TGGGAGGCGA
68821 GTGGTTCCAC GAGCCTGCTG TCCGGACGGC TGGCGTACGT GCTCGGGCTG G 68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69061 CGTTCGGCGC GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGCC TCACCGCGCC GAACGGGCTC T	43	68701	TCGAGCGCGG	CCGGATCAGT	CCGGCGTCGC	TCCGCGGCCG	GGAGGTCGGC	GTCTATGTCG
68881 CGGTCACCGT GGACACGGCG TGCTCGTCGT CTCTGGTCGC GCTGCATCTG G 68941 GGCTGCGCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69061 CGTTCGGCGC GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGCC ACACCGTGCT CGCCGTCGTC C 69181 CCGTCACGTC CGACGGCGCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T								
68941 GGCTGCGCCT GGGCGAGTGC GAACTCGCTC TGGCCGGAGG GGTCTCCGTA C 69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69061 CGTTCGGCGC GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGCC ACACCGTGCT CGCCGTCGTC C 69181 CCGTCACGTC CGACGGCGCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T		68821	GTGGTTCCAC	GAGCCTGCTG	TCCGGACGGC	TGGCGTACGT	GCTCGGGCTG	GAGGGCCCGG
69001 CGGCCGCGTT CGTGGAGTTC TCCCGCCAGC GCGGGCTCGC GGCCGACGGG C 69061 CGTTCGGCGC GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGGC ACACCGTGCT CGCCGTCGTC C 69181 CCGTCACGTC CGACGGCGCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T								
69061 CGTTCGGCGC GGGCGCGGAC GGCACGACGT GGTCCGAGGG CGTGGGCGTG C 69121 AACGGCTCTC CGACGCCGAG CGGCTCGGGC ACACCGTGCT CGCCGTCGTC C 69181 CCGTCACGTC CGACGGCGCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T	50	68941	GGCTGCGCCT	GGGCGAGTGC	GAACTCGCTC	TGGCCGGAGG	GGTCTCCGTA	CTGAGTTCGC
69121 AACGGCTCTC CGACGCCGAG CGGCTCGGGC ACACCGTGCT CGCCGTCGTC C 69181 CCGTCACGTC CGACGGCGCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T	30	69001	CGGCCGCGTT	CGTGGAGTTC	TCCCGCCAGC	GCGGGCTCGC	GGCCGACGGG	CGCTGCAAGT
69181 CCGTCACGTC CGACGGCGCC TCCAACGGCC TCACCGCGCC GAACGGGCTC T		69061	CGTTCGGCGC	GGGCGCGAC	GGCACGACGT	GGTCCGAGGG	CGTGGGCGTG	CTCGTACTGG
69241 GGGTCATCCG GAAGGCGCTC TCCAACGGCC TCACCGCGCC GAACGGGCTC T		69121	AACGGCTCTC	CGACGCCGAG	CGGCTCGGGC	ACACCGTGCT	CGCCGTCGTC	CGCGGCAGCG
69241 GGGTCATCCG GAAGGCGCTC GCCGCGGCCG GGCTGACCGG CGCCGACGTG G		69181	CCGTCACGTC	CGACGGCGCC	TCCAACGGCC	TCACCGCGCC	GAACGGGCTC	TCGCAGCAGC
		69241	GGGTCATCCG	GAAGGCGCTC	GCCGCGGCCG	GGCTGACCGG	CGCCGACGTG	GACGTCGTCG

LOZHOL SIECHEGO

Ф

M

₽

Ø

N

					CGAGGGGCTC		
-					CACCCGGTGG		
	72661	GGGACGACGG	TCGCGCACAT	CAACGCGGGC	GAGGCGCAGT	TCCTCTACCG	GGAGATCTTC
	72721	ACCCAGCGCT	GCTACCTGCG	CCACGGTGTC	GACCTGCGCC	CGGGGGACGT	GGTGTTCGAC
5	72781	GTCGGCGCGA	ACATCGGCAT	GTTCACGCTT	TTCGCGCATC	TGGAGTGTCC	TGGTGTGACC
	72841	GTGCACGCCT	TCGAGCCCGC	GCCCGTGCCG	TTCGCGGCGC	TGCGGGCGAA	CGTGACGCGG
	72901	CACGGCATCC	CGGGCCAGGC	GGACCAGTGC	GCGGTCTCCG	ACAGCTCCGG	CACCCGGAAG
	72961	ATGACCTTCT	ATCCCGACGC	CACGCTGATG	TCCGGTTTCC	ACGCGGATGC	CGCGGCCCGG
	73021	ACGGAGCTGT	TGCGCACGCT	CGGCCTCAAC	GGCGGCTACA	CCGCCGAGGA	CGTCGACACC
10					GAGATCGAAA		
					ATCGGCCTGC		
					GACACCGACT		
					CTCGAGGAGG		
					CCGCTGTTCG		
15					CCGTCGGGGC		
					TCGGACAGTT		
					GTGAGGTGCT		
					GTGCGCCCGA		
					CGCTGCGCCG		
20					CGGAGGAGCG		
					CGCGCACGGC		
					GCCAGCTCGT		
					ATCCGCTTGG		
					GACCCCATCG		
25					CCGAGCAGCA		
	• .				ACGGACCAGC		
					CGCCCGGCCG		
					TCGGAGGTCT		
					AGTCGGATCG		
30					GGCACGACCC		
					CGGCGCAGCG		
					ATGTTGTCGT		
					TAGAGCAGGG		
					TGGAGCACGT		
35					AGGGCCTTGT		
					TCGGCCGGCG		
					GACAGGTCCG		
					GCCGCCAGGA		
					GACACGGCGT		
40					TGCCGGCCGG		
					GCGGCGTGGA		
					TCGTCGAGCT		
					TCGGCGCCGT		
					CCGCGGTCCC		
45					AGGTCGTCGA		
					CGCCCTCGA		
					CGCTGGACGA		
					AGCGCGGCCG		
					GCGACCACTT		
50					CCGTGGCCGA		
-	75541	GCCCGGAACG	CCTGGGCCAC	CACGTCGTCG	TGCGCGTCCT	GGCCGAGGTG	CCGGCGCACG
					CGCAGCGCGA		
					GCGGGCGTCG		
					CGCGCGAGGT		
			2.10000000	CCIGNIGCGG	CGCGCGAGGI	GGAGCAGGCA	COCAGCIAC

DOSTOWES. OSENOTED

40

75781 GGCGCGTCGG CGTGGTGCAC GTCGTCGATG CCGATCAGTA CGGGCCGCTC CGCGGCGAGC 75841 GTCAGCACCG TGCGGGTGAG TTCGGTCCCC AGGCGGTTGT CGACGTCGGC CGGCAGGTTT 75901 TCGCACGATG CCGTCAGCCG GACCAGCTCC GGTGTCCGGG CGGCCAGCTC GGGCTGGTCG 75961 AGGAGCTGGC CGAGCATGCC GTACGGCAGG GCCCGCTCCT CCATGGAGCA CACCGCGCGA 5 76021 AGGGTGACGA AGCCGGCCTT GGCCGCGGCG GCGTCGAGGA GTTCGGTCTT GCCGCAGGCG 76081 ATCGGCCCGG TGACGGCGGC GACGACGCCC CGCCCGCCCC CCGCTCGGGT GAGCGCCCGG 76141 TGGAGGGAAC CGAACTCGTC ATCGCGGGCG ATCAGGTCTG GGGGAGATAA GCGCGCTATC 76201 ACGAATGGAA CTACCTCGCG ACCGTCGTGG AAACCCATAG GCATCACATG GCTTGTTGAT 76261 CTGTACGGCT GTGATTCAGC CTGGCGGGAT GCTGTGCTAC AGATGGGAAG ATGTGATCTA 10 76321 GGGCCGTGCC GTTCCCTCAG GAGCCGACCG CCCCCGGCGC CACCCGCCGT ACCCCCTGGG 76381 CCACCAGCTC GGCGACCCGC TCCTGGTGGT CGACGAGGTA GAAGTGCCCG CCGGGGAAGA 76441 CCTCCACCGT GGTCGGCGCG GTCGTGTGCC CGGCCCAGGC GTGGGCCTGC TCCACCGTCG 76501 TCTTCGGATC GTCGTCACCG ATGCACACCG TGATCGGCGT CTCCAGCGGC GGCGCGGGCT 76561 CCCACCGGTA CGTCTCCGCC GCGTAGTAGT CCGCCCGCAA CGGCGCCAGG ATCAGCGCGC 15 76621 GCATTTCGTC GTCCGCCATC ACATCGGCGC TCGTCCCGCC GAGGCCGATG ACCGCCGCCA 76681 GCAGCTCGTC GTCGGACGCG AGGTGGTCCT GGTCGGCGCG CGGCTGCGAC GGCGCCCGCC 76741 GGCCCGAGAC GATCAGGTGC GCCACCGGGA GCCGCTGGGC CAGCTCGAAC GCGAGTGTCG 76801 CGCCCATGCT GTGGCCGAAC AGCACCAGCG GACGGTCCAG CCCCGGCTTC AACGCCTCGG 76861 CCACGAGGCC GGCGAGAACA CGCAGGTCGC GCACCGCCTC CTCGTCGCGG CGGTCCTGGC 20 76921 GGCCGGGGTA CTGCACGGCG TACACGTCCG CCACCGGGGC GAGCGCACGG GCCAGCGGAA 76981 GGTAGAACGT CGCCGATCCG CCGGCGTGGG GCAGCAGCAC CACCCGTACC GGGGCCTCGG 77041 GCGTGGGGAA GAACTGCCGC AGCCAGAGTT CCGAGCTCAC CGCACCCCCT CGGCCGCGAC 77101 CTGGGGAGCC CGGAACCGGG TGATCTCGGC CAAGTGCTTC TCCCGCATCT CCGGGTCGGT 77161 CACGCCCCAT CCCTCCCG GCGCCAGACA GAGGACGCCG ACTTTGCCGT TGTGCACATT 25 77221 GCGATGCACA TCGCGCACCG CCGACCCGAC GTCGTCGAGC GGGTAGGTCA CCGACAGCGT 77281 CGGGTGCACC ATCCCCTTGC AGATCAGGCG GTTCGCCTCC CACGCCTCAC GATAGTTCGC 77341 GAAGTGGTA CCGATGATCC GCTTCACGGA CATCCACAGG TACCGATTGT CAAAGGCGTG 77401 CTCGTATCCC GAGGTTGACG CGCAGGTGAC GATCGTGCCA CCCCGACGTG TCACGTAGAC 77461 ACTCGCGCCG AACGTCGCGC GCCCCGGGTG CTCGAACACG ATGTCGGGAT CGTCACCGCC 30 77521 GGTCAGCTCC CGGATC

Those of skill in the art will recognize that, due to the degenerate nature of the genetic code, a variety of DNA compounds differing in their nucleotide sequences can be used to encode a given amino acid sequence of the invention. The native DNA sequence encoding the FK-520 PKS of *Streptomyces hygroscopicus* is shown herein merely to illustrate a preferred embodiment of the invention, and the present invention includes DNA compounds of any sequence that encode the amino acid sequences of the polypeptides and proteins of the invention. In similar fashion, a polypeptide can typically tolerate one or more amino acid substitutions, deletions, and insertions in its amino acid sequence without loss or significant loss of a desired activity. The present invention includes such polypeptides with alternate amino acid sequences, and the amino acid sequences shown merely illustrate preferred embodiments of the invention.

25

30

5

10

The recombinant nucleic acids, proteins, and peptides of the invention are many and diverse. To facilitate an understanding of the invention and the diverse compounds and methods provided thereby, the following general description of the FK-520 PKS genes and modules of the PKS proteins encoded thereby is provided. This general description is followed by a more detailed description of the various domains and modules of the FK-520 PKS contained in and encoded by the compounds of the invention. In this description, reference to a heterologous PKS refers to any PKS other than the FK-520 PKS. Unless otherwise indicated, reference to a PKS includes reference to a portion of a PKS. Moreover, reference to a domain, module, or PKS includes reference to the nucleic acids encoding the same and vice-versa, because the methods and reagents of the invention provide or enable one to prepare proteins and the nucleic acids that encode them.

The FK-520 PKS is composed of three proteins encoded by three genes designated fkbA, fkbB, and fkbC. The fkbA ORF encodes extender modules 7 - 10 of the PKS. The fkbB ORF encodes the loading module (the CoA ligase) and extender modules 1 - 4 of the PKS. The fkbC ORF encodes extender modules 5 - 6 of the PKS. The fkbP ORF encodes the NRPS that attaches the pipecolic acid and cyclizes the FK-520 polyketide.

The loading module of the FK-520 PKS includes a CoA ligase, an ER domain, and an ACP domain. The starter building block or unit for FK-520 is believed to be a dihydroxycyclohexene carboxylic acid, which is derived from shikimate. The recombinant DNA compounds of the invention that encode the loading module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of methods and in a variety of compounds. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 loading module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for the loading module of the heterologous PKS is replaced by the coding sequence for the FK-520 loading module, provides a novel PKS coding sequence. Examples of heterologous PKS coding sequences include the rapamycin, FK-506, rifamycin, and avermectin PKS coding sequences. In another

In another embodiment, a portion of the loading module coding sequence is utilized in conjunction with a heterologous coding sequence. In this embodiment, the invention provides, for example, either replacing the CoA ligase with a different CoA ligase, deleting the ER, or replacing the ER with a different ER. In addition, or alternatively, the ACP can be replaced by another ACP. In similar fashion, the corresponding domains in another loading or extender module can be replaced by one or more domains of the FK-520 PKS. The resulting heterologous loading module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide.

The first extender module of the FK-520 PKS includes a KS domain, an AT domain specific for methylmalonyl CoA, a DH domain, a KR domain, and an ACP domain. The recombinant DNA compounds of the invention that encode the first extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 first extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the first extender module of the FK-520 PKS or the latter is merely added to coding sequences for modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the first extender module of the FK-520 PKS is inserted into a DNA compound that comprises the remainder of the coding sequence for the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, all or only a portion of the first extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the methylmalonyl CoA specific AT with a malonyl CoA, ethylmalonyl CoA, or 2-

30

5

10

15

20

25

DSGWDSIS

10

15

20

25

30

hydroxymalonyl CoA specific AT; deleting either the DH or KR or both; replacing the DH or KR or both with another DH or KR; and/or inserting an ER. In replacing or inserting KR, DH, and ER domains, it is often beneficial to replace the existing KR, DH, and ER domains with the complete set of domains desired from another module. Thus, if one desires to insert an ER domain, one may simply replace the existing KR and DH domains with a KR, DH, and ER set of domains from a module containing such domains. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a gene for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous first extender module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the first extender module of the FK-520 PKS.

In an illustrative embodiment of this aspect of the invention, the invention provides recombinant PKSs and recombinant DNA compounds and vectors that encode such PKSs in which the KS domain of the first extender module has been inactivated. Such constructs are especially useful when placed in translational reading frame with the remaining modules and domains of an FK-520 or FK-520 derivative PKS. The utility of these constructs is that host cells expressing, or cell free extracts containing, the PKS encoded thereby can be fed or supplied with N-acylcysteamine thioesters of novel precursor molecules to prepare FK-520 derivatives. See U.S. patent application Serial No. 60/117,384, filed 27 Jan. 1999, and PCT patent publication Nos. US97/02358 and US99/03986, each of which is incorporated herein by reference.

The second extender module of the FK-520 PKS includes a KS, an AT specific for methylmalonyl CoA, a KR, an inactive DH, and an ACP. The recombinant DNA compounds of the invention that encode the second extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes

the FK-520 second extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the second extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the second extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

10

15

20

5

In another embodiment, all or a portion of the second extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the methylmalonyl CoA specific AT with a malonyl CoA, ethylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; deleting the KR and/or the inactive DH; replacing the KR with another KR; and/or inserting an active DH or an active DH and an ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous second extender module coding sequence can be utilized in conjunction with a coding sequence from a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the second extender module of the FK-520 PKS.

25

30

The third extender module of the FK-520 PKS includes a KS, an AT specific for malonyl CoA, a KR, an inactive DH, and an ACP. The recombinant DNA compounds of the invention that encode the third extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 third extender module is inserted into a DNA compound that comprises the coding

5 -

10

15

20

25

30

sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the third extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the third extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, all or a portion of the third extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the malonyl CoA specific AT with a methylmalonyl CoA, ethylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; deleting the KR and/or the inactive DH; replacing the KR with another KR; and/or inserting an active DH or an active DH and an ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous third extender module coding sequence can be utilized in conjunction with a coding sequence from a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the third extender module of the FK-520 PKS.

The fourth extender module of the FK-520 PKS includes a KS, an AT that binds ethylmalonyl CoA, an inactive DH, and an ACP. The recombinant DNA compounds of the invention that encode the fourth extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 fourth extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence

10

15

20

25

30

for a module of the heterologous PKS is either replaced by that for the fourth extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the fourth extender module of the FK-520 PKS is inserted into a DNA compound that comprises the remainder of the coding sequence for the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion of the fourth extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the ethylmalonyl CoA specific AT with a malonyl CoA, methylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; and/or deleting the inactive DH, inserting a KR, a KR and an active DH, or a KR, an active DH, and an ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, a PKS for a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous fourth extender module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the fourth extender module of the FK-520 PKS.

As illustrative examples, the present invention provides recombinant genes, vectors, and host cells that result from the conversion of the FK-506 PKS to an FK-520 PKS and vice-versa. In one embodiment, the invention provides a recombinant set of FK-506 PKS genes but in which the coding sequences for the fourth extender module or at least those for the AT domain in the fourth extender module have been replaced by those for the AT domain of the fourth extender module of the FK-520 PKS. This recombinant PKS can be used to produce FK-520 in recombinant host cells. In another embodiment, the invention provides a recombinant set of FK-520 PKS genes but in which the coding sequences for the fourth extender module or at least those for the AT domain in the fourth

10

15

20

25

30

extender module have been replaced by those for the AT domain of the fourth extender module of the FK-506 PKS. This recombinant PKS can be used to produce FK-506 in recombinant host cells.

Other examples of hybrid PKS enzymes of the invention include those in which the AT domain of module 4 has been replaced with a malonyl specific AT domain to provide a PKS that produces 21-desethyl-FK520 or with a methylmalonyl specific AT domain to provide a PKS that produces 21-desethyl-21-methyl-FK520. Another hybrid PKS of the invention is prepared by replacing the AT and inactive KR domain of FK-520 extender module 4 with a methylmalonyl specific AT and an active KR domain, such as, for example, from module 2 of the DEBS or oleandolide PKS enzymes, to produce 21-desethyl-21-methyl-22-desoxo-22-hydroxy-FK520. The compounds produced by these hybrid PKS enzymes are neurotrophins.

The fifth extender module of the FK-520 PKS includes a KS, an AT that binds methylmalonyl CoA, a DH, a KR, and an ACP. The recombinant DNA compounds of the invention that encode the fifth extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 fifth extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the fifth extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS. In another embodiment, a DNA compound comprising a sequence that encodes the fifth extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion of the fifth extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the methylmalonyl CoA specific AT with a malonyl CoA, ethylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; deleting any one or both of the DH and KR; replacing any one or both of the

10

15

20

25

30

DH and KR with either a KR and/or DH; and/or inserting an ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous fifth extender module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the fifth extender module of the FK-520 PKS.

In an illustrative embodiment, the present invention provides a set of recombinant FK-520 PKS genes in which the coding sequences for the DH domain of the fifth extender module have been deleted or mutated to render the DH non-functional. In one such mutated gene, the KR and DH coding sequences are replaced with those encoding only a KR domain from another PKS gene. The resulting PKS genes code for the expression of an FK-520 PKS that produces an FK-520 analog that lacks the C-19 to C-20 double bond of FK-520 and has a C-20 hydroxyl group. Such analogs are preferred neurotrophins, because they have little or no immunosuppressant activity. This recombinant fifth extender module coding sequence can be combined with other coding sequences to make additional compounds of the invention. In an illustrative embodiment, the present invention provides a recombinant FK-520 PKS that contains both this fifth extender module and the recombinant fourth extender module described above that comprises the coding sequence for the fourth extender module AT domain of the FK-506 PKS. The invention also provides recombinant host cells derived from FK-506 producing host cells that have been mutated to prevent production of FK-506 but that express this recombinant PKS and so synthesize the corresponding (lacking the C-19 to C-20 double bond of FK-506 and having a C-20 hydroxyl group) FK-506 derivative. In another embodiment, the present invention provides a recombinant FK-506 PKS in which the DH domain of module 5 has been deleted or otherwise rendered inactive and thus produces this novel polyketide.

10

15

20

25

The sixth extender module of the FK-520 PKS includes a KS, an AT specific for methylmalonyl CoA, a KR, a DH, an ER, and an ACP. The recombinant DNA compounds of the invention that encode the sixth extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 sixth extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the sixth extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the sixth extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion of the sixth extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the methylmalonyl CoA specific AT with a malonyl CoA, ethylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; deleting any one, two, or all three of the KR, DH, and ER; and/or replacing any one, two, or all three of the KR, DH, and ER with another KR, DH, and ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous sixth extender module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the sixth extender module of the FK-520 PKS.

10

15

20

25

30

In an illustrative embodiment, the present invention provides a set of recombinant FK-520 PKS genes in which the coding sequences for the DH and ER domains of the sixth extender module have been deleted or mutated to render them non-functional. In one such mutated gene, the KR, ER, and DH coding sequences are replaced with those encoding only a KR domain from another PKS gene. This can also be accomplished by simply replacing the coding sequences for extender module six with those for an extender module having a methylmalonyl specific AT and only a KR domain from a heterologous PKS gene, such as, for example, the coding sequences for extender module two encoded by the eryAl gene. The resulting PKS genes code for the expression of an FK-520 PKS that produces an FK-520 analog that has a C-18 hydroxyl group. Such analogs are preferred neurotrophins, because they have little or no immunosuppressant activity. This recombinant sixth extender module coding sequence can be combined with other coding sequences to make additional compounds of the invention. In an illustrative embodiment, the present invention provides a recombinant FK-520 PKS that contains both this sixth extender module and the recombinant fourth extender module described above that comprises the coding sequence for the fourth extender module AT domain of the FK-506 PKS. The invention also provides recombinant host cells derived from FK-506 producing host cells that have been mutated to prevent production of FK-506 but that express this recombinant PKS and so synthesize the corresponding (having a C-18 hydroxyl group) FK-506 derivative. In another embodiment, the present invention provides a recombinant FK-506 PKS in which the DH and ER domains of module 6 have been deleted or otherwise rendered inactive and thus produces this novel polyketide.

The seventh extender module of the FK-520 PKS includes a KS, an AT specific for 2-hydroxymalonyl CoA, a KR, a DH, an ER, and an ACP. The recombinant DNA compounds of the invention that encode the seventh extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 seventh extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the seventh

10

15

20

25

30

extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the seventh extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion or all of the seventh extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the 2-hydroxymalonyl CoA specific AT with a methylmalonyl CoA, ethylmalonyl CoA, or malonyl CoA specific AT; deleting the KR, the DH, and/or the ER; and/or replacing the KR, DH, and/or ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous seventh extender module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the seventh extender module of the FK-520 PKS.

In an illustrative embodiment, the present invention provides a set of recombinant FK-520 PKS genes in which the coding sequences for the AT domain of the seventh extender module has been replaced with those encoding an AT domain for malonyl, methylmalonyl, or ethylmalonyl CoA from another PKS gene. The resulting PKS genes code for the expression of an FK-520 PKS that produces an FK-520 analog that lacks the C-15 methoxy group, having instead a hydrogen, methyl, or ethyl group at that position, respectively. Such analogs are preferred, because they are more slowly metabolized than FK-520. This recombinant seventh extender module coding sequence can be combined with other coding sequences to make additional compounds of the invention. In an illustrative embodiment, the present invention provides a recombinant FK-520 PKS that

10

15

20

25

30

contains both this seventh extender module and the recombinant fourth extender module described above that comprises the coding sequence for the fourth extender module AT domain of the FK-506 PKS. The invention also provides recombinant host cells derived from FK-506 producing host cells that have been mutated to prevent production of FK-506 but that express this recombinant PKS and so synthesize the corresponding (C-15-desmethoxy) FK-506 derivative. In another embodiment, the present invention provides a recombinant FK-506 PKS in which the AT domain of module 7 has been replaced and thus produces this novel polyketide.

In another illustrative embodiment, the present invention provides a hybrid PKS in which the AT and KR domains of module 7 of the FK-520 PKS are replaced by a methylmalonyl specific AT domain and an inactive KR domain, such as, for example, the AT and KR domains of extender module 6 of the rapamycin PKS. The resulting hybrid PKS produces 15-desmethoxy-15-methyl-16-oxo-FK-520, a neurotrophin compound.

The eighth extender module of the FK-520 PKS includes a KS, an AT specific for 2-hydroxymalonyl CoA, a KR, and an ACP. The recombinant DNA compounds of the invention that encode the eighth extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 eighth extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the eighth extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the eighth extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion of the eighth extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the 2-

10

15

20

25

hydroxymalonyl CoA specific AT with a methylmalonyl CoA, ethylmalonyl CoA, or malonyl CoA specific AT; deleting or replacing the KR; and/or inserting a DH or a DH and an ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous eighth extender module coding sequence can be utilized in conjunction with a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the eighth extender module of the FK-520 PKS.

In an illustrative embodiment, the present invention provides a set of recombinant FK-520 PKS genes in which the coding sequences for the AT domain of the eighth extender module has been replaced with those encoding an AT domain for malonyl, methylmalonyl, or ethylmalonyl CoA from another PKS gene. The resulting PKS genes code for the expression of an FK-520 PKS that produces an FK-520 analog that lacks the C-13 methoxy group, having instead a hydrogen, methyl, or ethyl group at that position, respectively. Such analogs are preferred, because they are more slowly metabolized than FK-520. This recombinant eighth extender module coding sequence can be combined with other coding sequences to make additional compounds of the invention. In an illustrative embodiment, the present invention provides a recombinant FK-520 PKS that contains both this eighth extender module and the recombinant fourth extender module described above that comprises the coding sequence for the fourth extender module AT domain of the FK-506 PKS. The invention also provides recombinant host cells derived from FK-506 producing host cells that have been mutated to prevent production of FK-506 but that express this recombinant PKS and so synthesize the corresponding (C-13desmethoxy) FK-506 derivative. In another embodiment, the present invention provides a recombinant FK-506 PKS in which the AT domain of module 8 has been replaced and thus produces this novel polyketide.

10

15

20

25

The ninth extender module of the FK-520 PKS includes a KS, an AT specific for methylmalonyl CoA, a KR, a DH, an ER, and an ACP. The recombinant DNA compounds of the invention that encode the ninth extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 ninth extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the ninth extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the ninth extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion of the ninth extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the methylmalonyl CoA specific AT with a malonyl CoA, ethylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; deleting any one, two, or all three of the KR, DH, and ER; and/or replacing any one, two, or all three of the KR, DH, and ER with another KR, DH, and/or ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous ninth extender module coding sequence can be utilized in conjunction with a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the ninth extender module of the FK-520 PKS.

10

15

20

25

30

The tenth extender module of the FK-520 PKS includes a KS, an AT specific for malonyl CoA, and an ACP. The recombinant DNA compounds of the invention that encode the tenth extender module of the FK-520 PKS and the corresponding polypeptides encoded thereby are useful for a variety of applications. In one embodiment, a DNA compound comprising a sequence that encodes the FK-520 tenth extender module is inserted into a DNA compound that comprises the coding sequence for a heterologous PKS. The resulting construct, in which the coding sequence for a module of the heterologous PKS is either replaced by that for the tenth extender module of the FK-520 PKS or the latter is merely added to coding sequences for the modules of the heterologous PKS, provides a novel PKS coding sequence. In another embodiment, a DNA compound comprising a sequence that encodes the tenth extender module of the FK-520 PKS is inserted into a DNA compound that comprises the coding sequence for the remainder of the FK-520 PKS or a recombinant FK-520 PKS that produces an FK-520 derivative.

In another embodiment, a portion or all of the tenth extender module coding sequence is utilized in conjunction with other PKS coding sequences to create a hybrid module. In this embodiment, the invention provides, for example, either replacing the malonyl CoA specific AT with a methylmalonyl CoA, ethylmalonyl CoA, or 2-hydroxymalonyl CoA specific AT; and/or inserting a KR, a KR and DH, or a KR, DH, and an ER. In addition, the KS and/or ACP can be replaced with another KS and/or ACP. In each of these replacements or insertions, the heterologous KS, AT, DH, KR, ER, or ACP coding sequence can originate from a coding sequence for another module of the FK-520 PKS, from a coding sequence for a PKS that produces a polyketide other than FK-520, or from chemical synthesis. The resulting heterologous tenth extender module coding sequence can be utilized in conjunction with a coding sequence for a PKS that synthesizes FK-520, an FK-520 derivative, or another polyketide. In similar fashion, the corresponding domains in a module of a heterologous PKS can be replaced by one or more domains of the tenth extender module of the FK-520 PKS.

The FK-520 polyketide precursor produced by the action of the tenth extender module of the PKS is then attached to pipecolic acid and cyclized to form FK-520. The

10

15

enzyme FkbP is the NRPS like enzyme that catalyzes these reactions. FkbP also includes a thioesterase activity that cleaves the nascent FK-520 polyketide from the NRPS. The present invention provides recombinant DNA compounds that encode the fkbP gene and so provides recombinant methods for expressing the fkbP gene product in recombinant host cells. The recombinant fkbP genes of the invention include those in which the coding sequence for the adenylation domain has been mutated or replaced with coding sequences from other NRPS like enzymes so that the resulting recombinant FkbP incorporates a moiety other than pipecolic acid. For the construction of host cells that do not naturally produce pipecolic acid, the present invention provides recombinant DNA compounds that express the enzymes that catalyze at least some of the biosynthesis of pipecolic acid (see Nielsen et al., 1991, Biochem. 30: 5789-96). The fkbL gene encodes a homolog of RapL, a lysine cyclodeaminase responsible in part for producing the pipecolate unit added to the end of the polyketide chain. The fkbB and fkbL recombinant genes of the invention can be used in heterologous hosts to produce compounds such as FK-520 or, in conjunction with other PKS or NRPS genes, to produce known or novel polyketides and non-ribosmal peptides.

The present invention also provides recombinant DNA compounds that encode the P450 oxidase and methyltransferase genes involved in the biosynthesis of FK-520. Figure 2 shows the various sites on the FK-520 polyketide core structure at which these enzymes act. By providing these genes in recombinant form, the present invention provides recombinant host cells that can produce FK-520. This is accomplished by introducing the recombinant PKS, P450 oxidase, and methyltransferase genes into a heterologous host cell. In a preferred embodiment, the heterologous host cell is *Streptomyces coelicolor* CH999 or *Streptomyces lividans* K4-114, as described in U.S. Patent No. 5,830,750 and U.S. patent application Serial Nos. 08/828,898, filed 31 Mar. 1997, and 09/181,833, filed 28 Oct. 1998, each of which is incorporated herein by reference. In addition, by providing recombinant host cells that express only a subset of these genes, the present invention provides methods for making FK-520 precursor compounds not readily obtainable by other means.

10

15

20

25

In a related aspect, the present invention provides recombinant DNA compounds and vectors that are useful in generating, by homologous recombination, recombinant host cells that produce FK-520 precursor compounds. In this aspect of the invention, a native host cell that produces FK-520 is transformed with a vector (such as an SCP2* derived vector for *Streptomyces* host cells) that encodes one or more disrupted genes (i.e., a hydroxylase, a methyltransferase, or both) or merely flanking regions from those genes. When the vector integrates by homologous recombination, the native, functional gene is deleted or replaced by the non-functional recombinant gene, and the resulting host cell thus produces an FK-520 precursor. Such host cells can also be complemented by introduction of a modified form of the deleted or mutated non-functional gene to produce a novel compound.

In one important embodiment, the present invention provides a hybrid PKS and the corresponding recombinant DNA compounds that encode those hybrid PKS enzymes. For purposes of the present invention a hybrid PKS is a recombinant PKS that comprises all or part of one or more modules and thioesterase/cyclase domain of a first PKS and all or part of one or more modules, loading module, and thioesterase/cyclase domain of a second PKS. In one preferred embodiment, the first PKS is all or part of the FK-520 PKS, and the second PKS is only a portion or all of a non-FK-520 PKS.

One example of the preferred embodiment is an FK-520 PKS in which the AT domain of module 8, which specifies a hydroxymalonyl CoA and from which the C-13 methoxy group of FK-520 is derived, is replaced by an AT domain that specifies a malonyl, methylmalonyl, or ethylmalonyl CoA. Examples of such replacement AT domains include the AT domains from modules 3, 12, and 13 of the rapaymycin PKS and from modules 1 and 2 of the erythromycin PKS. Such replacements, conducted at the level of the gene for the PKS, are illustrated in the examples below. Another illustrative example of such a hybrid PKS includes an FK-520 PKS in which the natural loading module has been replaced with a loading module of another PKS. Another example of such a hybrid PKS is an FK-520 PKS in which the AT domain of module three is replaced with an AT domain that binds methylmalonyl CoA.

10

15

In another preferred embodiment, the first PKS is most but not all of a non-FK-520 PKS, and the second PKS is only a portion or all of the FK-520 PKS. An illustrative example of such a hybrid PKS includes an erythromycin PKS in which an AT specific for methylmalonyl CoA is replaced with an AT from the FK-520 PKS specfic for malonyl CoA.

Those of skill in the art will recognize that all or part of either the first or second PKS in a hybrid PKS of the invention need not be isolated from a naturally occurring source. For example, only a small portion of an AT domain determines its specificity. See U.S. provisional patent application Serial No. 60/091,526, incorporated herein by reference. The state of the art in DNA synthesis allows the artisan to construct *de novo* DNA compounds of size sufficient to construct a useful portion of a PKS module or domain. For purposes of the present invention, such synthetic DNA compounds are deemed to be a portion of a PKS.

Thus, the hybrid modules of the invention are incorporated into a PKS to provide a hybrid PKS of the invention. A hybrid PKS of the invention can result not only:

- (i) from fusions of heterologous domain (where heterologous means the domains in that module are from at least two different naturally occurring modules) coding sequences to produce a hybrid module coding sequence contained in a PKS gene whose product is incorporated into a PKS,
- 20 but also:
 - (ii) from fusions of heterologous module (where heterologous module means two modules are adjacent to one another that are not adjacent to one another in naturally occurring PKS enzymes) coding sequences to produce a hybrid coding sequence contained in a PKS gene whose product is incorporated into a PKS,
- (iii) from expression of one or more FK-520 PKS genes with one or more non-FK-520 PKS genes, including both naturally occurring and recombinant non-FK-520 PKS genes, and
- (iv) from combinations of the foregoing.

 Various hybrid PKSs of the invention illustrating these various alternatives are described herein.

10

15

20

25

Examples of the production of a hybrid PKS by co-expression of PKS genes from the FK-520 PKS and another non-FK-520 PKS include hybrid PKS enzymes produced by coexpression of FK-520 and rapamycin PKS genes. Preferably, such hybrid PKS enzymes are produced in recombinant *Streptomyces* host cells that produce FK-520 or FK-506 but have been mutated to inactivate the gene whose function is to be replaced by the rapamycin PKS gene introduced to produce the hybrid PKS. Particular examples include (i) replacement of the *fkbC* gene with the *rapB* gene; and (ii) replacement of the *fkbA* gene with the *rapC* gene. The latter hybrid PKS produces 13,15-didesmethoxy-FK-520, if the host cell is an FK-520 producing host cell, and 13,15-didesmethoxy-FK-506, if the host cell is an FK-506 producing host cell. The compounds produced by these hybrid PKS enzymes are immunosuppressants and neurotrophins but can be readily modified to act only as neurotrophins, as described in Example 6, below.

Other illustrative hybrid PKS enzymes of the invention are prepared by replacing the fkbA gene of an FK-520 or FK-506 producing host cell with a hybrid fkbA gene in which: (a) the extender module 8 through 10, inclusive, coding sequences have been replaced by the coding sequnces for extender modules 12 to 14, inclusive, of the rapamycin PKS; and (b) the module 8 coding sequences have been replaced by the module 8 coding sequence of the rifamycin PKS. When expressed with the other, naturally occurring FK-520 or FK-506 PKS genes and the genes of the modification enzymes, the resulting hybrid PKS enzymes produce, respectively, (a) 13-desmethoxy-FK-520 or 13-desmethoxy-FK-506; and (b) 13-desmethoxy-13-methyl-FK-520 or 13desmethoxy-13-methyl-FK-506. In a preferred embodiment, these recombinant PKS genes of the invention are introduced into the producing host cell by a vector such as pHU204, which is a plamsid pRM5 derivative that has the well-characterized SCP2* replicon, the colE1 replicon, the tsr and bla resistance genes, and a cos site. This vector can be used to introduce the recombinant fkbA replacement gene in an FK-520 or FK-506 producing host cell (or a host cell derived therefrom in which the endogenous fkbA gene has either been rendered inactive by mutation, deletion or homologous recombination with the gene that replaces it) to produce the desired hybrid PKS.

10

15

20

In constructing hybrid PKSs of the invention, certain general methods may be helpful. For example, it is often beneficial to retain the framework of the module to be altered to make the hybrid PKS. Thus, if one desires to add DH and ER functionalities to a module, it is often preferred to replace the KR domain of the original module with a KR, DH, and ER domain-containing segment from another module, instead of merely inserting DH and ER domains. One can alter the stereochemical specificity of a module by replacement of the KS domain with a KS domain from a module that specifies a different stereochemistry. See Lau et al., 1999, "Dissecting the role of acyltransferase domains of modular polyketide synthases in the choice and stereochemical fate of extender units," Biochemistry 38(5):1643-1651, incorporated herein by reference. Stereochemistry can also be changed by changing the KR domain. Also, one can alter the specificity of an AT domain by changing only a small segment of the domain. See Lau et al., supra. One can also take advantage of known linker regions in PKS proteins to link modules from two different PKSs to create a hybrid PKS. See Gokhale et al., 16 Apr. 1999, "Dissecting and Exploiting Intermodular Communication in Polyketide Synthases," Science 284: 482-485, incorporated herein by reference.

The following Table lists references describing illustrative PKS genes and corresponding enzymes that can be utilized in the construction of the recombinant PKSs and the corresponding DNA compounds that encode them of the invention. Also presented are various references describing tailoring enzymes and corresponding genes that can be employed in accordance with the methods of the present invention.

Avermectin

U.S. Pat. No. 5,252,474 to Merck.

MacNeil et al., 1993, Industrial Microorganisms: Basic and Applied Molecular

Genetics, Baltz, Hegeman, & Skatrud, eds. (ASM), pp. 245-256, A Comparison of the
Genes Encoding the Polyketide Synthases for Avermectin, Erythromycin, and
Nemadectin.

MacNeil et al., 1992, Gene 115: 119-125, Complex Organization of the Streptomyces avermitilis genes encoding the avermectin polyketide synthase.

Candicidin (FR008)

Hu et al., 1994, Mol. Microbiol. 14: 163-172.

Epothilone

5

CAROPE

U.S. Pat. App. Serial No. 60/130,560, filed 22 April 1999.

Erythromycin

PCT Pub. No. 93/13663 to Abbott.

10 US Pat. No. 5,824,513 to Abbott.

Donadio et al., 1991, Science 252:675-9.

Cortes et al., 8 Nov. 1990, Nature 348:176-8, An unusually large multifunctional polypeptide in the erythromycin producing polyketide synthase of Saccharopolyspora erythraea.

15 Glycosylation Enzymes

PCT Pat. App. Pub. No. 97/23630 to Abbott.

FK-506

Motamedi et al., 1998, The biosynthetic gene cluster for the macrolactone ring of the immunosuppressant FK-506, Eur. J. biochem. 256: 528-534.

Motamedi *et al.*, 1997, Structural organization of a multifunctional polyketide synthase involved in the biosynthesis of the macrolide immunosuppressant FK-506, *Eur. J. Biochem. 244*: 74-80.

Methyltransferase

US 5,264,355, issued 23 Nov. 1993, Methylating enzyme from

25 Streptomyces MA6858. 31-O-desmethyl-FK-506 methyltransferase.

Motamedi *et al.*, 1996, Characterization of methyltransferase and hydroxylase genes involved in the biosynthesis of the immunosuppressants FK-506 and FK-520, *J. Bacteriol.* 178: 5243-5248.

Streptomyces hygroscopicus

U.S. patent application Serial No. 09/154,083, filed 16 Sep. 1998.

Lovastatin

U.S. Pat. No. 5,744,350 to Merck.

Narbomycin

U.S. patent application Serial No. 60/107,093, filed 5 Nov. 1998, and Serial No. 60/120,254, filed 16 Feb. 1999.

Nemadectin

5

10

15

MacNeil et al., 1993, supra.

Niddamycin

Kakavas et al., 1997, Identification and characterization of the niddamycin polyketide synthase genes from *Streptomyces caelestis*, *J. Bacteriol.* 179: 7515-7522.

Oleandomycin

Swan et al., 1994, Characterisation of a Streptomyces antibioticus gene encoding a type I polyketide synthase which has an unusual coding sequence, Mol. Gen. Genet. 242: 358-362.

U.S. patent application Serial No. 60/120,254, filed 16 Feb. 1999.

Olano et al., 1998, Analysis of a Streptomyces antibioticus chromosomal region involved in oleandomycin biosynthesis, which encodes two glycosyltransferases responsible for glycosylation of the macrolactone ring, Mol. Gen. Genet. 259(3): 299-308.

20 Picromycin

PCT patent application US99/15047, filed 2 Jul. 1999.

Xue et al., 1998, Hydroxylation of macrolactones YC-17 and narbomycin is mediated by the pikC-encoded cytochrome P450 in Streptomyces venezuelae, Chemistry & Biology 5(11): 661-667.

Xue et al., Oct. 1998, A gene cluster for macrolide antibiotic biosynthesis in Streptomyces venezuelae: Architecture of metabolic diversity, Proc. Natl. Acad. Sci. USA 95: 12111 12116.

Platenolide

EP Pat. App. Pub. No. 791,656 to Lilly.

Rapamycin

Schwecke et al., Aug. 1995, The biosynthetic gene cluster for the polyketide rapamycin, *Proc. Natl. Acad. Sci. USA 92:7839-7843*.

Aparicio et al., 1996, Organization of the biosynthetic gene cluster for rapamycin in Streptomyces hygroscopicus: analysis of the enzymatic domains in the modular polyketide synthase, Gene 169: 9-16.

Rifamycin

August et al., 13 Feb. 1998, Biosynthesis of the ansamycin antibiotic rifamycin: deductions from the molecular analysis of the rif biosynthetic gene cluster of

10 Amycolatopsis mediterranei S669, Chemistry & Biology, 5(2): 69-79.

Sorangium PKS

U.S. patent application Serial No. 09/144,085, filed 31 Aug. 1998.

Soraphen

U.S. Pat. No. 5,716,849 to Novartis.

Schupp et al., 1995, J. Bacteriology 177: 3673-3679. A Sorangium cellulosum (Myxobacterium) Gene Cluster for the Biosynthesis of the Macrolide Antibiotic Soraphen A: Cloning, Characterization, and Homology to Polyketide Synthase Genes from Actinomycetes.

Spiramycin

20 U.S. Pat. No. 5,098,837 to Lilly.

Activator Gene

U.S. Pat. No. 5,514,544 to Lilly.

Tylosin

EP Pub. No. 791,655 to Lilly.

25 U.S. Pat. No. 5,876,991 to Lilly.

Kuhstoss et al., 1996, Gene 183:231-6., Production of a novel polyketide through the construction of a hybrid polyketide synthase.

10

15

20

25

30

Atty Dkt: 300622002600

- 76 -

Tailoring enzymes

Merson-Davies and Cundliffe, 1994, *Mol. Microbiol. 13*: 349-355. Analysis of five tylosin biosynthetic genes from the *tylBA* region of the *Streptomyces fradiae* genome.

As the above Table illustrates, there are a wide variety of polyketide synthase genes that serve as readily available sources of DNA and sequence information for use in constructing the hybrid PKS-encoding DNA compounds of the invention. Methods for constructing hybrid PKS-encoding DNA compounds are described without reference to the FK-520 PKS in PCT patent publication No. 98/51695; U.S. Patent Nos. 5,672,491 and 5,712,146 and U.S. patent application Serial Nos. 09/073,538, filed 6 May 1998, and 09/141,908, filed 28 Aug 1998, each of which is incorporated herein by reference.

The hybrid PKS-encoding DNA compounds of the invention can be and often are hybrids of more than two PKS genes. Moreover, there are often two or more modules in the hybrid PKS in which all or part of the module is derived from a second (or third) PKS. Thus, as one illustrative example, the present invention provides a hybrid FK-520 PKS that contains the naturally occurring loading module and FkbP as well as modules one, two, four, six, seven, and eight, nine, and ten of the FK-520 PKS and further contains hybrid or heterologous modules three and five. Hybrid or heterologous module three contains an AT domain that is specific of methylmalonyl CoA and can be derived for example, from the erythromycin or rapamycin PKS genes. Hybrid or heterologous module five contains an AT domain that is specific for malonyl CoA and can be derived for example, from the picromycin or rapamycin PKS genes.

While an important embodiment of the present invention relates to hybrid PKS enzymes and corresponding genes, the present invention also provides recombinant FK-520 PKS genes in which there is no second PKS gene sequence present but which differ from the FK-520 PKS gene by one or more deletions. The deletions can encompass one or more modules and/or can be limited to a partial deletion within one or more modules. When a deletion encompasses an entire module, the resulting FK-520 derivative is at least two carbons shorter than the gene from which it was derived. When a deletion is within a module, the deletion typically encompasses a KR, DH, or ER domain, or both

10

15

20

25

30

Atty Dkt: 300622002600

- 77 -

DH and ER domains, or both KR and DH domains, or all three KR, DH, and ER domains.

To construct a hybrid PKS or FK-520 derivative PKS gene of the invention, one can employ a technique, described in PCT Pub. No. 98/27203 and U.S. patent application Serial No. 08/989,332, filed 11 Dec. 1997, each of which is incorporated herein by reference, in which the large PKS gene is divided into two or more, typically three, segments, and each segment is placed on a separate expression vector. In this manner, each of the segments of the gene can be altered, and various altered segments can be combined in a single host cell to provide a recombinant PKS gene of the invention. This technique makes more efficient the construction of large libraries of recombinant PKS genes, vectors for expressing those genes, and host cells comprising those vectors.

Thus, in one important embodiment, the recombinant DNA compounds of the invention are expression vectors. As used herein, the term expression vector refers to any nucleic acid that can be introduced into a host cell or cell-free transcription and translation medium. An expression vector can be maintained stably or transiently in a cell, whether as part of the chromosomal or other DNA in the cell or in any cellular compartment, such as a replicating vector in the cytoplasm. An expression vector also comprises a gene that serves to produce RNA that is translated into a polypeptide in the cell or cell extract. Furthermore, expression vectors typically contain additional functional elements, such as resistance-conferring genes to act as selectable markers.

The various components of an expression vector can vary widely, depending on the intended use of the vector. In particular, the components depend on the host cell(s) in which the vector will be used or is intended to function. Vector components for expression and maintenance of vectors in *E. coli* are widely known and commercially available, as are vector components for other commonly used organisms, such as yeast cells and *Streptomyces* cells.

In a preferred embodiment, the expression vectors of the invention are used to construct recombinant *Streptomyces* host cells that express a recombinant PKS of the invention. Preferred *Streptomyces* host cell/vector combinations of the invention include *S. coelicolor* CH999 and *S. lividans* K4-114 host cells, which do not produce

10

15

20

25



Atty Dkt: 300622002600

- 78 -

actinorhodin, and expression vectors derived from the pRM1 and pRM5 vectors, as described in U.S. Patent No. 5,830,750 and U.S. patent application Serial Nos. 08/828,898, filed 31 Mar. 1997, and 09/181,833, filed 28 Oct. 1998, each of which is incorporated herein by reference.

The present invention provides a wide variety of expression vectors for use in Streptomyces. For replicating vectors, the origin of replication can be, for example and without limitation, a low copy number vector, such as SCP2* (see Hopwood et al., Genetic Manipulation of Streptomyces: A Laboratory manual (The John Innes Foundation, Norwich, U.K., 1985); Lydiate et al., 1985, Gene 35: 223-235; and Kieser and Melton, 1988, Gene 65: 83-91, each of which is incorporated herein by reference), SLP1.2 (Thompson et al., 1982, Gene 20: 51-62, incorporated herein by reference), and SG5(ts) (Muth et al., 1989, Mol. Gen. Genet. 219: 341-348, and Bierman et al., 1992, Gene 116: 43-49, each of which is incorporated herein by reference), or a high copy number vector, such as pIJ101 and pJV1 (see Katz et al., 1983, J. Gen. Microbiol. 129: 2703-2714; Vara et al., 1989, J. Bacteriol. 171: 5782-5781; and Servin-Gonzalez, 1993, Plasmid 30: 131-140, each of which is incorporated herein by reference). Generally, however, high copy number vectors are not preferred for expression of genes contained on large segments of DNA. For non-replicating and integrating vectors, it is useful to include at least an E. coli origin of replication, such as from pUC, p1P, p1I, and pBR. For phage based vectors, the phages phiC31 and KC515 can be employed (see Hopwood et al., supra).

Typically, the expression vector will comprise one or more marker genes by which host cells containing the vector can be identified and/or selected. Useful antibiotic resistance conferring genes for use in *Streptomyces* host cells include the *ermE* (confers resistance to erythromycin and other macrolides and lincomycin), *tsr* (confers resistance to thiostrepton), *aadA* (confers resistance to spectinomycin and streptomycin), *aacC4* (confers resistance to apramycin, kanamycin, gentamicin, geneticin (G418), and neomycin), *hyg* (confers resistance to hygromycin), and *vph* (confers resistance to viomycin) resistance conferring genes.



Atty Dkt: 300622002600

- 79 -

The recombinant PKS gene on the vector will be under the control of a promoter, typically with an attendant ribosome binding site sequence. The present invention provides the endogenous promoters of the FK-520 PKS and related biosynthetic genes in recombinant form, and these promoters are preferred for use in the native hosts and in heterologous hosts in which the promoters function. A preferred promoter of the invention is the fkbO gene promoter, comprised in a sequence of about 270 bp between the start of the open reading frames of the fkbO and fkbB genes. The fkbO promoter is believed to be bi-directional in that it promotes transcription of the genes fkbO, fkbP, and fkbA in one direction and fkbB, fkbC, and fkbL in the other. Thus, in one aspect, the present invention provides a recombinant expression vector comprising the promoter of the fkbO gene of an FK-520 producing organism positioned to transcribe a gene other than fkbO. In a preferred embodiment the transcribed gene is an FK-520 PKS gene. In another preferred embodiment, the transcribed gene is a gene that encodes a protein comprised in a hybrid PKS.

15

20

25

30

10

5

Heterologous promoters can also be employed and are preferred for use in host cells in which the endogenous FK-520 PKS gene promoters do not function or function poorly. A preferred heterologous promoter is the actI promoter and its attendant activator gene actII-ORF4, which is provided in the pRM1 and pRM5 expression vectors, supra. This promoter is activated in the stationary phase of growth when secondary metabolites are normally synthesized. Other useful Streptomyces promoters include without limitation those from the ermE gene and the melC1 gene, which act constitutively, and the tipA gene and the merA gene, which can be induced at any growth stage. In addition, the T7 RNA polymerase system has been transferred to Streptomyces and can be employed in the vectors and host cells of the invention. In this system, the coding sequence for the T7 RNA polymerase is inserted into a neutral site of the chromosome or in a vector under the control of the inducible merA promoter, and the gene of interest is placed under the control of the T7 promoter. As noted above, one or more activator genes can also be employed to enhance the activity of a promoter. Activator genes in addition to the actII-ORF4 gene discussed above include dnrI, redD, and ptpA genes (see U.S. patent application Serial No. 09/181,833, supra) to activate promoters under their control.

In addition to providing recombinant DNA compounds that encode the FK-520 PKS, the present invention also provides DNA compounds that encode the ethylmalonyl CoA and 2-hydroxymalonyl CoA utilized in the synthesis of FK-520. Thus, the present invention also provides recombinant host cells that express the genes required for the

biosynthesis of ethylmalonyl CoA and 2-hydroxymalonyl CoA. Figures 3 and 4 show the location of these genes on the cosmids of the invention and the biosynthetic pathway that produces ethylmalonyl CoA.

For 2-hydroxymalonyl CoA biosynthesis, the fkbH, fkbI, fkbJ, and fkbK genes are sufficient to confer this ability on Streptomcyces host cells. For conversion of 2-

- hydroxymalonyl to 2-methoxymalonyl, the fkbG gene is also employed. While the complete coding sequence for fkbH is provided on the cosmids of the invention, the sequence for this gene provided herein may be missing a T residue, based on a comparison made with a similar gene cloned from the ansamitocin gene cluster by Dr. H. Floss. Where the sequence herein shows one T, there may be two, resulting in an
- extension of the fkbH reading frame to encode the amino acid sequence:
 MTIVKCLVWDLDNTLWRGTVLEDDEVVLTDEIREVITTLDDRGILQAVASKNDH
 DLAWERLERLGVAEYFVLARIGWGPKSQSVREIATELNFAPTTIAFIDDQPAERA
 EVAFHLPEVRCYPAEQAATLLSLPEFSRPVSTVDSRRRRLMYQAGFARDQAREA
 YSGPDEDFLRSLDLSMTIAPAGEEELSRVEELTLRTSQMNATGVHYSDADLRALL
 TDPAHEVLVVTMGDRFGPHGAVGIILLEKRPSTWHLKLLATSCRVVSEGAGATII
 - TDPAHEVLVVTMGDRFGPHGAVGIILLEKRPSTWHLKLLATSCRVVSFGAGATIL NWLTDQGARAGAHLVADFRRTDRNRMMEIAYRFAGFADSDCPCVSEVAGASA AGVERLHLEPSARPAPTTLTLTAADIAPVTVSAAG.

For ethylmalonyl CoA biosynthesis, one requires only a crotonyl CoA reductase, which can be supplied by the host cell but can also be supplied by recombinant expression of the fkbS gene of the present invention. To increase yield of ethylmalonyl CoA, one can also express the fkbE and fkbU genes as well. While such production can be achieved using only the recombinant genes above, one can also achieve such production by placing into the recombinant host cell a large segment of the DNA provided by the cosmids of the invention. Thus, for 2-hydroxymalonyl and 2-

30 methoxymalonyl CoA biosynthesis, one can simply provide the cells with the segment of

10

15

25

DNA located on the left side of the FK-520 PKS genes shown in Figure 1. For ethylmalonyl CoA biosynthesis, one can simply provide the cells with the segment of DNA located on the right side of the FK-520 PKS genes shown in Figure 1 or, alternatively, both the right and left segments of DNA.

The recombinant DNA expression vectors that encode these genes can be used to construct recombinant host cells that can make these important polyketide building blocks from cells that otherwise are unable to produce them. For example, Streptomyces coelicolor and Streptomyces lividans do not synthesisze ethylmalonyl CoA or 2hydroxymalonyl CoA. The invention provides methods and vectors for constructing recombinant Streptomyces coelicolor and Streptomyces lividans that are able to synthesize either or both ethylmalonyl CoA and 2-hydroxymalonyl CoA. These host cells are thus able to make polyketides, those requiring these substrates, that cannot otherwise be made in such cells.

In a preferred embodiment, the present invention provides recombinant Streptomyces host cells, such as S. coelicolor and S. lividans, that have been transformed with a recombinant vector of the invention that codes for the expression of the ethylmalonyl CoA biosynthetic genes. The resulting host cells produce ethylmalonyl CoA and so are preferred host cells for the production of polyketides produced by PKS enzymes that comprise one or more AT domains specific for ethylmalonyl CoA.

20 Illustrative PKS enzymes of this type include the FK-520 PKS and a recombinant PKS in which one or more AT domains is specific for ethylmalonyl CoA.

In a related embodiment, the present invention provides Streptomyces host cells in which one or more of the ethylmalonyl or 2-hydroxymalonyl biosynthetic genes have been deleted by homologous recombination or rendered inactive by mutation. For example, deletion or inactivation of the fkbG gene can prevent formation of the methoxyl groups at C-13 and C-15 of FK-520 (or, in the corresponding FK-506 producing cell, FK-506), leading to the production of 13,15-didesmethoxy-13,15-dihydroxy-FK-520 (or, in the corresponding FK-506 producing cell, 13,15-didesmethoxy-13,15-dihydroxy-FK-506). If the fkbG gene product acts on 2-hydroxymalonyl and the resulting 2methoxymalonyl substrate is required for incorporation by the PKS, the AT domains of

30

10

15

20

25

30



Atty Dkt: 300622002600

- 82 -

modules 7 and 8 may bind malonyl CoA and methylmalonyl CoA. Such incorporation results in the production of a mixture of polyketides in which the methoxy groups at C-13 and C-15 of FK-520 (or FK-506) are replaced by either hydrogen or methyl.

This possibility of non-specific binding results from the construction of a hybrid PKS of the invention in which the AT domain of module 8 of the FK-520 PKS replaced the AT domain of module 6 of DEBS. The resulting PKS produced, in *Streptomyces lividans*, 6-dEB and 2-desmethyl-6-dEB, indicating that the AT domain of module 8 of the FK-520 PKS could bind malonyl CoA and methylmalonyl CoA substrates. Thus, one could possibly also prepare the 13,15-didesmethoxy-FK-520 and corresponding FK-506 compounds of the invention by deleting or otherwise inactivating one or more or all of the genes required for 2-hydroxymalonyl CoA biosynthesis, i.e., the *fkbH*, *fkbI*, *fkbJ*, and *fkbK* genes. In any event, the deletion or inactivation of one or more biosynthetic genes required for ethylmalonyl and/or 2-hydroxymalonyl production prevents the formation of polyketides requiring ethylmalonyl and/or 2-hydroxymalonyl for biosynthesis, and the resulting host cells are thus preferred for production of polyketides that do not require the same.

The host cells of the invention can be grown and fermented under conditions known in the art for other purposes to produce the compounds of the invention. See, e.g., U.S. Patent Nos. 5,194,378; 5,116,756; and 5,494,820, incorporated herein by reference, for suitable fermentation processes. The compounds of the invention can be isolated from the fermentation broths of these cultured cells and purified by standard procedures. Preferred compounds of the invention include the following compounds: 13-desmethoxy-FK-506; 13-desmethoxy-FK-520; 13,15-didesmethoxy-FK-506; 13-desmethoxy-FK-520; 13-desmethoxy-18-hydroxy-FK-506; 13-desmethoxy-18-hydroxy-FK-520; 13,15-didesmethoxy-18-hydroxy-FK-506; and 13,15-didesmethoxy-18-hydroxy-FK-520. These compounds can be further modified as described for tacrolimus and FK-520 in U.S. Patent Nos. 5,225,403; 5,189,042; 5,164,495; 5,068,323; 4,980,466; and 4,920,218, incorporated herein by reference.

Other compounds of the invention are shown in Figure 8, Parts A and B. In Figure 8, Part A, illustrative C-32-substituted compounds of the invention are shown in two

Atty Dkt: 300622002600

10

15

20

30



columns under the heading R. The substituted compounds are preferred for topical administration and are applied to the dermis for treatment of conditions such as psoriasis. In Figure 8, Part B, illustrative reaction schemes for making the compounds shown in Figure 8, Part A, are provided. In the upper scheme in Figure 8, Part B, the C-32 substitution is a tetrazole moiety, illustrative of the groups shown in the left column under R in Figure 8, Part A. In the lower scheme in Figure 8, Part B, the C-32 substitution is a disubstituted amino group, where R₃ and R₄ can be any group similar to the illustrative groups shown attached to the amine in the right column under R in Figure 8, Part A. While Figure 8 shows the C-32-substituted compounds in which the C-15-

- 83 -

methoxy is present, the invention includes these C-32-substituted compounds in which C-15 is ethyl, methyl, or hydrogen. Also, while C-21 is shown as substituted with ethyl or allyl, the compounds of the invention includes the C-32-substituted compounds in which C-21 is substituted with hydrogen or methyl.

To make these C-32-substituted compounds, Figure 8, Part B, provides illustrative reaction schemes. Thus, a selective reaction of the starting compound (see Figure 8, Part B, for an illustrative starting compound) with trifluoromethanesulfonic anhydride in the presence of a base yields the C-32 O-triflate derivative, as shown in the upper scheme of Figure 8, Part B. Displacement of the triflate with 1H-tetrazole or triazole derivatives provides the C-32 tetrazole or teiazole derivative. As shown in the lower scheme of Figure 8, Part B, reacting the starting compound with p-nitrophenylchloroformate yields the correspoinding carbonate, which, upon displacement with an amino compound, provides the corresponding carbamate derivative.

The compounds can be readily formulated to provide the pharmaceutical compositions of the invention. The pharmaceutical compositions of the invention can be used in the form of a pharmaceutical preparation, for example, in solid, semisolid, or liquid form. This preparation contains one or more of the compounds of the invention as an active ingredient in admixture with an organic or inorganic carrier or excipient suitable for external, enteral, or parenteral application. The active ingredient may be compounded, for example, with the usual non-toxic, pharmaceutically acceptable carriers for tablets, pellets, capsules, suppositories, solutions, emulsions, suspensions, and any

10

15

20

25

30



Atty Dkt: 300622002600

- 84 -

other form suitable for use. Suitable formulation processes and compositions for the compounds of the present invention are described with respect to tacrolimus in U.S. Patent Nos. 5,939,427; 5,922,729; 5,385,907; 5,338,684; and 5,260,301, incorporated herein by reference. Many of the compounds of the invention contain one or more chiral centers, and all of the stereoisomers are included within the scope of the invention, as pure compounds as well as mixtures of stereoisomers. Thus the compounds of the invention may be supplied as a mixture of stereoisomers in any proportion.

The carriers which can be used include water, glucose, lactose, gum acacia, gelatin, mannitol, starch paste, magnesium trisilicate, talc, corn starch, keratin, colloidal silica, potato starch, urea, and other carriers suitable for use in manufacturing preparations, in solid, semi-solid, or liquified form. In addition, auxiliary stabilizing, thickening, and coloring agents and perfumes may be used. For example, the compounds of the invention may be utilized with hydroxypropyl methylcellulose essentially as described in U.S. Patent No. 4,916,138, incorporated herein by reference, or with a surfactant essentially as described in EPO patent publication No. 428,169, incorporated herein by reference.

Oral dosage forms may be prepared essentially as described by Hondo *et al.*, 1987, *Transplantation Proceedings XIX*, Supp. 6: 17-22, incorporated herein by reference. Dosage forms for external application may be prepared essentially as described in EPO patent publication No. 423,714, incorporated herein by reference. The active compound is included in the pharmaceutical composition in an amount sufficient to produce the desired effect upon the disease process or condition.

For the treatment of conditions and diseases relating to immunosuppression or neuronal damage, a compound of the invention may be administered orally, topically, parenterally, by inhalation spray, or rectally in dosage unit formulations containing conventional non-toxic pharmaceutically acceptable carriers, adjuvant, and vehicles. The term parenteral, as used herein, includes subcutaneous injections, and intravenous, intramuscular, and intrasternal injection or infusion techniques.

Dosage levels of the compounds of the present invention are of the order from about 0.01 mg to about 50 mg per kilogram of body weight per day, preferably from

10

15

20

25



Atty Dkt: 300622002600

- 85 -

about 0.1 mg to about 10 mg per kilogram of body weight per day. The dosage levels are useful in the treatment of the above-indicated conditions (from about 0.7 mg to about 3.5 mg per patient per day, assuming a 70 kg patient). In addition, the compounds of the present invention may be administered on an intermittent basis, i.e., at semi-weekly, weekly, semi-monthly, or monthly intervals.

The amount of active ingredient that may be combined with the carrier materials to produce a single dosage form will vary depending upon the host treated and the particular mode of administration. For example, a formulation intended for oral administration to humans may contain from 0.5 mg to 5 g of active agent compounded with an appropriate and convenient amount of carrier material, which may vary from about 5 percent to about 95 percent of the total composition. Dosage unit forms will generally contain from about 0.5 mg to about 500 mg of active ingredient. For external administration, the compounds of the invention can be formulated within the range of, for example, 0.00001% to 60% by weight, preferably from 0.001% to 10% by weight, and most preferably from about 0.005% to 0.8% by weight. The compounds and compositions of the invention are useful in treating disease conditions using doses and administration schedules as described for tacrolimus in U.S. Patent Nos. 5,542,436; 5,365,948; 5,348,966; and 5,196,437, incorporated herein by reference. The compounds of the invention can be used as single therapeutic agents or in combination with other therapeutic agents. Drugs that can be usefully combined with compounds of the invention include one or more immunosuppressant agents such as rapamycin, cyclosporin A, FK-506, or one or more neurotrophic agents.

It will be understood, however, that the specific dosage level for any particular patient will depend on a variety of factors. These factors include the activity of the specific compound employed; the age, body weight, general health, sex, and diet of the subject; the time and route of administration and the rate of excretion of the drug; whether a drug combination is employed in the treatment; and the severity of the particular disease or condition for which therapy is sought.

15

20

Atty Dkt: 300622002600

A detailed description of the invention having been provided above, the following examples are given for the purpose of illustrating the present invention and shall not be construed as being a limitation on the scope of the invention or claims.

5 Example 1

Replacement of Methoxyl with Hydrogen or Methyl at C-13 of FK-520

The C-13 methoxyl group is introduced into FK-520 via an AT domain in extender module 8 of the PKS that is specific for hydroxymalonyl and by methylation of the hydroxyl group by an S-adenosyl methionine (SAM) dependent methyltransferase. Metabolism of FK-506 and FK-520 primarily involves oxidation at the C-13 position into an inactive derivative that is further degraded by host P450 and other enzymes. The present invention provides compounds related in structure to FK-506 and FK-520 that do not contain the C-13 methoxy group and exhibit greater stability and a longer half-life *in vivo*. These compounds are useful medicaments due to their immunosuppressive and neurotrophic activities, and the invention provides the compounds in purified form and as pharmaceutical compositions.

The present invention also provides the novel PKS enzymes that produce these novel compounds as well as the expression vectors and host cells that produce the novel PKS enzymes. The novel PKS enzymes include, among others, those that contain an AT domain specific for either malonyl CoA or methylmalonyl CoA in module 8 of the FK-506 and FK-520 PKS. This example describes the construction of recombinant DNA compounds that encode the novel FK-520 PKS enzymes and the transformation of host cells with those recombinant DNA compounds to produce the novel PKS enzymes and the polyketides produced thereby.

To construct an expression cassette for performing module 8 AT domain replacements in the FK-520 PKS, a 4.6 kb SphI fragment from the FK-520 gene cluster was cloned into plasmid pLitmus 38 (a cloning vector available from New England Biolabs). The 4.6 kb SphI fragment, which encodes the ACP domain of module 7 followed by module 8 through the RR domain, was isolated from an agarose gel after digesting the cosmid pKOS65-C31 with Sph I. The clone having the insert oriented so

10

the single SacI site was nearest to the SpeI end of the polylinker was identified and designated as plasmid pKOS60-21-67. To generate appropriate cloning sites, two linkers were ligated sequentially as follows. First, a linker was ligated between the SpeI and SacI sites to introduce a BglII site at the 5' end of the cassette, to eliminate interfering polylinker sites, and to reduce the total insert size to 4.5 kb (the limit of the phage KC515). The ligation reactions contained 5 picomolar unphosphorylated linker DNA and 0.1 picomolar vector DNA, i.e., a 50-fold molar excess of linker to vector. The linker had the following sequence:

5'-CTAGTGGGCAGATCTGGCAGCT-3'
3'-ACCCGTCTAGACCG-5'

The resulting plasmid was designated pKOS60-27-1.

Next, a linker of the following sequence was ligated between the unique SphI and AfIII sites of plasmid pKOS60-27-1 to introduce an NsiI site at the 3' end of the module 8 cassette. The linker employed was:

To allowin-frame insertions of alternative AT domains, sites were engineered at

5'-GGGATGCATGGC-3'
3'-GTACCCCTACGTACCGAATT-5'

The resulting plasmid was designated pKOS60-29-55.

the 5' end (Avr II or Nhe I) and 3' end (Xho I) of the AT domain using the polymerase
chain reaction (PCR) as follows. Plasmid pKOS60-29-55 was used as a template for the
PCR and sequence 5' to the AT domain was amplified with the primers SpeBgl-fwd and
either Avr-rev or Nhe-rev:

SpeBgl-fwd 5'-CG\CTCACTAGTGGGCAGATCTGG-3'

Avr-rev 5'-CACGCCTAGGCCGGTCGGTCTCGGGCCAC-3'

25 Nhe-rev 5'-GCGGCTAOCTGCTCGCCCATCGCGGGATGC-3'

The PCR included, in a 50 μ l reaction, 5 μ l of 10x Pfu polymerase buffer (Stratagene), 5 μ l 10x z-dNTP mixture (2 mM dATP, 2 mM dCTP, 2 mM dTTP, 1 mM dGTP, 1 mM 7-deaza-GTP), 5 μ l DMSO, 2 μ l of each primer (10 μ M), 1 μ l of template DNA (0.1 μ g/ μ l), and 1 μ l of cloned Pfu polymerase (Stratagene). The PCR conditions were 95°C for 2 min., 25 cycles at 95°C for 30 sec., 60°C for 30 sec., and 72°C for 4

30

min., followed by 4 min. at 72°C and a hold at 0°C. The amplified DNA products and the Litmus vectors were cut with the appropriate restriction enzymes (*Bgl*II and *Avr*II or *Spe*I and *Nhe*I), and cloned into either pLitmus 28 or pLitmus 38 (New England Biolabs), respectively, to generate the constructs designated pKOS60-37-4 and pKOS60-37-2, respectively.

Plasmid pKOS60-29-55 was again used as a template for PCR to amplify sequence 3' to the AT domain using the primers BsrXho-fwd and NsiAfl-rev:


BsrXho-fwd 5'-GATGTACAGCTCGAGTCGGCACGCCCGGCCGCATC-3'
NsiAfl-rev 5'-CGACTCACTTAAGCCATGCATCC-3'

PCR conditions were as described above. The PCR fragment was cut with BsrGI and AfIII, gel isolated, and ligated into pKOS60-37-4 cut with Asp718 and AfIII and inserted into pKOS60-37-2 cut with BsrGI and AfIII, to give the plasmids pKOS60-39-1 and pKOS60-39-13, respectively. These two plasmids can be digested with AvrII and XhoI or NheI and XhoI, respectively, to insert heterologous AT domains specific for malonyl, methylmalonyl, ethylmalonyl, or other extender units.

Malonyl and methylmalonyl-specific AT domains were cloned from the rapamycin cluster using PCR amplification with a pair of primers that introduce an *AvrII* or *NheI* site at the 5' end and an *XhoI* site at the 3' end. The PCR conditions were as given above and the primer sequences were as follows:

RATN1 5'-ATCCTAGGCGGGCRGGYGTGTCGTCCTTCGG-3'
(3' end of Rap KS sequence and universal for malonyl and methylmalonyl CoA),
RATMN2 5'-ATGCTAGCCGCGGGGTTCCCCGTCTTCGCGCG-3'
(Rap AT shorter version 5'- sequence and specific for malonyl CoA),

25 RATMMN2 5'-ATGCTAGCGGATTCGTCGGTGGTGTTCGCCGA-3'
(Rap AT shorter version 5'- sequence and specific for methylmalonyl CoA), and RATC 5'-ATCTCGAGCCAGTASCGCTGGTGYTGGAAGG-3'
(Rap DH 5'- sequence and universal for malonyl and methylmalonyl CoA).



Because of the high sequence similarity in each module of the rapamycin cluster, each primer was expected to prime any of the AT domains. PCR products representing ATs specific for malonyl or methylmalonyl extenders were identified by sequencing individual cloned PCR products. Sequencing also confirmed that the chosen clones contained no cloning artifacts. Examples of hybrid modules with the rapamycin AT12 and AT13 domains are shown in a separate figure.


The AvrII-Xhol restriction fragment that encodes module 8 of the FK-520 PKS with the endogenous AT domain replaced by the AT domain of module 12 of the rapamycin PKS has the DNA sequence and encodes the amino acid sequence shown below. The AT of rap module 12 is specific for incorporation of malonyl units.


20 AGATCTGGCAGCTCGCCGAAGCGCTGCTGACGCTCCGGGAGAGCACC 50 WQLAEALLT L V GCCGCCGTGCTCGGCCACGTGGGTGGCGAGGACATCCCCGCGACGGCGGC 100 LGHVGG Ε D Ι GTTCAAGGACCTCGGCATCGACTCGCTCACCGCGGTCCAGCTGCGCAACG 150 25 S L KDLGI D T V Α Q L CCCTCACCGAGGCGACCGGTGTGCGGCTGAACGCCACGGCGGTCTTCGAC 200 EATGV R L N TTCCCGACCCCGCACGTGCTCGCCGGGAAGCTCGGCGACGAACTGACCGG 250 FPTPHVLAG K L G D Ε 30 CACCCGCGCCCCGTCGTGCCCCGGACCGCGGCCACGGCCGGTGCGCACG 300 RAPVV P R Т Α Α Т Α G ACGAGCCGCTGGCGATCGTGGGAATGGCCTGCCGGCTGCCCGGCGGGGTC 350 PLAIV G M Α R GCGTCACCCGAGGAGCTGTGGCACCTCGTGGCATCCGGCACCGACGCCAT 400 35 Ε V L W Н L Α G CACGGAGTTCCCGACGGACCGCGGCTGGGACGTCGACGCGATCTACGACC 450 P T D R G W D V D Α Ι CGGACCCCGACGCGATCGGCAAGACCTTCGTCCGGCACGGTGGCTTCCTC 500 Ι G K 40 ACCGGCGCGACAGGCTTCGACGCGCGCGTTCTTCGGCATCAGCCCGCGCGA 550 GFDAA GAT F F G Ι GGCCCTCGCGATGGACCCGCAGCAGCGGGTGCTCCTGGAGACGTCGTGGG 600 ALAMDPQORVL L Ε T AGGCGTTCGAAAGCGCCGGCATCACCCCGGACTCGACCCGCGGCAGCGAC 650



- 90 -

	E A F E S A G I T P D S T R G S D ACCGGCGTGTCGCGCCCTTCTCCTACGGTTACGGCACCGGTGCGGA	700
	T G V F V G A F S Y G Y G T G A D	
5	CACCGACGGCTTCGGCGCGCCGCCGCCGCCGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCTCGGCCCAGACCAGTGTGCTCTCTCAGACACAGACCAGTGTGCTCTCTCCGGCCCTCGCAGACCAGTGTGCTCTCTCGGCCCTCTCTCAGACACAGACCAGTGTGCTCTCTCCGGCCCTCTCTCAGACACACAC	750
	GGCTGTCGTACTTCTACGGTCTGGAGGGTCCGGCGGTCACGGTCGACACG R L S Y F Y G L E G P A V T V D T	800
	GCGTGTTCGTCGCTGGTGGCGCTGCACCAGGCCGGGCAGTCGCTGCG A C S S S L V A L H Q A G Q S L R	850
10	CTCCGGCGAATGCTCGCCCTGGTCGGCGGCGTCACGGTGATGGCGT S G E C S L A L V G G V T V M A	900
	CTCCCGGCGGCTTCGTGGAGTTCTCCCGGCAGCGCGGCCTCGCGCCGGAC S P G G F V E F S R Q R G L A P D	950
	GGCCGGGCGAAGGCGTTCGCCGA	1000
15	G R A K A F G A G A D G T S F A E GGGTGCCGGTGTGCTGATCGTCGAGGGCTCTCCGACGCCGAACGCAACG	1050
	G A G V L I V E R L S D A E R N GTCACACCGTCCTGGCGGTCGTCGTGGTTCGGCGGTCAACCAGGATGGT	1100
20	G H T V L A V V R G S A V N Q D G GCCTCCAACGGCTGTCGCCGCCGAACGGCCGTCGCAGGAGCGGGTGAT	1150
	A S N G L S A P N G P S Q E R V I CCGGCAGGCCCTGGCCAACGCCGGGCTCACCCCGGCGGACGTGGACGCCG R O A L A N A G L T P A D V D A	1200
25	TCGAGGCCCACGGCACCAGGCTGGGCGACCCCATCGAGGCACAG V E A H G T G T R L G D P I E A Q	1250
23	GCGGTACTGGCCACCTACGGACAGGAGCGCGCCACCCCCTGCTGCTGGG A V L A T Y G Q E R A T P L L L G	1300
	CTCGCTGAAGTCCAACATCGGCCACGCCCAGGCCGCGTCCGGCGTCGCCG	1350
30	GCATCATCAAGATGGTGCAGGCCCTCCGGCACGGGGAGCTGCCGCCGACG	1400
	·-	1450
35	CGAACTGCTGACGTCGGCCCGGCCTGGCCCGAGACCGACC	1500
33	GGGCAGGCGTGTCGTCCTTCGGGATCAGTGGCACCAACGCCCACGTCATC R A G V S S F G I S G T N A H V I	1550
	CTGGAAAGCGCACCCCCACTCAGCCTGCGGACAACGCGGTGATCGAGCG L E S A P P T Q P A D N A V I E R	1600
40	GGCACCGGAGTGGGTGCCGTTGGTGATTTCGGCCAGGACCCAGTCGGCTT A P E W V P L V I S A R T Q S A	1650
	TGACTGAGCACGAGGCCGGTTGCGTGCGTATCTGGCGGCGTCGCCCGGG L T E H E G R L R A Y L A A S P G	1700
45	GTGGATATGCGGGCTGTGGCATCGACGCTGGCGATGACACGGTCGGT	1750
	CGAGCACCGTGCCGCTGCTGGGAGATGACACCGTCACCGGCACCGCTG E H R A V L L G D D T V T G T A	1800
	TGTCTGACCCTCGGGCGGTGTTCGTCTTCCCGGGACAGGGGTCGCAGCGTVSDPRAVFVFPGQGSQGTCGCAGCGT	1850
50	GCTGGCATGGGTGAGGAACTGGCCGCGCGTTCCCCGTCTTCGCGCGGAT A G M G E E L A A A F P V F A R I	1900
	CCATCAGCAGGTGTGGGACCTGCTCGATGTGCCCGATCTGGAGGTGAACG H Q Q V W D L L D V P D L E V N	1950
	AGACCGGTTACGCCCAGCCGGCCCTGTTCGCAATGCAGGTGGCTCTGTTC	2000







The AvrII-XhoI restriction fragment that encodes module 8 of the FK-520 PKS with the endogenous AT domain replaced by the AT domain of module 13 (specific for

methylmalonyl CoA) of the rapamycin PKS has the DNA sequence and encodes the amino acid sequence shown below.

AGATCTGGCAGCTCGCCGAAGCGCTGCTGACGCTCGTCCGGGAGAGCACC 50 QLAEALLTLVREST GCCGCCGTGCTCGGCCACGTGGGTGGCGAGGACATCCCCGCGACGGCGGC 100 AAVLGHVGGEDIPATAA GTTCAAGGACCTCGGCATCGACTCGCTCACCGCGGTCCAGCTGCGCAACG 150 F K. D L G I D S L T A V Q L R N CCCTCACCGAGGCGACCGGTGTGCGGCTGAACGCCACGGCGGTCTTCGAC 200 10 ALTEATGVRLNATAVFD TTCCCGACCCGCACGTGCTCGCCGGGAAGCTCGGCGACGAACTGACCGG 250 F P T P H V L A G K L G D E L T G CACCCGCGCGCCGTCGTGCCCCGGACCGCGGCCACGGCCGGTGCGCACG 300 TRAPVVPRTAATAGAH ACGAGCCGCTGGCGATCGTGGGAATGGCCTGCCGGCTGCCCGGCGGGGTC 350 DEPLAIVGMACRLPGGV GCGTCACCCGAGGAGCTGTGGCACCTCGTGGCATCCGGCACCGACGCCAT 400 A S P E E L W H L V A S G T D A I CACGGAGTTCCCGACGGACCGCGGCTGGGACGTCGACGCGATCTACGACC 450 20 TEFPTDRGWDVDAIYD CGGACCCCGACGCGATCGGCAAGACCTTCGTCCGGCACGGTGGCTTCCTC 500 PDPDAIGKTFVRHGGFL ACCGGCGCGACAGGCTTCGACGCGGCGTTCTTCGGCATCAGCCCGCGCGA 550 TGATGFDAAFFGISPRE GGCCCTCGCGATGGACCCGCAGCAGCGGGTGCTCCTGGAGACGTCGTGGG 600 ALAMDPQQRVLLETSW AGGCGTTCGAAAGCGCCGGCATCACCCCGGACTCGACCCGCGGCAGCGAC 650 EAFESAGITPDSTRGSD ACCGGCGTGTTCGTCGGCGCCTTCTCCTACGGTTACGGCACCGGTGCGGA 700 30 TGVFVGAFSYGYGTGAD CACCGACGCTTCGGCGCGACCGGCTCGCAGACCAGTGTGCTCTCCGGCC 750 T D G F G A T G S Q T S V L S G GGCTGTCGTACTTCTACGGTCTGGAGGGTCCGGCGGTCACGGTCGACACG 800 RLSYFYGLEGPAVTVDT 35 GCGTGTTCGTCGCTGGTGGCGCTGCACCAGGCCGGCAGTCGCTGCG 850 A C S S S L V A L H Q A G Q S L R CTCCGGCGAATGCTCGCCCTGGTCGGCGGCGTCACGGTGATGGCGT 900 SGECSLALVGGVTVMA CTCCCGGCGGCTTCGTGGAGTTCTCCCGGCAGCGCGGCCTCGCGCCGGAC 950 40 P G G F V E F S R Q R G L A P D GGCCGGGCGAAGGCGTTCGGCGGGGTGCGGACGGCACGAGCTTCGCCGA 1000 G R A K A F G A G A D G T S F A E GGGTGCCGGTGTGCTGATCGTCGAGAGGCTCTCCGACGCCGAACGCAACG 1050 G A G V L I V E R L S D A E R N 45 GTCACACCGTCCTGGCGGTCGTCCGTGGTTCGGCGGTCAACCAGGATGGT 1100 G H T V L A V V R G S A V N Q D G GCCTCCAACGGGCTGTCGGCGCCGAACGGGCCGTCGCAGGAGCGGGTGAT 1150 A S N G L S A P N G P S Q E R V I CCGGCAGGCCCTGGCCAACGCCGGGGCTCACCCCGGCGGACGTGGACGCCG 1200 50 RQALANAGLTPADVDA TCGAGGCCCACGGCACCGGCACCAGGCTGGGCGACCCCATCGAGGCACAG 1250 V E A H G T G T R L G D P I E A Q





ACCACCACCCACCACCACCCCCTCAACCCCGAACACGCCATCAT 4000 TTPPTTTPLNPEHAI ITGGSGTLAG ILARHL 5 ACCACCCCACACCTACCTCTCTCCCGCACCCCACCCCCGACGCCACC 4100 NHPHTYLLSRTP P Ρ DAT CCCGGCACCCACCTCCCCTGCGACGTCGGCGACCCCCACCAACTCGCCAC 4150 GTHLPC. D V G Ρ CACCCTCACCCACATCCCCCAACCCCTCACCGCCATCTTCCACACCGCCG 4200 10 TLTHI PQPL T Α Ι F CCACCCTCGACGACGGCATCCTCCACGCCCTCACCCCGACCGCCTCACC 4250 TLDDGILHAL Т Ρ D R L T ACCGTCCTCCACCCCAAAGCCAACGCCGCCTGGCACCTCACCCTCAC 4300 TVLHPKANAAW 15 CCAAAACCAACCCTCACCCACTTCGTCCTCTACTCCAGCGCCGCCGCCG 4350 QNQPLTHFVLY S SAAA TCCTCGGCAGCCCCGGACAAGGAAACTACGCCGCCGCCAACGCCTTCCTC 4400 V L G S P G Q G N Y A A A N A F L 20 ALATHRHT L G Q PATSI CGCCTGGGGCATGTGGCACACCACCACCACCACCGGACAACTCGACG 4500 AWGMWH Т Ţ S Т L Т G 0 ACGCCGACCGGGACCGCATCCGCCGCGGGGGTTTCCTCCCGATCACGGAC 4550 DADRDRI RRGGF L PITD 25 GACGAGGCATGGGGATGCAT DEG

The NheII-XhoI restriction fragment that encodes module 8 of the FK-520 PKS with the endogenous AT domain replaced by the AT domain of module 12 (specific for malonyl CoA) of the rapamycin PKS has the DNA sequence and encodes the amino acid sequence shown below.


QLAEALLTLVRE GCCGCCGTGCTCGGCCACGTGGGTGGCGAGGACATCCCCGCGACGGCGGC 100 35 AAVLGHVGG Ε D I. PATAA GTTCAAGGACCTCGCCATCGACTCGCTCACCGCGGTCCAGCTGCGCAACG 150 FKDLGIDSLTA V OLRN CCCTCACCGAGGCGACCGGTGTGCGGCTGAACGCCACGGCGGTCTTCGAC 200 EATGVRLN A T AVFD 40 TTCCCGACCCCGCACGTGCTCGCCGGGAAGCTCGGCGACGAACTGACCGG 250 PTPHVLAG K L G D E CACCCGCGCGCCCGTCGTGCCCCGGACCGCGGCCACGGCCGGTGCGCACG 300 RAPVVPRT A A T AGAH ACGAGCCGCTGGCGATCGTGGGAATGGCCTGCCGGCTGCCCGGCGGGGTC 350 45 DEPLAIVGMACRLPGGV GCGTCACCCGAGGAGCTGTGGCACCTCGTGGCATCCGGCACCGACGCCAT 400 ASPEELWHLVASGTDAI CACGGAGTTCCCGACGGACCGCGGCTGGGACGTCGACGCGATCTACGACC 450 E F P T D R G W D V D A I Y D 50 CGGACCCCGACGCGATCGGCAAGACCTTCGTCCGGCACGGTGGCTTCCTC 500


AGATCTGGCAGCTCGCCGAAGCGCTGCTGACGCTCCGCGGAGAGCACC 50

P A T E N T Atty Dkt: 300622002600



	P D P D A I G K T F V R H G G F L ACCGGCGCGACAGGCTTCGACGCGCGTTCTTCGGCATCAGCCCGCGCGA	550
	T G A T G F D A A F F G I S P R E GGCCCTCGCGATGGACCCGCAGCAGCGGGTGCTCCTGGAGACGTCGTGGG	600
5	ALAMDPQQRVLLETSW	
	AGGCGTTCGAAAGCGCCGGCATCACCCCGGACTCGACCCGCGCAGCGAC E A F E S A G I T P D S T R G S D	650
	ACCGGCGTGTTCGTCGGCGCCTTCTCCTACGGTTACGGCACCGGTGCGGA T G V F V G A F S Y G Y G T G A D	700
10	CACCGACGGCTTCGGCGCGACCGGCTCGCAGACCAGTGTGCTCTCCGGCC T D G F G A T G S Q T S V L S G	750
	${\tt GGCTGTCGTACTTCTACGGTCTGGAGGGTCCGGCGGTCACGGTCGACACG}$	800
	R L S Y F Y G L E G P A V T V D T GCGTGTTCGTCGCTGGTGGCGCTGCACCAGGCCGGCAGTCGCTGCG	850
15	A . C S S S L V A L H Q A G Q S L R CTCCGGCGAATGCTCGCCCTGGTCGGCGGCGTCACGGTGATGGCGT \ensuremath{R}	900
	S G E C S L A L V G G V T V M A CTCCCGGCGGCTTCGTGGAGTTCTCCCGGCAGCGCGGCCTCGCGCCGGAC	950
20	S P G G F V E F S R Q R G L A P D GGCCGGGCGAAGGCGTTCGCCGA	1000
		1050
25		1100
25	G H T V L A V V R G S A V N Q D G GCCTCCAACGGGCTGTCGGCGCCGAACGGGCCGTCGCAGGAGCGGTGAT	1150
		1200
30	R Q A L A N A G L T P A D V D A TCGAGGCCCACGGCACCGGCACCAGGCTGGGCGACCCCATCGAGGCACAG	1250
	V E A H G T G T R L G D P I E A Q GCGGTACTGGCCACCTACGGACAGGAGCGCCACCCCCCTGCTGCTGGG	
	A V L A T Y G Q E R A T P L L L G CTCGCTGAAGTCCAACATCGGCCACGCCCAGGCCGCCTCCGGCGTCGCCG	1350
35	S L K S N I G H A Q A A S G V A	
	GCATCATCAAGATGGTGCAGGCCCTCCGGCACGGGGAGCTGCCGCCGACG G I I K M V Q A L R H G E L P P T	
	CTGCACGCCGACGAGCCGTCGCCGCGCGCGCGCGCCGT L H A D E P S P H V D W T A G A V	1450
40	CGAACTGCTGACGTCGGCCCGGCCGTGGCCCGAGACCGACC	1500
	GTGCCGCCGTCTCCTCGTTCGGGGTGAGCGCACCAACGCCCACGTCATC R A A V S S F G V S G T N A H V I	1550
4.5	CTGGAGGCCGGACCGGTAACGGAGACGCCCGCGGCATCGCCTTCCGGTGA	1600
45	L E A G P V T E T P A A S P S G D CCTTCCCCTGCTGGTGTCGCCGCTCACCGGAAGCGCTCGACGAGCAGA	1650
	L P L L V S A R S P E A L D E Q TCCGCCGACTGCGCGCCTACCTGGACACCACCCCGGACGTCGACCGGTG	1700
50	I R R L R A Y L D T T P D V D R V GCCGTGGCACAGACGCTGGCCCGGCGCACACACTTCGCCCACCGCGCGT	1750
	A V A Q T L A R R T H F A H R A V GCTGCTCGGTGACACCGTCATCACCACACCCCCGCGGACCGGCCCGACG L L G D T V I T T P P A D R P D	1800
	AACTCGTCTTCGTCTACTCCGGCCAGGGCACCCAGCATCCCGCGATGGGC	1850





dc-176500


The NheII-XhoI restriction fragment that encodes module 8 of the FK-520 PKS with the endogenous AT domain replaced by the AT domain of module 13 (specific for methylmalonyl CoA) of the rapamycin PKS has the DNA sequence and encodes the amino acid sequence shown below.

5 AGATCTGGCAGCTCGCCGAAGCGCTGCTGACGCTCGTCCGGGAGAGCACC 50 QLAEALLTLVREST GCCGCCGTGCTCGGCCACGTGGGTGGCGAGGACATCCCCGCGACGGCGGC 100 AAVLGHVG G Ε D Ι PATAA GTTCAAGGACCTCGGCATCGACTCGCTCACCGCGGTCCAGCTGCGCAACG 150 10 FKDLGIDSL Т Α CCCTCACCGAGGCGACCGGTGTGCGGCTGAACGCCACGGCGGTCTTCGAC 200 ALTEATGVRLNATAVFD TTCCCGACCCCGCACGTGCTCGCCGGGAAGCTCGGCGACGAACTGACCGG 250 F P T P H V L A G K L G D E L T G 15 CACCCGCGCCCCGTCGTGCCCCGGACCGCGGCCACGGCCGGTGCGCACG 300 TRAPVVPRTAATAGAH ACGAGCCGCTGGCGATCGTGGGAATGGCCTGCCGGCTGCCCGGCGGGGTC 350 D E P L A I V G M A C R L P G G V GCGTCACCCGAGGAGCTGTGGCACCTCGTGGCATCCGGCACCGACGCCAT 400 20 ASPEELWHLVASGTDAI CACGGAGTTCCCGACGGACCGCGGCTGGGACGTCGACGCGATCTACGACC 450 TEFPTDRGWDVDAIYD CGGACCCCGACGCGATCGGCAAGACCTTCGTCCGGCACGGTGGCTTCCTC 500 PDPDAIGK T F V RHGGFL 25 ACCGGCGCGACAGGCTTCGACGCGGCGTTCTTCGGCATCAGCCCGCGCGA 550 G A T G F D A A F FGISPRE GGCCCTCGCGATGGACCCGCAGCAGCGGGTGCTCCTGGAGACGTCGTGGG 600 ALAMDPQQRVLLETSW AGGCGTTCGAAAGCGCCGGCATCACCCCGGACTCGACCCGCGGCAGCGAC 650 30 EAFESAGI P D S ACCGGCGTGTTCGTCGGCGCCTTCTCCTACGGTTACGGCACCGGTGCGGA 700 TGVFVGAFSYGYGTGAD CACCGACGGCTTCGGCGCGCCCGGCTCGCAGACCAGTGTGCTCTCCGGCC 750 TDGFGATGSQT S V L 35 GGCTGTCGTACTTCTACGGTCTGGAGGGTCCGGCGGTCACGGTCGACACG 800 RLSYFYGLEGPAV GCGTGTTCGTCGCTGGTGGCGCTGCACCAGGCCGGGCAGTCGCTGCG 850 C S S S L V A L H Q A G Q S L R CTCCGGCGAATGCTCGCCCTGGTCGGCGGCGTCACGGTGATGGCGT 900 40 SGECSLALVGGVTVMA CTCCCGGCGGCTTCGTGGAGTTCTCCCGGCAGCGCGGCCTCGCGCCGGAC 950 SPGGFVEFSRQRGLAPD GGCCGGGCGAAGGCGTTCGGCGGGGGGGGGGCACGAGCTTCGCCGA 1000 G R A K A F G A G A D G T S F A E 45 GGGTGCCGGTGTGCTGATCGTCGAGAGGCTCTCCGACGCCGAACGCAACG 1050 GAGVLIVERLSDAERN GTCACACCGTCCTGGCGGTCGTCCGTGGTTCGGCGGTCAACCAGGATGGT 1100 GHTVLAVV R G S A V N Q D G GCCTCCAACGGGCTGTCGGCGCCGAACGGGCCGTCGCAGGAGCGGGTGAT 1150 50 SNGLSAPNGP SQERVI



- 101 -

	CCGGCAGGCCCTGGCCAACGCCGGGCTCACCCCGGCGGACGTGGACGCCG R Q A L A N A G L T P A D V D A	1200
	TCGAGGCCCACGGCACCAGGCTGGGCGACCCCATCGAGGCACAG	1250
5	V E A H G T G T R L G D P I E A Q GCGGTACTGGCCACCTACGGACAGGAGCGCCACCCCCTGCTGCTGGG A V L A T Y G Q E R A T P L L L G	1300
	CTCGCTGAAGTCCAACATCGGCCACGCCCCAGGCCGCGTCCGCCGCGTCGCCG S L K S N I G H A Q A A S G V A	1350
10		1400
10		1450
		1500
15	GTGCCGCCGTCTCCTCGTTCGGGGTGAGCGGCACCAACGCCCACGTCATC R A A V S S F G V S G T N A H V I	1550
	CTGGAGGCCGGACCGGTAACGGAGACGCCCGCGGCATCGCCTTCCGGTGA L E A G P V T E T P A A S P S G D	1600
20	CCTTCCCCTGCTGGTGTCGGCACGCTCACCGGAAGCGCTCGACGAGCAGA L P L L V S A R S P E A L D E Q	1650
	TCCGCCGACTGCGCCTACCTGGACACCACCCCGGACGTCGACCGGGTG I R R L R A Y L D T T P D V D R V	
	A V A Q T L A R R T H F A H R A V	1750
25	GCTGCTCGGTGACACCGTCATCACCACACCCCCGCGGACCGGCCCGACG L L G D T V I T T P P A D R P D	
	E L V F V Y S G Q G T Q H P A M G	1850
30	GAGCAGCTAGCCGATTCGTCGGTGGTGTTCGCCGAGCGGATGGCCGAGTG E Q L A D S S V V F A E R M A E C	1900
	AAALREFVDWDLFTVL	1950
35	ATGATCCGGCGGTGGTCGACCGGGTTGATGTGGTCCAGCCCGCTTCCTGG D D P A V V D R V D V V Q P A S W	
33	GCGATGATGGTTTCCCTGGCCGCGGTGTGCGCCCAA M M V S L A A V W Q A A G V R P GGATGCGGTGATCGCCATTCGCAGGGTGAGATCGCCGCAGCTTGTGTGG	
	D A V I G H S Q G E I A A A C V	2150
40	A G A V S L R D A A R I V T L R S CAGGCGATCGCCCGGGGCCTGGCGGCCGGGGCGCGATGGCATCCGTCGC	
	Q A I A R G L A G R G A M A S V A CCTGCCCGCGCAGGATGTCGAGCTGGTCGACGGGGCCTGGATCGCCGCCC	•
45	L P A Q D V E L V D G A W I A A ACAACGGGCCCGCCTCCACCGTGATCGCGGGCACCCCGGAAGCGGTCGAC	
	H N G P A S T V I A G T P E A V D CATGTCCTCACCGCTCATGAGGCACAAGGGGTGCGGGTGCGGCGGATCAC	
,	H V L T A H E A Q G V R V R R I T CGTCGACTATGCCTCGCACACCCCGCACGTCGAGCTGATCCGCGACGAAC	2400
50	V D Y A S H T P H V E L I R D E TACTCGACATCACTAGCGACAGCAGCTCGCAGACCCCGCTCGTGCCGTGG	
	L L D I T S D S S S Q T P L V P W CTGTCGACCGTGGACGGCACCTGGGTCGACAGCCCGCTGGACGGGGAGTA	2500
	LSTVDGTWVDSPLDGEY	



35

40



- 103 -

TLDHPHLRL T H Н HPHLTPLH Т Т Т P Ρ CCCCTCAACCCCGAACACGCCATCATCATCACCGGCGGCTCCGGCACCCT 4000 PEHAI ΙI Т GGSGT AGILARHLN н р н т CCCGCACCCCACCCCCGACGCCACCCCGGCACCCACCTCCCCTGCGAC 4100 10 RTPPPDATPGTHLPCD GTCGGCGACCCCACCACTCGCCACCCTCACCCACATCCCCCAACC 4150 GDPHOLAT T L T Н Р I CCTCACCGCCATCTTCCACACCGCCGCCACCCTCGACGACGGCATCCTCC 4200 н т Α Α Т L. D 15 ACGCCCTCACCCCGACCGCCTCACCACCGTCCTCCACCCCAAAGCCAAC 4250 PDRLT Т V L Н GCCGCCTGGCACCTCACCCAAAACCAACCCCTCACCACTT 4300 AAWHLHHLT 0 N 0 Ρ L CGTCCTCTACTCCAGCGCCGCCGCCGTCCTCGGCAGCCCCGGACAAGGAA 4350 20 V L Y S S A A A V L G S G Y A A A N A F L DALAT ACCCTCGGCCAACCCGCCACCTCCATCGCCTGGGGCATGTGGCACACCAC 4450 LGQPATSIAWGMWH 25 CAGCACCCTCACCGGACAACTCGACGACGCCGACCGGGACCGCATCCGCC 4500 LTGQLD D ADRDRIR GCGGCGGTTTCCTCCCGATCACGGACGACGAGGGCATGGGGATGCAT L P Ι Т D

Phage KC515 DNA was prepared using the procedure described in Genetic Manipulation of *Streptomyces*, A Laboratory Manual, edited by D. Hopwood *et al.* A phage suspension prepared from 10 plates (100 mm) of confluent plaques of KC515 on *S. lividans* TK24 generally gave about 3 µg of phage DNA. The DNA was ligated to circularize at the cos site, subsequently digested with restriction enzymes *Bam*HI and *Pst*I, and dephosphorylated with SAP.

Each module 8 cassette described above was excised with restriction enzymes *BgI*II and *Nsi*I and ligated into the compatible *Bam*HI and *Pst*I sites of KC515 phage DNA prepared as described above. The ligation mixture containing KC515 and various cassettes was transfected into protoplasts of *Streptomyces lividans* TK24 using the procedure described in Genetic Manipulation of *Streptomyces*, A Laboratory Manual edited by D. Hopwood *et al.* and overlaid with TK24 spores. After 16-24 hr, the plaques were restreaked on plates overlaid with TK24 spores. Single plaques were picked and resuspended in 200 μL of nutrient broth. Phage DNA was prepared by the boiling method

15

20

25

(Hopwood et al., supra). The PCR with primers spanning the left and right boundaries of the recombinant phage was used to verify the correct phage had been isolated. In most cases, at least 80% of the plaques contained the expected insert. To confirm the presence of the resistance marker (thiostrepton), a spot test is used, as described in Lomovskaya et al. (1997), in which a plate with spots of phage is overlaid with mixture of spores of TK24 and phiC31 TK24 lysogen. After overnight incubation, the plate is overlaid with antibiotic in soft agar. A working stock is made of all phage containing desired

Streptomyces hygroscopicus ATCC 14891 (see US Patent No. 3,244,592, issued 5 Apr 1966, incorporated herein by reference) mycelia were infected with the recombinant phage by mixing the spores and phage (1 x 10⁸ of each), and incubating on R2YE agar (Genetic Manipulation of Streptomyces, A Laboratory Manual, edited by D. Hopwood et al.) at 30°C for 10 days. Recombinant clones were selected and plated on minimal medium containing thiostrepton (50 µg/ml) to select for the thiostrepton resistance-conferring gene. Primary thiostrepton resistant clones were isolated and purified through a second round of single colony isolation, as necessary. To obtain thiostrepton-sensitive revertants that underwent a second recombination event to evict the phage genome, primary recombinants were propagated in liquid media for two to three days in the absence of thiostrepton and then spread on agar medium without thiostrepton to obtain spores. Spores were plated to obtain about 50 colonies per plate, and thiostrepton sensitive colonies were identified by replica plating onto thiostrepton containing agar medium. The PCR was used to determine which of the thiostrepton sensitive colonies reverted to the wild type (reversal of the initial integration event), and which contain the desired AT swap at module 8 in the ATCC 14891-derived cells. The PCR primers used amplified either the KS/AT junction or the AT/DH junction of the wild-type and the desired recombinant strains. Fermentation of the recombinant strains, followed by isolation of the metabolites and analysis by LCMS, and NMR is used to characterize the novel polyketide compounds.

constructs.

10

15

20

Atty Dkt: 300622002600

- 105 -

Example 2

Replacement of Methoxyl with Hydrogen or Methyl at C-13 of FK-506

The present invention also provides the 13-desmethoxy derivatives of FK-506 and the novel PKS enzymes that produce them. A variety of *Streptomyces* strains that produce FK-506 are known in the art, including *S. tsukubaensis* No. 9993 (FERM BP-927), described in U.S. Patent No. 5,624,852, incorporated herein by reference; *S. hygroscopicus* subsp. *yakushimaensis* No. 7238, described in U.S. patent No. 4,894,366, incorporated herein by reference; *S.* sp. MA6858 (ATCC 55098), described in U.S. Patent Nos. 5,116,756, incorporated herein by reference; and *S.* sp. MA 6548, described in Motamedi *et al.*, 1998, "The biosynthetic gene cluster for the macrolactone ring of the immunosuppressant FK-506," *Eur. J. Biochem. 256*: 528-534, and Motamedi *et al.*, 1997, "Structural organization of a multifunctional polyketide synthase involved in the biosynthesis of the macrolide immunosuppressant FK-506," *Eur. J. Biochem. 244*: 74-80, each of which is incorporated herein by reference.


The complete sequence of the FK-506 gene cluster from *Streptomyces* sp. MA6548 is known, and the sequences of the corresponding gene clusters from other FK-506-producing organisms is highly homologous thereto. The novel FK-506 recombinant gene clusters of the present invention differ from the naturally occurring gene clusters in that the AT domain of module 8 of the naturally occurring PKSs is replaced by an AT domain specific for malonyl CoA or methylmalonyl CoA. These AT domain replacements are made at the DNA level, following the methodology described in Example 1.

The naturally occurring module 8 sequence for the MA6548 strain is shown below, followed by the illustrative hybrid module 8 sequences for the MA6548 strains.

25 GCATGCGGCTGTACGAGGCGCACGGCGCACCGGAAGTCCCGTGGTGGTG 50 MRLYEA ARRTGS GCGGCCGCGCTCGACGACGCGCGGGACGTGCCGCTGCTGCGCGGGCTGCG 100 AAAL D D A DVPLL R G L GCGTACGACCGTCCGGCGTGCCGCCGGTCCGGGGAACGCTCTCTCGCCGACC 150 30 TVRRAA R Ε R S L GCTCGCCGTGCTGCCCGACGACGACGACGCCTCCCTCGCGTTCG 200 RSPCCPT PTPPS Т S TCCTGGAACAGCACCGCCACCGTGCTCGGGCACCTGGGCGCCGAAGACAT 250 H L G A E D I SWNSTATVL

	CCCGGCGACGACGTTCAAGGAACTCGGCATCGACTCGCTCACCGCGG PATTFKELGIDSLTA	300
	TCCAGCTGCGCAACGCGTGACCACGGCGACCGGCGTACGCCTCAACGCC V Q L R N A L T T A T G V R L N A	350
- 5	ACAGCGGTCTTCGACTTTCCGACGCCGCGCGCGCGCGCGC	400
	CGACGAGCTGGCCGGTACCCGCGCGCCCGTCGCGGCCCGGACCGCGCCA D E L A G T R A P V A A R T A A	450
10	CCGCGCCGCACGACCGCTGCCGTTCGCCGTTAAAAHDEPLAIVGMACR	500
	CTGCCGGGCGGGTCGCCTCGCCACAGGAGCTGTGGCGTCTCGTCGCGTC	550
٠	CGGCACCGACGCCATCACGGAGTTCCCCGCGGACCGCGGCTGGGACGTGG G T D A I T E F P A D R G W D V	600
15	ACGCGCTCTACGACCCGGACCCCGACGCGATCGCCAAGACCTTCGTCCGG D A L Y D P D P D A I G K T F V R	650
	CACGGCGGCTTCCTCGACGGTGCGACCGGCTTCTTCGG H G G F L D G A T G F D A A F F G	700.
20	GATCAGCCCGCGCGAGCCCCTGGCCATGGACCCGCAGCAACGGGTGCTCC I S P R E A L A M D P Q Q R V L	750
	TGGAGACGTCCTGGGAGGCGTTCGAAAGCGCGGGCATCACCCCGGACGCG	800
	GCGCGGGCACCGGCGTGTTCATCGGCGCGTTCTCCTACGGGTA A R G S D T G V F I G A F S Y G Y	850
25	CGGCACGGGTGCGGATACCAACGGCTTCGGCGGACAGGGTCGCAGACCA G T G A D T N G F G A T G S O T	900
	GCGTGCTCTCCGGCCGCCTCTCGTACTTCTACGGTCTGGAGGGCCCTTCG S V L S G R L S Y F Y G L E G P S	950
30	GTCACGGTCGACACCGCCTGCTCGTCGTCGCCCTGCACCAGGC V T V D T A C S S S L V A L H Q A	1000
	AGGGCAGTCCCTGCGCTCGGCGAATGCTCGCTCGCCCTGGTCGGCGGTG G O S L R S G E C S L A L V G G	1050
	TCACGGTGATGGCGTCGCCCGGCGGGTTCGTCGAGTTCTCCCGGCAGCGC V T V M A S P G G F V E F S R O R	1100
35	GGGCTCGCGCCGGACGGCGGGCGCGGGCGCGGACGG G L A P D G R A K A F G A G A D G	1150
	TACGAGCTTCGCCGAGGGCGCCCGGTGCCCTGGTGGTCGAGCGGCTCTCCG T S F A E G A G A L V V E R L S	1200
40	ACGCGGAGCGCCACACCGTCCTCGCCCTCGTACGCGGCTCCGCG D A E R H G H T V L A L V R G S A	1250
	GCTAACTCCGACGGCGCGTCGAACGGTCTGTCGGCGCCGAACGGCCCCTC A N S D G A S N G L S A P N G P S	1300
	CCAGGAACGCGTCATCCACCAGGCCCTCGCGAACGCGAAACTCACCCCCG ' Q E R V I H Q A L A N A K L T P	1350
45	CCGATGTCGACGCGGTCGAGGCGCACCGGCACCCGCCTCGGCGAC A D V D A V E A H G T G T R L G D	1400
	CCCATCGAGGCGCAGGCGTGCTCGCGACGTACGGACAGGACCGGGCGAC PIEAQALLATYGQDRAT	1450
50	GCCCTGCTGGCTCGCTGAAGTCGAACATCGGGCACGCCCAGGCCG P L L L G S L K S N I G H A Q A	1500
	CGTCAGGGGTCGCCGGGATCATCAAGATGGTGCAGGCCATCCGGCACGGG A S G V A G I I K M V Q A I R H G	1550
	GAACTGCCGCCGACACTGCACGCGGACGACGTCGACTG E L P P T L H A D E P S P H V D W	1600

N





- 108 -

	CGAGTCGGCTCCCCGGCCACGGCCGACTCGGGCA	3000
	E S A P P A T A D S G H P V L G CCGGAGTCGCCGTCGCCGGGTCGCCGGGCCGGGTGTTCACGGGTCCCGTG	3050
	T G V A V A G S P G R V F T G P V	2020
5	CCCGCCGGTGCGGACCGCGCGTGTTCATCGCCGAACTGGCGCTCGCCGC	3100
	P A G A D R A V F I A E L A L A A	
	$\tt CGCCGACGCCACCGACTGCGCCACGGTCGACGTCACCTCCG$	3150
	ADATDCATVEQLDVTS	
10	TGCCCGGCGGATCCGCCCGCGCAGGCCACCGCGCAGACCTGGGTCGAT	3200
10	V P G G S A R G R A T A Q T W V D GAACCCGCCGCGACGGGGGGGGCGCCTTCACCGTCCACACCCGCGTCGG	2250
	E P A A D G R R R F T V H T R V G	3230
	CGACGCCCGTGGACGCTGCACGCCGAGGGGGTTCTCCGCCCCGGCCGCG	3300
	D A P W T L H A E G V L R P G R	
15	TGCCCCAGCCGAAGCCGTCGACACCGCCTGGCCCCGCCGGGCGCGGTG	3350
	V P Q P E A V D T A W P P P G A V	
	CCCGCGGACGGGCTGCCCGGGGCGTGGCGACCAGGTCTTCGT	3400
	PADGLPGANGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	2450
20	CGAAGCCGAAGTCGACAGCCCTGACGGCTTCGTGGCACACCCCGACCTGC E A E V D S P D G F V A H P D L	3430
20	TCGACGCGGTCTCTCCGCGGTCGGCGACGGGAGCCGCCAGCCGACCGGA	3500
	L D A V F S A V G D G S R Q P T G	
	$\tt TGGCGCGACCTCGCGGTGCACGCGTCGGACGCCACCGTGCTGCGCGCCTG$	3550
0.5	WRDLAVHASDATVLRAC	
25	CCTCACCCGCCGCACAGTGGTGTCGTGGAGCTCGCCGCCTTCGACGGTG	3600
•	L T R R D S G V V E L A A F D G CCGGAATGCCGGTGCTCACCGCGGAGTCGGTGACGCTGGCGAGGTCGCG	2650
	A G M P V L T A E S V T L G E V A	3630
	TCGGCAGGCGGATCCGACGACTCGGCTTCGGCTTGAGTGGTT	3700
30	S A G G S D E S D G L L R L E W L	
	${\tt GCCGGTGGCGAGGGCCCACTACGACGGTGCCGAGGGCT}$	3750
	PVAEAHYDGADELPEG	
	ACACCCTCATCACCGCCACACACCCCGACGACCCCGACGACCCCACCAAC	3800
35	Y T L I T A T H P D D P D D P T N CCCCACACACACCCCACACCACACACACACACCACCAC	3850
33	P H N T P T R T H T Q T T R V L T	3030
	CGCCTCCAACACCACCTCATCACCACCACCACCCTCATCGTCCACA	3900
	ALQHHLITTNHTLIVH	
4.0	$\tt CCACCACCGACCCCCAGGCGCCGCCGTCACCGGCCTCACCCGCACCGCA$	3950
40	T T T D P P G A A V T G L T R T A	
	CAAAACGAACACCCCGGCCGCATCCACCTCATCGAAACCCACCACCCCCA	4000
	Q N E H P G R I H L I E T H H P H CACCCCACTCCCCCCACCCACCCACCCCACCCACCCACC	1050
	T P L P L T Q L T T L H Q P H L	4000
45	GCCTCACCAACAACACCCCCCACCCCCACCTCACCCCCATCACCAC	4100
	RLTNNTLHTPHLTPITT	
	CACCACACACCACCACCACCCCCAACCCCCCACCCCTCAACCCCAA	4150
	H H N T T T T T P N T P P L N P N	
50	CCACGCCATCCTCATCACCGGCGGCTCCGGCACCCTCGCCGGCATCCTCG	4200
50	H A I L I T G G S G T L A G I L CCCGCCACCTCAACCACCACCACCACCTCCTCTCCCGCACACCACCACCA	1250
	A R H L N H P H T Y L L S R T P P	. 4230
	CCCCCACACCCGGCACCCACATCCCCTGCGACCTCACCGACCCCAC	4300
	P P T T P G T H I P C D L T D P T	



- 109 -

```
CCAAATCACCCAAGCCCTCACCCACATACCACAACCCCTCACCGGCATCT 4350
      QITQALTHIPQPLTGI
     TCCACACCGCCGCCACCCTCGACGACGCCACCCTCACCAACCTCACCCCC 4400
     FHTAATLDDATLTNLTP
5
     CAACACCTCACCACCCTCCAACCCAAAGCCGACGCCGCCTGGCACCT 4450
     QHLTTTLQPKADAAWHL
     CCACCACCACACCCAAAACCACCCCTCACCCACTTCGTCCTCTACTCCA 4500
      H H H T Q N Q P L T H F V L Y S
     GCGCCGCCGCCACCTCGGCAGCCCCGGCCAACTACGCCGCCGCC 4550
10
     SAAATLGSPGOANYAAA
     AACGCCTTCCTCGACGCCCTCGCCACCCACCCCACCCAAGGACAACC 4600
     N A F L D A L A T H R H T Q G Q P
     CGCCACCACCATCGCCTGGGGCATGTGGCACACCACCACCACCACTCACCA 4650
      ATTIAWGMWHTTTTLT
15
     GCCAACTCACCGACAGCGACCGCGACCGCATCCGCCGCGGCGGCTTCCTG 4700
     SQLTDSDRDRIRRGGFL
     CCGATCTCGGACGACGAGGGCATGC
       ISDDEGM
```

The Avr II-XhoI hybrid FK-506 PKS module 8 containing the AT domain of module 12 of rapamycin is shown below.

GCATGCGGCTGTACGAGGCGCACGGCGCACCGGAAGTCCCGTGGTGGTG 50 M R L Y E A A R R T G S P V V V GCGGCCGCGCTCGACGACGCCGGACGTGCCGCTGCTGCGCGGGCTGCG 100 AAALDDAPDVPLLRGLR GCGTACGACCGTCCGGCGTGCCGCCGTCCGGGAACGCTCTCTCGCCGACC 150 RTTVRRAAVRERSLAD R S P C C P T T S A P T P P S R S 30 TCCTGGAACAGCACCGCCACCGTGCTCGGCCACCTGGGCGCCGAAGACAT 250 SWNSTATVLGHLGAEDI CCCGGCGACGACGTTCAAGGAACTCGGCATCGACTCGCTCACCGCGG 300 PATTTFKELGIDSLÍA TCCAGCTGCGCAACGCGCTGACCACGGCGACCGGCGTACGCCTCAACGCC 350 35 V Q L R N A L T T A T G V R L N A TAVFDFPTPRALAARLG CGACGAGCTGGCCGGTACCCGCGCGCCCGTCGCGGCCCGGACCGCGCCA 450 DELAGTRAPVAARTAA 40 CCGCGGCCGCACGACGAACCGCTGGCGATCGTGGGCATGGCCTGCCGT 500 TAAAHDEPLAIVGMACR CTGCCGGGCGGGTCGCCACAGGAGCTGTGGCGTCTCGTCGCGTC 550 L P G G V A S P Q E L W R L V A S CGGCACCGACGCCATCACGGAGTTCCCCGCGGACCGCGGCTGGGACGTGG 600 45 GTDAITEFPADRGWDV ACGCGCTCTACGACCCGGACCCCGACGCGATCGGCAAGACCTTCGTCCGG 650 DALYDPDPDAIGKTFVR CACGGCGGCTTCCTCGACGGTGCGACCGGCTTCGACGCGGCGTTCTTCGG 700 HGGFLDGATGFDAAFFG 50 GATCAGCCCGCGAGGCCCTGGCCATGGACCCGCAGCAACGGGTGCTCC 750 I S P. R E A L A M D P Q Q R V L TGGAGACGTCCTGGGAGGCGTTCGAAAGCGCGGGCATCACCCCGGACGCG 800





- 110 -

	L E T S W E A F E S A G I T P D A GCGCGGGGCAGCGACACCGGCGTGTTCATCGGCGTTCTCCTACGGGTA A R G S D T G V F I G A F S Y G Y	850
5	CGGCACGGGTGCGGATACCAACGGCTTCGGCGCGCACAGGGTCGCAGACCA G T G A D T N G F G A T G S Q T	900
	GCGTGCTCTCCGGCCGCCTCTCGTACTTCTACGGTCTGGAGGGCCCTTCG S V L S G R L S Y F Y G L E G P S	950
	GTCACGGTCGACACCGCCTGCTCGTCGTCACTGGTCGCCCTGCACCAGGC V T V D T A C S S S L V A L H Q A	1000
10	AGGGCAGTCCCTGCGCTCGGCGGGGGGGGGGGGGGGGGG	
	TCACGGTGATGGCGTCGCCCGGCGGATTCGTCGAGTTCTCCCGGCAGCGC V T V M A S P G G F V E F S R Q R	
15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	TACGAGCTTCGCCGAGGGCGCCCGGTGCCCTGGTGGTCGAGCGGCTCTCCG T S F A E G A G A L V V E R L S	
20	ACGCGGAGCGCCACGCCACACCGTCCTCGCCCTCGTACGCGGCTCCGCG D A E R H G H T V L A L V R G S A	
20	GCTAACTCCGACGGCGCGTCGAACGGTCTGTCGGCGCCGAACGGCCCCTC A N S D G A S N G L S A P N G P S	
	CCAGGAACGCGTCATCCACCAGGCCCTCGCGAACGCGAAACTCACCCCCG Q E R V I H Q A L A N A K L T P	
25	CCGATGTCGACGCGGTCGAGGCGCACCGGCACCGGCCTCGGCGAC A D V D A V E A H G T G T R L G D	
	PIEAQALLATYGQ DRAT	1450
30	GCCCCTGCTGCTCGCTGAAGTCGAACATCGGGCACGCCCAGGCCG P L L G S L K S N I G H A Q A CGTCAGGGGTCGCCGGGATCATCAAGATGGTGCAGGCCATCCGGCACGGG	
30	A S G V A G I I K M V Q A I R H G GAACTGCCGCCGCACGTCGACGTG	
	E L P P T L H A D E P S P H V D W GACGGCCGGTGCCGTCGACGTCGACGTCGACGTCGGCCGGGGGA	
35	T A G A V E L L T S A R P W P G CCGGTCGCCCTAGGCGGCAGGCGTGTCGTCCTTCGGGATCAGTGGCACC	
	T G R P R R A G V S S F G I S G T AACGCCCACGTCATCCTGGAAAGCGCACCCCCCACTCAGCCTGCGGACAA	
40	N A H V I L E S A P P T Q P A D N CGCGGTGATCGAGCGGGCACCGGAGTGGGTGCCGTTGGTGATTTCGGCCA	
	A V I E R A P E W V P L V I S A GGACCCAGTCGGCTTGACTGAGCACGAGGGCCGGTTGCGTGCG	1850
4.77	R T Q S A L T E H E G R L R A Y L GCGGCGTCGCCCGGGGTGGATATGCGGGCTGTGGCATCGACGCTGGCGAT	1900
45	A A S P G V D M R A V A S T L A M GACACGGTCGGTGTTCGAGCACCGTGCCGTGCTGCTGGGAGATGACACCG	1950
•	T R S V F E H R A V L L G D D T TCACCGGCACCGCTGTGTCTGACCCTCGGGCGGTGTTCGTCTTCCCGGGA	2000
50	V T G T A V S D P R A V F V F P G CAGGGGTCGCAGCGTGCTGGCATGGGTGAGGAACTGGCCGCGCGTTCCC	2050
	Q G S Q R A G M G E E L A A A F P CGTCTTCGCGCGGATCCATCAGCAGGTGTGGGACCTGCTCGATGTGCCCG	2100
	V F A R I H Q Q V W D L L D V P ATCTGGAGGTGAACGAGACCGGTTACGCCCAGCCGGCCCTGTTCGCAATG	2150

PATENT
Atty Dkt: 300622002600

- 111 -

	D L E V N E T G Y A Q P A L F A M	
	CAGGTGGCTCTGTTCGGGCTGCTGGAATCGTGGGGTGTACGACCGGACGC Q V A L F G L L E S W G V R P D A	2200
5	GGTGATCGGCCATTCGGTGGGTGAGCTTGCGGCGTATGTGTCCGGGG V I G H S V G E L A A A Y V S G	2250
	TGTGGTCGTTGGAGGATGCCTGCACTTTGGTGTCGGCGGGGCTCGTCTG V W S L E D A C T L V S A R A R L	2300
	ATGCAGGCTCTGCCGCGGGTGGGGTGATGGTCGCTGTCCCGGTCTCGGA M Q A L P A G G V M V A V P V S E	2350
10	GGATGAGGCCCGGGCCGTGCTGGGTGAGGTGTGGAGATCGCCGCGGTCA D E A R A V L G E G V E I A A V	2400
	ACGGCCCGTCGTCGTGGTTCTCTCCGGTGATGAGGCCGCCGTGCTGCAG N G P S S V V L S G D E A A V L Q	2450
15	GCCGCGGAGGGGCTGGGGAAGTGGACGCGCTT A A E G L G K W T R L A T S H A F	2500
	CCATTCCGCCCGTATGGAACCCATGCTGGAGGAGTTCCGGGCGGTCGCCG H S A R M E P M L E E F R A V A	2550
	AAGGCCTGACCTACCGGACGCCGCAGGTCTCCATGGCCGTTGGTGATCAG E G L T Y R T P Q V S M A V G D Q	2600
20		2650
	CGGCGAGCAGGTGGCCTCGTACGAGGACGCCGTGTTCGTCGAGCTGGGTG G E Q V A S Y E D A V F V E L G	2700
25	CCGACCGGTCACTGGCCCGCCTGGTCGACGGTGTCGCGATGCTGCACGGC A D R S L A R L V D G V A M L H G	2750
•	GACCACGAAATCCAGGCCGCGATCGGCCCCTGGCCCACCTGTATGTCAA D H E I Q A A I G A L A H L Y V N	2800
	CGGCGTCACGGTCGACTGGCCCGCGCTCCTGGGCGATGCTCCGGCAACAC G V T V D W P A L L G D A P A T	2850
30	GGGTGCTGGACCTTCCGACATACGCCTTCCAGCACCAGCGCTACTGGCTC R V L D L P T Y A F Q H Q R Y W L	2900
	GAGTCGGCTCCCCGGCCACGGCCGACTCGGGCCACCCCGTCCTCGGCAC E S A P P A T A D S G H P V L G T	2950
35	CGGAGTCGCCGGGTCGCCGGGCCGGGTGTTCACGGGTCCCGTGC G V A V A G S P G R V F T G P V	3000
	CCGCCGGTGCGGACCGCGCGCGCCCCCCCCCCCCCCCCC	
	GCCGACGCCACCGACTGCGCCACGGTCGACGCTCGACGTCACCTCCGT A D A T D C A T V E Q L D V T S V	3100
40	GCCCGGCGGATCCGCCGCGCAGGCCACGCGCAGACCTGGGTCGATG P G G S A R G R A T A Q T W V D	
	AACCCGCCGACGGGCGCGCCGCTTCACCGTCCACACCCGCGTCGGC E P A A D G R R R F T V H T R V G	
45	GACGCCCGTGGACGCTGCACGCCGAGGGGGTTCTCCGCCCCGGCCGCT D A P W T L H A E G V L R P G R V	
	GCCCCAGCCGAAGCCGTCGACACCGCCTGGCCCCGCCGGGCGCGTGC P Q P E A V D T A W P P P G A V	
	CCGCGGACGGCTGCCCGGGCGTGGCGACCGGGCCAGGTCTTCGTC P A D G L P G A W R R A D Q V F V	3350
50	GAAGCCGAAGTCGACAGCCCTGACGGCTTCGTGGCACACCCCGACCTGCT E A E V D S P D G F V A H P D L L	
	CGACGCGGTCTCCCGCGGTCGGCGACGGGAGCCGCCAGCCGACCGGAT D A V F S A V G D G S R Q P T G	3450
	GGCGCGACCTCGCGGTGCACGCGTCGGACGCCACCGTGCTGCGCGCCTGC	3500

- 112 -

WRDLAVHASDATVLRAC CTCACCCGCCGCACAGTGGTGTCGTGGAGCTCGCCGCCTTCGACGGTGC 3550 L T R R D S G V V E L A A F D G A CGGAATGCCGGTGCTCACCGCGGAGTCGGTGACGCTGGGCGAGGTCGCGT 3600 G M P V L T A E S V T L G E V A CGGCAGGCGGATCCGACGAGTCGGACGGTCTGCTTCGGCTTGAGTGGTTG 3650 SAGGSDESDGLLRLEWL CCGGTGGCGGAGGCCCACTACGACGGTGCCGACGAGCTGCCCGAGGGCTA 3700 PVAEAHYDGADELPEGY 10 CACCCTCATCACCGCCACACCCCGACGACCCCGACGACCCCACCAACC 3750 TLITATHPDDPDDPTN CCCACAACACCCCACACGCACCACACAAACCACACGCGTCCTCACC 3800 PHNTPTRTHTQTTRVLT GCCCTCCAACACCACCTCATCACCACCAACCACCCTCATCGTCCACAC 3850 15 ALQHHLITTNHTLIVHT CACCACCGACCCCCAGGCGCCGCCGTCACCGGCCTCACCCGCACCGCAC 3900 TTDPPGAAVTGLTRTA AAAACGAACACCCCGGCCGCATCCACCTCATCGAAACCCACCACCCCCAC 3950 NEHPGRIHLIETHHPH 20 ACCCCACTCCCCTCACCCAACTCACCACCCTCCACCAACCCCACCTACG 4000 TPLPLTQLTTLHQPHLR LTNNTLHTPHLTPITT ACCACAACACCACCACCACCCCCAACACCCCCACCCTCAACCCCAAC 4100 25 H H N T T T T P N T P P L N P N CACGCCATCCTCATCACCGGCGGCTCCGGCACCCTCGCCGGCATCCTCGC 4150 H A I L I T G G S G T L A G I L A CCGCCACCTCAACCACCCCACACCTACCTCCTCCCGCACACCACCAC 4200 RHLNHPHTYLLSRTPP 30 CCCCCACCACACCCGGCACCCACATCCCCTGCGACCTCACCGACCCCACC 4250 PPTTPGTHIPCDLTDPT CAAATCACCCAAGCCCTCACCCACATACCACAACCCCTCACCGGCATCTT 4300 QITQALTHIPQPLTGIF CCACACCGCCGCCACCTCGACGACGCCACCCTCACCAACCTCACCCCCC 4350 35 HTAATLDDATLTNLTP AACACCTCACCACCCTCCAACCCAAAGCCGACGCCGCCTGGCACCTC 4400 QHLTTTLQPKADAAWHL CACCACCACACCCAAAACCAACCCCTCACCCACTTCGTCCTCTACTCCAG 4450 H H H T Q N Q P L T H F V L Y S S 40 CGCCGCCGCCACCCTCGGCAGCCCGGCCAAGCCAACTACGCCGCCGCCA 4500 A A A T L G S P G Q A N Y A A A ACGCCTTCCTCGACGCCCTCGCCACCCCACCCCACCCAAGGACAACCC 4550 N A F L D A L A T H R H T Q G Q P GCCACCACCATCGCCTGGGGCATGTGGCACACCACCACCACCACTCACCAG 4600 45 IAWGMWHTTTTLTS CCAACTCACCGACAGCGACCGCGACCGCATCCGCCGCGGCGGCTTCCTGC 4650 Q L T D S D R D R I R R G G F L CGATCTCGGACGACGAGGGCATGC Ρ ISDDEGM

The *Avr*II-*Tho*I hybrid FK-506 PKS module 8 containing the AT domain of module 13 of rapamycin is shown below.



- 113 -

	GCATGCGGCTGTACGAGGCGGCACCGGCACCGGAAGTCCCGTGGTGGTG	50
	M R L Y E A A R R T G S P V V V	
	GCGGCCGCGCTCGACGACGCCCGGACGTGCCGCTGCTGCGCGGGCTGCG	100
_	A A A L D D A P D V P L L R G L R	
5	GCGTACGACCGTCCGGCGTGCCGCCGTCCGGGAACGCTCTCTCGCCGACC	150
	RTTVRRAAVRERSLAD	
	GCTCGCCGTGCTGCCCGACGACGACGCCCGACGCCTCCCTC	200
	R S P C C P T T S A P T P P S R S	0.5.0
10	TCCTGGAACAGCACCGCCACCGTGCTCGGCCACCTGGGCGCCGAAGACAT	250
10	S W N S T A T V L G H L G A E D I	300
	CCCGGCGACGACGTTCAAGGAACTCGGCATCGACTCGCTCACCGCGG PATTFKELGIDSLTA	300
	TCCAGCTGCGCAACGCGCTGACCACGGCGACCGGCGTACGCCTCAACGCC	350
	V O L R N A L T T A T G V R L N A	330
15	ACAGCGGTCTTCGACTTTCCGACGCCGCGCGCGCGCGCGAGACTCGG	400
	T A V F D F P T P R A L A A R L G	
	CGACGAGCTGGCCGGTACCCGCGCGCCCGTCGCGGCCCGGACCGCGCCA	450
	D E L A G T R A P V A A R T A A	
	$\tt CCGCGGCCGCACGACGAACCGCTGGCGATCGTGGGCATGGCCTGCCGT$	500
20	T A A A H D E P L A I V G M A C R	
	CTGCCGGGCGGGTCGCCACAGGAGCTGTGGCGTCTCGTCGCTC	550
	L P G G V A S P Q E L W R L V A S	600
	CGGCACCGACGCCATCACGGAGTTCCCCGCGGACCGCGGCTGGGACGTGG	600
25	G T D A I T E F P A D R G W D V ACGCGCTCTACGACCCGGACCCCGACGCGATCGGCAAGACCTTCGTCCGG	650
23	D A L Y D P D P D A I G K T F V R	000
		700
	H G G F L D G A T G F D A A F F G	. • •
		750
30	I S P R E A L A M D P Q Q R V L	
	TGGAGACGTCCTGGGAGGCGTTCGAAAGCGCGGGCATCACCCCGGACGCG	800
	L E T S W E A F E S A G I T P D A	
	GCGCGGGCACCACCGGCGTGTTCATCGGCGCGTTCTCCTACGGGTA	850
2.5	ARGSDTGVFIGAFSYGY	
35	CGGCACGGGTGCGGATACCAACGGCTTCGGCGCGACAGGGTCGCAGACCA	900
	G T G A D T N G F G A T G S Q T GCGTGCTCTCGGCCGCCTCTCGTACTTCTACGGTCTGGAGGGCCCTTCG	050
	S V L S G R L S Y F Y G L E G P S	950
	GTCACGGTCGACACCGCCTGCTCGTCGTCACTGGTCGCCCTGCACCAGGC	1000
40	V T V D T A C S S S L V A L H Q A	
	AGGGCAGTCCCTGCGCTCGGCGAATGCTCGCCCTGGTCGGCGGTG	
*	G Q S L R S G E C S L A L V G G	
	TCACGGTGATGGCGTCGCCCGGCGGATTCGTCGAGTTCTCCCGGCAGCGC	1100
	V T V M A S P G G F V E F S R Q R	
45	GGGCTCGCCGGACGGGCGGGCGGGCGCGGGCGCGGACGG	1150
	G L A P D G R A K A F G A G A D G	
	TACGAGCTTCGCCGAGGGCGCCCGGTGCCCTGGTGGTCGAGCGGCTCTCCG	1200
	T S F A E G A G A L V V E R L S	1050
50	ACGCGGAGCGCCACACCGTCCTCGCCCTCGTACGCGGCTCCGCG	1250
<i>5</i> 0	D A E R H G H T V L A L V R G S A GCTAACTCCGACGGCGCGTCGAACGGTCTGTCGGCGCCGAACGGCCCCTC	1300
	A N S D G A S N G L S A P N G P S	1000
	CCAGGAACGCGTCATCCACCAGGCCCTCGCGAACGCGAAACTCACCCCCG	1350
	O E R V I H O A L A N A K L T P	

	CCGATGTCGACGCGGTCGAGGCGCACGGCACCGGCACCGCCTCGGCGAC A D V D A V E A H G T G T R L G D	1400
	CCCATCGAGGCGCAGGCTGCTCGCGACGTACGGACAGGACCGGGCGAC P I E A Q A L L A T Y G Q D R A T	1450
5	GCCCCTGCTGCTCGGCTCGCTGAAGTCGAACATCGGGCACGCCCAGGCCG	1500
	CGTCAGGGGTCGCCGGGATCATCAAGATGGTGCAGGCCATCCGGCACGGG	1550
10		1600
10	E L P P T L H A D E P S P H V D W GACGCCGGTGCCGTCGAGCTCCTGACGTCGGCCGGCCGTGGCCGGGA	1650
	T A G A V E L L T S A R P W P G CCGGTCGCCCTAGGCGGCGGCGTGTCGTCCTTCGGAGTCAGCGGCACC T G R P R R A G V S S F G V S G T	1700
15	AACGCCCACGTCATCCTGGAGAGCGCACCCCCGCTCAGCCCGCGGAGGA N A H V I L E S A P P A Q P A E E	1750
	GGCGCAGCCTGTTGAGACGCCGGTGGTGGCCTCGGATGTGCTGCCGCTGG A Q P V E T P V V A S D V L P L	1800
20	TGATATCGGCCAAGACCCAGCCCGCCCTGACCGAACACGAAGACCGGCTG V I S A K T O P A L T E H E D R L	1850
	CGCGCCTACCTGGCGGCGTCGCCCGGGGCGGATATACGGGCTGTGGCATC R A Y L A A S P G A D I R A V A S	1900
	GACGCTGGCGGTGACACGGTCGTGTTCGAGCACCGCGCCGTACTCCTTG T L A V T R S V F E H R A V L L	1950
25	GAGATGACACCGTCACCGGCACCGCGGTGACCGACCCCAGGATCGTGTTT G D D T V T G T A V T D P R I V F	2000
	GTCTTTCCCGGGCAGGGGTGGCAGTGGCAGTGCACTGCG V F P G Q G W Q W L G M G S A L R	2050
30	CGATTCGTCGGTGTGTTCGCCGAGCGGATGGCCGAGTGTGCGGCGCGT D S S V V F A E R M A E C A A A	2100
	TGCGCGAGTTCGTGGACTGGGATCTGTTCACGGTTCTGGATGATCCGGCG L R E F V D W D L F T V L D D P A	2150
	GTGGTGGACCGGGTTGATGTGGTCCAGCCCGCTTCCTGGGCGATGATGGT V V D R V D V V Q P A S W A M M V	2200
35	TTCCCTGGCCGCGGTGTGCGCCGGTGTGCGGCCGGATGCGGTGA S L A A V W Q A A G V R P D A V	2250
	TCGGCCATTCGCAGGGTGAGATCGCCGCAGCTTGTGTGGCGGGTGCGGTG I G H S Q G E I A A A C V A G A V	2300
40	TCACTACGCGATGCCGCCCGGATCGTGACCTTGCGCAGCCAGGCGATCGC S L R D A A R I V T L R S Q A I A	2350
	CCGGGGCCTGGCGGGCCGGGCGCGCGCGCGCGCGCGGGCGGGGCGGGGCGGGG	2400
	AGGATGTCGAGCTGGTCGACGGGGCCCQCCCACAACGGGCCCQQDVELVDDGAAWIAAAHNGP	2450
45	GCCTCCACCGTGATCGCGGGCACCCCGGAAGCGGTCGACCATGTCCTCAC A S T V I A G T P E A V D H V L T	2500
	CGCTCATGAGGCACAAGGGGTGCGGGTGCGGCGGATCACCGTCGACTATG A H E A Q G V R V R R I T V D Y	2550
50	CCTCGCACACCCCGCACGTCGAGCTGATCCGCGACGAACTACTCGACATC A S H T P H V E L I R D E L L D I	2600
	ACTAGCGACAGCTCGCAGACCCCGCTCGTGCCGTGGCTGTCGACCGT T S D S S S Q T P L V P W L S T V	2650
	GGACGCACCTGGGTCGACAGCCCGCTGGACGGGAGTACTGGTACCGGA D G T W V D S P L D G E Y W Y R	



- 115 -

	•	
	ACCTGCGTGAACCGGTCGGTTTCCACCCCGCCGTCAGCCAGTTGCAGGCC	2750
	N L R E P V G F H P A V S Q L Q A CAGGGCGACACCGTGTTCGTCGAGGTCAGCGCCAGCCCGGTGTTGTTGCA	2800
	Q G D T V F V E V S A S P V L L Q	2000
5	GGCGATGGACGATGTCGTCACGGTTGCCACGCTGCGTCGTGACGACG	2850
	AMDDDVVTVATLRRDD	
	GCGACGCCACCCGGATGCTCACCGCCCTGGCACAGGCCTATGTCCACGGC	2900
	G D A T R M L T A L A Q A Y V H G GTCACCGTCGACTGGCCCGCCATCCTCGGCACCACACCCGGGTACT	2050
10	V T V D W P A I L G T T T T R V L	2950
	GGACCTTCCGACCTACGCCTTCCAACACCAGCGGTACTGGCTCGAGTCGG	3000
	DLPTYAFQHQRYWLES	
	CTCCCCGGCCACGGCCGACTCGGGCACCCGTCCTCGGCACCGGAGTC	3050
15	A P P A T A D S G H P V L G T G V GCCGTCGCCGGGTCGCCGGGCCGGGTGTTCACGGGTCCCGTGCCCGCGG	2100
13	A V A G S P G R V F T G P V P A G	3100
	TGCGGACCGCGCGTGTTCATCGCCGAACTGGCGCTCGCCGCCGCCGACG	3150
	ADRAVFIAELALAAD	
20	CCACCGACTGCCCACGGTCGAACAGCTCGACGTCACCTCCGTGCCCGGC	3200
20	A T D C A T V E Q L D V T S V P G GGATCCGCCGCGCAGGCCACCGCGCAGACCTGGGTCGATGAACCCGC	3250
	G S A R G R A T A Q T W V D E P A	,3230
	CGCCGACGGGCGCCGCTTCACCGTCCACACCCGCGTCGGCGACGCCC	3300
26.	A D G R R R F T V H T R V G D A	
25	CGTGGACGCTGCACGCGGGGGGTTCTCCGCCCCGGCCGCGTGCCCCAG	3350
	PWTLHAEGVLRPGRVPQ CCCGAAGCCGTCGACACCGCCTGGCCCCGCGGGCGCGGTGCCCGCGGA	3400
	P E A V D T A W P P P G A V P A D	3400
		3450
30	G L P G A W R R A D Q V F V E A	
	AAGTCGACAGCCCTGACGGCTTCGTGGCACACCCCGACCTGCTCGACGCGEVDDS	3500
	E V D S P D G F V A H P D L L D A GTCTTCTCCGCGGTCGGCGACGGAGCCGACCGACCGATGGCGCA	3550
	V F S A V G D G S R Q P T G W R D	3330
35	CCTCGCGGTGCACGCGTCGGACGCCACCGTGCTGCGCGCCTGCCT	3600
	L A V H A S D A T V L R A C L T	
	GCCGCGACAGTGGTGTCGTGGAGCTCGCCGCCTTCGACGGTGCCGGAATG R R D S G V V E L A A F D G A G M	3650
	CCGGTGCTCACCGCGGAGTCGGTGACGCTGGGCGAGGTCGCGTCGCAGG	3700
40	P V L T A E S V T L G E V A S A G	0.00
	CGGATCCGACGACGGTCTGCTTCGGCTTGAGTGGTTGCCGGTGG	3750
	G S D E S D G L L R L E W L P V	2000
	CGGAGGCCCACTACGACGGTGCCGACGAGCTGCCCGAGGGCTACACCCTC A E A H Y D G A D E L P E G Y T L	3800
45	ATCACCGCCACACCCCGACGACCCCACCAACCCCCACAA	3850
	ITATHPDDPDDPTNPHN	
	CACACCCACACCACACACACACACACGCGTCCTCACCGCCCTCC	3900
	T P T R T H T Q T T R V L T A L	2050
50	AACACCACCTCATCACCACCACCACCACCACCACCACCAC	3950
-	GACCCCCAGGCGCCGTCACCGGCCTCACCCGCACCAAAACGA	4000
	D P P G A A V T G L T R T A Q N E	
	ACACCCCGGCCGCATCCACCTCATCGAAACCCACCACCCCCACACCCCCAC	4050
	HPGRIHLIETHHPHTP	

DAGHOBI




- 116 -

TCCCCCTCACCCAACTCACCACCCTCCACCAACCCCACCTACGCCTCACC 4100 LPLTQLTTLHQPHLRLT N N T L H T P H L T P I T T H H N CACCACCACACCCCCAACACCCCCACCCCTCAACCCCAACCACGCCA 4200 TTTTPNTPPLNPNHA I L I T G G S G T L A G I L A R H 10 LNHPHTYLLSRTPPPT CACACCCGGCACCCACATCCCCTGCGACCTCACCGACCCCACAATCA 4350 TPGTHIPCDLTDPTQI CCCAAGCCCTCACCCACATACCACAACCCCTCACCGGCATCTTCCACACC 4400 TQALTHIPQPLTGIFHT 15 GCCGCCACCTCGACGACGCCACCCTCACCAACCTCACCCCCCAACACCT 4450 A A T L D D A T L T N L T P Q H L CACCACCACCTCCAACCCAAAGCCGACGCCGCCTGGCACCTCCACCACC 4500 TTTLQPKADAAWHLHH ACACCCAAAACCAACCCCTCACCCACTTCGTCCTCTACTCCAGCGCCGCC 4550 20 H T Q N Q P L T H F V L Y S S A A GCCACCCTCGGCAGCCCGGCCAAGCCAACTACGCCGCCGCCAACGCCTT 4600 A T L G S P G Q A N Y A A A N A F CCTCGACGCCTCGCCACCCCACCCCACGCCAAGGACAACCCGCCACCA 4600 LDALATHRHTQGQPAT CCATCGCCTGGGGCATGTGGCACACCACCACCACCACCACCACCACCACACTC 4700 TIAWGMWHTTTTLTSQL ACCGACAGCGACCGCATCCGCCGCGGGGGCTTCCTGCCGATCTC 4750 TDSDRDRIRRGGFLPIS GGACGACGAGGCATGC 30 DDEGM

The *Nhel-XhoI* hybrid FK-506 PKS module 8 containing the AT domain of module 12 of rapartycin is shown below.

GCATGCGGCTGTACGAGGCGCACGGCGCACCGGAAGTCCCGTGGTGGTG 50 35 M R L Y E A A R R T G S P V V V GCGGCCGCGCTCGACGACGCCGGACGTGCCGCTGCTGCGCGGGCTGCG 100 A A A L D D A P D V P L L R G L R GCGTACGACCGTCCGGCGTGCCGCCGTCCGGGAACGCTCTCTCGCCGACC 150 RTTVRRAAVRERSLAD 40 RSPCCPTTSAPTPPSRS TCCTGGAACAGCACCGCCACCGTGCTCGGCCACCTGGGCGCCGAAGACAT 250 SWNSTATVLGHLGAEDI CCCGGCGACGACGACGTTCAAGGAACTCGGCATCGACTCGCTCACCGCGG 300 45 P A T T T F K E L G I D S L T A TCCAGCTGCGCAACGCGTGACCACGGCGACCGGCGTACGCCTCAACGCC 350 V Q L R N A L T T A T G V R L N A TAVFDFPTPRALAARLG 50 CGACGAGCTGGCCGGTACCCGCGCGCCCGTCGCGGCCCGGACCGCGGCCA 450 DELAGTRAPVAARTAA CCGCGGCCGCACGACGAACCGCTGGCGATCGTGGGCATGGCCTGCCGT 500



- 117 -

	T A A A H D E P L A I V G M A C R	
	CTGCCGGGCGGGTCGCGTCGCCACAGGAGCTGTGGCGTCTCGTCGCGTC	550
5	L P G G V A S P Q E L W R L V A S CGGCACCGACGCATCACGGAGTTCCCCGCGGACCGCGGCTGGGACGTGG G T D A I T E F P A D R G W D V	600
J	G T D A I T E F P A D R G W D V ACGCGCTCTACGACCCCGACCCCGACGCGATCGGCAAGACCTTCGTCCGG D A L Y D P D P D A I G K T F V R	650
		700
10		750
	TGGAGACGTCCTGGGAGGCGTTCGAAAGCGCGGGCATCACCCCGGACGCG L E T S W E A F E S A G I T P D A	800
15	GCGCGGGGCACCCGGCGTGTTCATCGGCGCGTTCTCCTACGGGTA A R G S D T G V F I G A F S Y G Y	850
	CGGCACGGGTGCGGATACCAACGGCTTCGGCGCGACAGGGTCGCAGACCA G T G A D T N G F G A T G S Q T	900
	GCGTGCTCTCCGCCCCCTCTCGTACTTCTACGGTCTGGAGGGCCCTTCG S V L S G R L S Y F Y G L E G P S	
20	GTCACGGTCGACACCGCCTGCTCGTCGTCACCTGCTCACCAGGC V T V D T A C S S S L V A L H Q A	1000
	AGGGCAGTCCCTGCGCTCGGCGGGTG G Q S L R S G E C S L A L V G G	
25	TCACGGTGATGGCGTCGCCCGGCGGATTCGTCGAGTTCTCCCGGCAGCGCVTVFFSRQR	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1150
	TACGAGCTTCGCCGAGGGCGCCCGGTGCCCTGGTGGTCGAGCGGCTCTCCG T S F A E G A G A L V V E R L S	1200
30	ACGCGGAGCGCCACGCCACCGTCCTCGCCCTCGTACGCGGCTCCGCG D A E R H G H T V L A L V R G S A	
	A N S D G A S N G L S A P N G P S	1300
35	CCAGGAACGCGTCATCCACCAGGCCCTCGCGAACGCGAAACTCACCCCCG Q E R V I H Q A L A N A K L T P	
	CCGATGTCGACGCGGTCGAGGCGCACCGGCACCGCCTCGGCGAC A D V D A V E A H G T G T R L G D	
40	CCCATCGAGGCGCAGGCGTGCTCGCGACGTACGGACAGGACCGGGCGAC PIEAQALLATYGQDRAAT	
40	GCCCCTGCTGCTCGCTGAAGTCGAACATCGGGCACGCCCAGGCCG PLLLGSLKSNIGGHAQA	
	CGTCAGGGGTCGCCGGGATCATCAAGATGGTGCAGGCCATCCGGCACGGG A S G V A G I I K M V Q A I R H G	
45	GAACTGCCGCCGACACTGCACGCGGACGACGTCGCCGCACGTCGACTG E L P P T L H A D E P S P H V D W	
	GACGGCCGTGCCGTCGAGCTCCTGACGTCGGCCGGCGGGGA T A G A V E L L T S A R P W P G	
50	CCGGTCGCCCGCGCGCTGCCGTCTCGTCGTTCGGCGTGAGCGGCACG T G R P R R A A V S S F G V S G T	
50	AACGCCCACATCATCCTTGAGGCAGGACCGGTCAAAACGGGACCGGTCGA N A H I I L E A G P V K T G P V E	•
	GGCAGGAGCGATCGAGGCAGGACCGGTCGAGGCTG A G A I E A G P V E V G P V E A	
	GACCGCTCCCCGCGCCCCCCCCTCAGCACCGGGCGAAGACCTTCCGCTG	1850



- 118 -

	G P L P A A P P S A P G E D L P L	
	$\tt CTCGTGTCGGCGCGTTCCCCGGAGGCACTCGACGAGCAGATCGGGCGCCT$	1900
-	GCGCGCCTATCTCGACACCGGCCCGGGCGTCGACCGGGCGGCCGTGGCGC	1950
5	R A Y L D T G P G V D R A A V A AGACACTGGCCGGCGTACGCACTTCACCCACCGGGCCGTACTGCTCGGG	2000
	Q T L A R R T H F T H R A V L L G GACACCGTCATCGGCGCTCCCCCGCGGACCAGGCCGACGAACTCGTCTT	
	D'T V I G A P P A D Q A D E L V F	
10	CGTCTACTCCGGTCAGGGCACCCAGCATCCCGCGATGGGCGAGCAGCTAG V Y S G Q G T Q H P A M G E Q L	2100
	CCGCCGCGTTCCCCGTCTTCGCGCGGATCCATCAGCAGGTGTGGGACCTG	2150
	A A A F P V F A R I H Q Q V W D L CTCGATGTGCCCGATCTGGAGGTGAACGAGACCGGTTACGCCCAGCCGGC	2200
15	L D V P D L E V N E T G Y A Q P A CCTGTTCGCAATGCAGGTGGCTCTGTTCGGGCTGCTGGAATCGTGGGGTG	2250
	L F A M Q V A L F G L L E S W G	
	TACGACCGGACGCGGTGATCGGCCATTCGGTGGGTGAGCTTGCGGCTGCG V R P D A V I G H S V G E L A A A	2300
20	TATGTGTCCGGGGTGTGGTCGTTGGAGGATGCCTGCACTTTGGTGTCGGC	2350
	Y V S G V W S L E D A C T L V S A GCGGGCTCGTCTGATGCAGGCTCTGCCCGCGGGTGGGGTGATGGTCGCTG	2400
	R A R L M Q A L P A G G V M V A TCCCGGTCTCGGAGGATGAGGCCCGGGCCGTGCTGGGTGAGGGTGTGGAG	2450
25	V P V S E D E A R A V L G E G V E	
	ATCGCCGCGGTCAACGGCCCGTCGTCGGTGGTTCTCTCCGGTGATGAGGC I A A V N G P S S V V L S G D E A	2500
	$\tt CGCCGTGCTGCAGGCCGCGGAGGGGGCTGGCGAAGTGGACGCGGCTGGCGA$	2550
30	A V L Q A A E G L G K W T R L A CCAGCCACGCGTTCCATTCCGCCCGTATGGAACCCATGCTGGAGGAGTTC	2600
	T S H A F H S A R M E P M L E E F CGGGCGGTCGCCGAAGGCCTGACCTACCGGACGCCGCAGGTCTCCATGGC	2650
	R A V A E G L T Y R T P Q V S M A	
35	CGTTGGTGATCAGGTGACCACCGCTGAGTACTGGGTGCGGCAGGTCCGGG V G D Q V T T A E Y W V R O V R	2700
	ACACGGTCCGGTTCGGCGAGCAGGTGGCCTCGTACGAGGACGCCGTGTTC	2750
	D T V R F G E Q V A S Y E D A V F GTCGAGCTGGTCGACGGTGTCGC	2800
40	V E L G A D R S L A R L V D G V A GATGCTGCACGGCGACCACGAAATCCAGGCCGCGATCGGCGCCCTGGCCC	2850
	M L H G D H E I Q A A I G A L A	
	ACCTGTATGTCAACGGCGTCACGGTCGACTGGCCCGCGCTCCTGGGCGAT H L Y V N G V T V D W P A L L G D	2900
45	GCTCCGGCAACACGGGTGCTGGACCTTCCGACATACGCCTTCCAGCACCA A P A T R V L D L P T Y A F Q H Q	2950
15	GCGCTACTGGCTCGAGTCGGCTCCCCCGGCCACGGCCGACTCGGGCCACC	3000
	R Y W L E S A P P A T A D S G H CCGTCCTCGGCACCGGAGTCGCCGTCGCCGGGTCGCCGGGTGTTC	3050
50	PVLGTGVAVAGSPGRVF	
50	ACGGGTCCCGTGCCGCGGTGCGGACCTCGCGAACTT G P V P A G A D R A V F I A E L	
	GGCGCTCGCCGCCGACGCCACCGACTGCGCCACGGTCGAACAGCTCG A L A A A D A T D C A T V E Q L	3150
	ACGTCACCTCCGTGCCGGGGATCCGCCGCGGCAGGGCCACCGCGCAG	3200



- 119 -

	D V T S V P G G S A R G R A T A Q ACCTGGGTCGATGAACCCGCCGCCGACGGGGGGGCGCCGCTTCACCGTCCA	2250
	T W V D E P A A D G R R R F T V H	3230
	CACCCGCGTCGGCGACGCCCGTGGACGCTGCACGCCGAGGGGGTTCTCC	3300
5	T R V G D A P W T L H A E G V L	5500
	GCCCGGCCGCGTGCCCCAGCCCGAAGCCGTCGACACCGCCTGGCCCCCG	3350
	RPGRVPQPEAVDTAWPP	
	CCGGGCGCGTGCCCGCGGACGCGCTGCCCGGG	3400
	P G A V P A D G L P G A W R R A D	
10	CCAGGTCTTCGTCGAAGCCGAAGTCGACAGCCCTGACGGCTTCGTGGCAC	3450
	QVFVEAEVDSPDGFVA	
	ACCCCGACCTGCTCGACGCGGTCTTCTCCGCGGTCGGCGACGGGAGCCGC	3500
	H P D L L D A V F S A V G D G S R	
15	CAGCCGACCGGATGGCGCGACCTCGCGGTGCACGCTCGGACGCCACCGT	3550
13	Q P T G W R D L A V H A S D A T V	2600
	GCTGCGCGCCTCACCCGCCGCGACAGTGGTGTCGTGGAGCTCGCCG L R A C L T R R D S G V V E L A	3600
	L R A C L T R R D S G V V E L A CCTTCGACGGTGCCGGAATGCCGGTGCTCACCGCGGAGTCGGTGACGCTG	2650
	A F D G A G M P V L T A E S V T L	3630
20	GGCGAGGTCGCCAGGCGGATCCGACGACTCGGACGGTCTGCTTCG	3700
	G E V A S A G G S D E S D G L L R	3700
	GCTTGAGTGGTTGCCGGTGGCGGAGGCCCACTACGACGGTGCCGACGAGC	3750
	L E W L P V A E A H Y D G A D E	
	TGCCCGAGGGCTACACCCTCATCACCGCCACACACCCCGACGACCCCGAC	3800
25	LPEGYTLITATHPDDPD	
	GACCCCACCACACCCCACACACCCCACACCACACACACA	3850
	D P T N P H N T P T R T H T Q T T	
	ACGCGTCCTCACCGCCCTCCAACACCACCTCATCACCACCACCACCACCACCAC	3900
20	RVLTALQHHLITTNHT	
30	TCATCGTCCACACCACCACCGACCCCCAGGCGCCGCCGTCACCGGCCTC	3950
	L I V H T T T D P P G A A V T G L	4000
	ACCCGCACCACAAAACGAACACCCCGGCCGCATCCACCACCACCAAAC T R T A Q N E H P G R I H L I E T	4000
	T R T A Q N E H P G R I H L I E T CCACCACCCCACCCCACCCCCACCCCACCCCACCC	4050
35	H H P H T P L P L T Q L T T L H	4030
	AACCCCACCTACGCCTCACCAACAACACCCTCACCCCCCCC	4100
	Q P H L R L T N N T L H T P H L T	1200
	CCCATCACCACCACACACACCACCACACCCCCAACACCCCCACC	4150
	PITTHHNTTTTPNTPP	
40	CCTCAACCCCAACCACGCCATCCTCATCACCGGCGGCTCCGGCACCCTCG	4200
	LNPNHAILITGGSGTL	
	CCGGCATCCTCGCCCGCCACCCTCAACCACCCCACACCTACCT	4250
	A G I L A R H L N H P H T Y L L S	
45	CGCACACCACCACCACCACACCCGGCACCCACATCCCCTGCGACCT	4300
43	R T P P P T T P G T H I P C D L	
	CACCGACCCCAAATCACCCAAGCCCTCACCCACATACCACAACCCC	4350
	T D P T Q I T Q A L T H I P Q P TCACCGGCATCTTCCACACCGCCGCCACCCTCGACGACGCCACCCTCACC	4400
	L T G I F H T A A T L D D A T L T	4400
50	AACCTCACCCCCAACACCTCACCACCCAACCCAAAGCCGACGC	4450
	N L T P Q H L T T T L Q P K A D A	- - - J U
	CGCCTGGCACCTCACCACACCCAAAACCAACCCCTCACCCACTTCG	4500
	A W H L H H H T Q N Q P L T H F	-000
	TCCTCTACTCCAGCGCCGCCGCCACCCTCGGCAGCCCGGCCAAGCCAAC	4550

15

20

25

30

35

40

45

50



- 120 -


The Nhel-Xhol hybrid FK-506 PKS module 8 containing the AT domain of module 13 of rapamycin is shown below.

GCATGCGGCTGTACGAGGCGGCACGGCACCGGAAGTCCCGTGGTGGTG 50 MRLYEAARRTGSPVVV GCGGCCGCTCGACGACGCCGGACGTGCCGCTGCTGCGCGGGCTGCG 100 A A A L D D A P D V P L L R G L R GCGTACGACCGTCCGGCGTGCCGCCGTCCGGGAACGCTCTCTCGCCGACC 150 RTTVRRAAVRERSLAD RSPCCPTTSAPTPPSRS TCCTGGAACAGCACCGCCACCGTGCTCGGCCACCTGGGCGCCGAAGACAT 250 SWNSTATVLGHLGAEDI CCCGGCGACGACGTTCAAGGAACTCGGCATCGACTCGCTCACCGCGG 300 PATTFKELGIDSLTA TCCAGCTGCGCAACGCGTGACCACGGCGACCGGCGTACGCCTCAACGCC 350 V Q L R N A L T T A T G V R L N A TAVFDFPTPRALAARLG CGACGAGCTGGCCGGTACCCGCGCGCCCGTCGCGGCCCGGACCGCGCCA 450 DELAGTRAPVAARTAA CCGCGGCCGCACGACGAACCGCTGGCGATCGTGGGCATGGCCTGCCGT 500 TAAAHDEPLAIVGMACR CTGCCGGGCGGGTCGCGTCGCCACAGGAGCTGTGGCGTCTCGTCGCGTC 550 L P G G V A S P Q E L W R L V A S CGGCACCGACGCCATCACGGAGTTCCCCGCGGACCGCGGCTGGGACGTGG 600 GTDAITEFPADRGWDV ACGCGCTCTACGACCCGGACCCCGACGCGATCGGCAAGACCTTCGTCCGG 650 DALYDPDPDAIGKTFVR CACGGCGGCTTCCTCGACGGTGCGACCGGCTTCGACGCGGCGTTCTTCGG 700 H G G F L D G A T G F D A A F F G GATCAGCCCGCGCGAGGCCCTGGCCATGGACCCGCAGCAACGGGTGCTCC 750 I S P R E A L A M D P Q Q R V L TGGAGACGTCCTGGGAGGCGTTCGAAAGCGCGGGCATCACCCCGGACGCG 800 L E T S W E A F E S A G I T P D A GCGCGGGGCACCCGGCGTGTTCATCGGCGCGTTCTCCTACGGGTA 850 A R G S D T G V F I G A F S Y G Y CGGCACGGGTGCGGATACCAACGGCTTCGGCGCGACAGGGTCGCAGACCA 900 G T G A D T N G F G A T G S Q T GCGTGCTCTCCGGCCGCCTCTCGTACTTCTACGGTCTGGAGGGCCCTTCG 950 SVLSGRLSYFYGLEGPS GTCACGGTCGACACCGCCTGCTCGTCGTCACTGGTCGCCCTGCACCAGGC 1000 V T V D T A C S S S L V A L H Q A



- 121 -

	AGGGCAGTCCCTGCGCTCGGCGGGTG	1050
	G Q S L R S G E C S L A L V G G	1100
	TCACGGTGATGGCGTCGCCCGGCGGGTTCTCCCGGCAGCGC V T V M A S P G G F V E F S R O R	1100
5	V T V M A S P G G F V E F S R Q R GGGCTCGCGCGGACGGGCGGACGG	1150
_	G L A P D G R A K A F G A G A D G	1130
	TACGAGCTTCGCCGAGGGCGCCGGTGCCCTGGTGGTCGAGCGGCTCTCCG	1200
	TSFAEGAGALVVERLS	
10	ACGCGGAGCGCCACACCGTCCTCGCCCTCGTACGCGGCTCCGCG	1250
10	D A E R H G H T V L A L V R G S A	
		1300
	A N S D G A S N G L S A P N G P S	1250
	CCAGGAACGCGTCATCCACCAGGCCCTCGCGAACGCGAAACTCACCCCCG Q E R V I H Q A L A N A K L T P	1350
15	CCGATGTCGACGCGGCACGGCACCGGCACCGGCGCCCCGGCGAC	1400
	A D V D A V E A H G T G T R L G D	1400
	CCC2 #5C2 CCCC2 CCCC2 CCCC2	1450
	PIEAQALLATYGQDRAT	
20	GCCCCTGCTCGCTCGCTGAAGTCGAACATCGGGCACGCCCAGGCCG	1500
20	P L L L G S L K S N I G H A Q A	
	CGTCAGGGGTCGCCGGGATCATCAAGATGGTGCAGGCCATCCGGCACGGG A S G V A G I I K M V Q A I R H G	1550
	GAACTGCCGCCGACACTGCACGCGGACGAGCCGTCGCCGCACGTCGACTG	1600
	E L P P T L H A D E P S P H V D W	1000
25	GACGGCCGGTGCCGTCGAGCTCCTGACGTCGGCCCGGCC	1650
	TAGAVELLTSARPWPG	•
	CCGGTCGCCCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG	1700
	T G R P R R A A V S S F G V S G T	1550
30	AACGCCCACATCATCCTTGAGGCAGGACCGGTCAAAACGGGACCGGTCGA N A H I I L E A G P V K T G P V E	1/50
	GGCAGGAGCGATCGAGGCAGGACCGGTCGAGGCTG	1800
	A G A I E A G P V E V G P V E A	1000
	GACCGCTCCCCGCGGCGCCGTCAGCACCGGGCGAAGACCTTCCGCTG	1850
2.5	G P L P A A P P S A P G E D L P L	
35	CTCGTGTCGGCGCGTTCCCCGGAGGCACTCGACGAGCAGATCGGGCGCCT	1900
	L V S A R S P E A L D E Q I G R L	
	GCGCGCCTATCTCGACACCGGCCCGGGCGTCGACCGGGCGGCGGCGTGGCGC R A Y L D T G P G V D R A A V A	1950
	AGACACTGGCCCGGCGTACGCACTTCACCCACCGGGCCGTACTGCTCGGG	2000
40	Q T L A R R T H F T H R A V L L G	2000
	GACACCGTCATCGGCGCTCCCCCGCGGACCAGGCCGACGAACTCGTCTT	2050
	D T V I G A P P A D Q A D E L V F	
	CGTCTACTCCGGTCAGGGCACCCCAGCATCCCGCGATGGGCGAGCAGCTAG	2100
45	V Y S G Q G T Q H P A M G E Q L	0150
73	CCGATTCGTCGGTGTGTTCGCCGAGCGGATGGCCGAGTGTGCGGCGGCGA D S S V V F A E R M A E C A A A	2150
	TTGCGCGAGTTCGTGGACTGGGATCTGTTCACGGTTCTGGATGATCCGGC	2200
	L R E F V D W D L F T V L D D P A	2200
	GGTGGTGGACCGGGTTGATGTGGTCCAGCCCGCTTCCTGGGCGATGATGG	2250
50	V V D R V D V V Q P A S W A M M	
	TTTCCCTGGCCGGTGTGGCAGGCGGCCGGTGTGCGGCCGGATGCGGTG	2300
	V S L A A V W Q A A G V R P D A V	
	ATCGGCCATTCGCAGGGTGAGATCGCCGCAGCTTGTGTGGCGGGTGCGGT I G H S Q G E I A A A C V A G A V	2350
	IGHSQGEIAAACVAGAV	



- 122 -

	GTCACTACGCGATGCCGCCCGGATCGTGACCTTGCGCAGCCAGGCGATCG	2400
	S L R D A A R I V T L R S Q A I CCCGGGGCCTGCCGGGGCCGGGGCCGGGGCCGCGCGCGC	2450
	A R G L A G R G A M A S V A L P A	2450
5	CAGGATGTCGAGCTGGTCGACGGGGCCTGGATCGCCGCCCACAACGGGCC	2500
	Q D V E L V D G A W I A A H N G P	
	CGCCTCCACCGTGATCGCGGGCACCCCGGAAGCGGTCGACCATGTCCTCA A S T V I A G T P F A V D H V I.	2550
	A S T V I A G T P E A V D H V L CCGCTCATGAGGCACAAGGGGTGCGGGTGCGGCGGATCACCGTCGACTAT	2600
10	T A H E A Q G V R V R R I T V D Y	2000
		2650
	ASHTPHVELIRDELLDI	
	CACTAGCGACAGCTCGCAGACCCCGCTCGTGGCTGTCGACCG T S D S S S O T P I. V P W I. S T	2700
15	T S D S S S Q T P L V P W L S T TGGACGGCACCTGGGTCGACAGCCCGCTGGACGGGGAGTACTGGTACCGG	2750
•	V D G T W V D S P L D G E Y W Y R	2750
	AACCTGCGTGAACCGGTCGGTTTCCACCCCGCCGTCAGCCAGTTGCAGGC	2800
	N L R E P V G F H P A V S Q L Q A	
20	CCAGGGCGACACCGTGTTCGTCGAGGTCAGCCGCCAGCCCGGTGTTGTTGC	2850
20	Q G D T V F V E V S A S P V L L AGGCGATGGACGACGTCGTCACGGTTGCCACGCTGCGTCGTCACGAC	2900
	Q A M D D D V V T V A T L R R D D	2 9 0 0
	GGCGACGCCACCCGGATGCTCACCGCCCTGGCACAGGCCTATGTCCACGG	2950
. 36	G D A T R M L T A L A Q A Y V H G	
25	CGTCACCGTCGACTGGCCCGCCATCCTCGGCACCACCACCACCACCACCACCACCACCACCACCACC	3000
	V T V D W P A I L G T T T T R V TGGACCTTCCGACCTTCCAACACCAGCGGTACTGGCTCGAGTCG	3050
	L D L P T Y A F Q H Q R Y W L E S	2050
		3100
30	A P P A T A D S G H P V L G T G V	
	CGCCGTCGCCGGGCCGGGCCGGGTGTTCACGGGTCCCGTGCCCGCCG A V A G S P G R V F T G P V P A	3150
	A V A G S P G R V F T G P V P A GTGCGGACCGCGCGGTGTTCATCGCCGAACTGGCGCTCGCCGCCGCCGAC	3200
	G A D R A V F I A E L A L A A A D	3200
35	GCCACCGACTGCGCCACGGTCGAACAGCTCGACGTCACCTCCGTGCCCGG	3250
	A T D C A T V E Q L D V T S V P G	
	CGGATCCGCCGCGGCAGGCCTGGGTCGATGAACCCG G S A R G R A T A O T W V D F P	3300
	G S A R G R A T A Q T W V D E P CCGCCGACGGCGCGCGCTCACCCGCGTCGGCGACGCC	3350
40	A A D G R R R F T V H T R V G D A	3330
	CCGTGGACGCTGCACGCCGAGGGGGTTCTCCGCCCCGGCCGCGTGCCCCA	3400
	PWTLHAEGVLRPGRVPQ	
	GCCCGAAGCCGTCGACACCGCCTGGCCCCGCCGGGCGGTGCCCGCGG	3450
45	P E A V D T A W P P P G A V P A ACGGGCTGCCCGGGGCGTGCCGACGCGCGGACCAGGTCTTCGTCGAAGCC	3500
	D G L P G A W R R A D Q V F V E A	5500
	GAAGTCGACAGCCCTGACGGCTTCGTGGCACACCCCGACCTGCTCGACGC	3550
	E V D S P D G F V A H P D L L D A	
50	GGTCTTCTCCGCGGTCGGCGACGGGACGGCCGACCGGATGGCGCG	3600
50	V F S A V G D G S R Q P T G W R ACCTCGCGGTGCACGCGTCGGACGCCACCGTGCTGCGCGCCTGCCT	3650
	DLAVHASDATVLRACLT	
	CGCCGCGACAGTGGTGTCGTGGAGCTCGCCGCCTTCGACGGTGCCGGAAT	3700
	R R D S G V V E L A A F D G A G M	

GCCGGTGCTCACCGCGGAGTCGGTGACGCTGGGCGAGGTCGCGTCGGCAG 3750 PVLTAESVTLGEVASA GCGGATCCGACGACGGTCTGCTTCGGCTTGAGTGGTTGCCGGTG 3800 GGSDESD GLLRLEWLPV 5 GCGGAGGCCCACTACGACGGTGCCGACGAGCTGCCCGAGGGCTACACCCT 3850 EAHYD GADELPEGYTL CATCACCGCCACACCCCGACGACCCCGACGACCCCACACCCCACA 3900 H P D D P D D P T N P H ACACACCCACACGCACCACACAAACCACACGCGTCCTCACCGCCCTC 3950 10 NTPTRTHTQT TRVLTAL QHHLITTNHTLIVHTTT D P P G A A V T G L T R T A Q N 15 AACACCCCGGCCGCATCCACCTCATCGAAACCCACCCCCACACCCCA 4100 EHPGRIHLIETHHPHTP CTCCCCCTCACCCAACTCACCACCCTCCACCCACCTACGCCTCAC 4150 LPLTQLT HLRLT T L H0 Ρ 20 TLHT PHLT I T ACACCACCACACCCCCAACACCCCCACCCCTCAACCCCAACCACGCC 4250 Т Т Ρ N Т P P P N H A ī, N ILITGG GTLAGILARH S 25 CCTCAACCACCCCCACACCTACCTCCTCCCGCACACCACCACCCCCCA 4350 LNHPHTYLLSRTPPP CCACACCCGGCACCCACATCCCCTGCGACCTCACCGACCCCACAAATC 4400 TTPGTHIPCDLTD Р T O I ACCCAAGCCCTCACCCACATACCACAACCCCTCACCGGCATCTTCCACAC 4450 30 QALTHIPQPLT G CGCCGCCACCCTCGACGACGCCACCCTCACCACCCCCCAACACC 4500 AATLDDATLTNLTPQH TCACCACCACCCTCCAACCCAAAGCCGACGCCGCCTGGCACCTCCACCAC 4550 TTLQPKADAAWHLHH 35 CACACCCAAAACCAACCCCTCACCCACTTCGTCCTCTACTCCAGCGCCGC 4600 HTQNQPLTHFVLY CGCCACCCTCGGCAGCCCGGCCAAGCCAACTACGCCGCCGCCAACGCCT 4650 A T L G S P G Q A N Y A A A N A TCCTCGACGCCTCGCCACCCACCGCCACACCCAAGGACAACCCGCCACC 4700 40 F L D A L A T H R H T Q G Q P A T ACCATCGCCTGGGGCATGTGGCACACCACCACCACCACCACCCAGCCAACT 4750 TIAWGMWH \mathbf{T} T T LTSQL CACCGACAGCGACCGCGCATCCGCCGCGGCGGCTTCCTGCCGATCT 4800 TDSDRD R I R R G G F L 45 CGGACGACGAGGCATGC D DEGM

Example 3

Recombinant PKS Genes for 13-desmethoxy FK-506 and FK-520

The present invention provides a variety of recombinant PKS genes in addition to those described in Examples 1 and 2 for producing 13-desmethoxy FK-506 and FK-520



PATENT
Atty Dkt: 300622002600

- 124 -

compounds. This Example provides the construction protocols for recombinant FK-520 and FK-506 (from *Streptomyces* sp. MA6858 (ATCC 55098), described in U.S. Patent Nos. 5,116,756, incorporated herein by reference) PKS genes in which the module 8 AT coding sequences have been replaced by either the *rap*AT3 (the AT domain from module 3 of the rapamycin PKS), *rap*AT12, *ery*AT1 (the AT domain from module 1 of the erythromycin (DEBS) PKS), or *ery*AT2 coding sequences. Each of these constructs provides a PKS that produces the 13-desmethoxy-13-methyl derivative, except for the rapAT12 replacement, which provides the 13-desmethoxy derivative, i.e., it has a hydrogen where the other derivatives have methyl.

10

15

20

25

5

Figure 7 shows the process used to generate the AT replacement constructs. First, a fragment of ~4.5 kb containing module 8 coding sequences from the FK-520 cluster of ATCC 14891 was cloned using the convenient restriction sites SacI and SphI (Step A in Figure 7). The choice of restriction sites used to clone a 4.0 - 4.5 kb fragment comprising module 8 coding sequences from other FK-520 or FK-506 clusters can be different depending on the DNA sequence, but the overall scheme is identical. The unique SacI and SphI restriction sites at the ends of the FK-520 module 8 fragment were then changed to unique Bgl II and NsiI sites by ligation to synthetic linkers (described in the preceding Examples, see Step B of Figure 7). Fragments containing sequences 5' and 3' of the AT8 sequences were then amplified using primers, described above, that introduced either an AvrII site or an NheI site at two different KS/AT boundaries and an XhoI site at the AT/DH boundary (Step C of Figure 7). Heterologous AT domains from the rapamycin and erythromycin gene clusters were amplified using primers, as described above, that introduced the same sites as just described (Step D of Figure 7). The fragments were ligated to give hybrid modules with in-frame fusions at the KS/AT and AT/DH boundaries (Step E of Figure 7). Finally, these hybrid modules were ligated into the BamHI and PstI sites of the KC515 vector. The resulting recombinant phage were used to transform the FK-506 and FK-520 producer strains to yield the desired recombinant cells, as described in the preceding Examples.

The following table shows the location and sequences surrounding the engineered site of each of the heterologous AT domains employed. The FK-506 hybrid construct was used as a control for the FK-520 recombinant cells produced, and a similar FK-520 hybrid construct was used as a control for the FK-506 recombinant cells.

Heterologous AT	Enzyme	Location of Engineered Site
FK-506 AT8	AvrII	GGCCGTccgcgCGTGCGGCGGTCTCGTCGTTC
(hydroxymalonyl)		GRPRRAAVSSF
	 NheI	ACCCAGCATCCCGCGATGGGTGAGCGgctcgcC
	Time!	TQHPAMGERLA
	777 7	TACGCCTTCCAGCGGCGCCCTACTGGatcgag
	XhoI	YAFQRRPYWIE
rapamycin AT3	AvrII	GACCGG <u>cccgt</u> CGGGCGGGCGTGTCGTCCTTC
(methylmalonyl)		D R P R R A G V S S F
	NheI	TGGCAGTGGCTGGGGATGGGCAGTGCcctgcgG
		WQWLGMGSALR
	XhoI	TACGCCTTCCAACACCAGCGGTACTGGgtcgag
		Y A F Q H Q R Y W V E
rapamycin AT12	AvrII	GGCCGAgcgcCGGGCAGGCGTGTCGTCCTTC
(malonyl)		G R A R R A G V S S F
	NheI	TCGCAGCGTGCTGGCATGGGTGAGGAactggcC
		S Q R A G M G E E L A
	XhoI	TACGCCTTCCAGCACCAGCGCTACTGGctcgag Y A F Q H Q R Y W L E
DEBS AT1	AvrII	GCGCGAccqcGCGGGCGGGGTCTCGTCGTTC
	AWII	A R P R R A G V S S F
(methylmalonyl)		TGGCAGTGGGCGGCATGGCCGTCGAcctgctC
	NheI	W O W A G M A V D L L
		TACCCGTTCCAGCGCGAGCGCGTCTGGctcgaa
	XhoI	Y P F O R E R V W L E
DEBS AT2	AvrII	GACGGGgtgcgCGGGCAGGTGTGTCGGCGTTC
(methylmalonyl)		DGVRRAGVSAF
(methy illiatolly)	Alle aT	GCCCAGTGGGAAGGCATGGCGCGGGAgttgttG
	NheI	AQWEGMARELL
		TATCCTTTCCAGGGCAAGCGGTTCTGGctgctg
	XhoI	Y P F Q G K R F W L L

The sequences shown below provide the location of the KS/AT boundaries chosen in the FK-\$20 module 8 coding sequences. Regions where *Avr*II and *Nhe*I sites were engineered are indicated by lower case and underlining.

5 G'AVELLTSARPWPETDR GTGCCGCCGTCTCCTCGTTCGGGGTGAGCGGCACCAACGCCCACGTCATCCTGGAGGCCG S F G V G V I A V S S Т N Α Н E GACCGGTAACGGAGACGCCCGCGGCATCGCCTTCCGGTGACCTTCCCCTGCTGGTGTCGG Т Α Ρ S G D 10 CACGCTCACCGGAAGCGCTCGACGAGCAGATCCGCCGACTGCGCGCCTACCTGGACACCA Ε L D Ε Q I R R Y R L CCCCGGACGTCGACCGGGTGGCCGTGGCACAGACGCTGGCCCGGCGCACACACTTCGCCC D R V Α V A Q Т L Α R R Н ACCGCGCGTGCTCGGTGACACCGTCATCACCACACCCCCGGGGACCGGCCCGACG 15 V L L G T V I T Т D D Ρ AACTCGTCTTCGTCTACTCCGGCCAGGGCACCCAGCATCCCGCGATGGGCGAGCAgctcg V Y G Q G T Q Н G Μ CCGCCGCCCATCCCGTGTTCGCCGACGCCTGGCATGAAGCGCTCCGCCGCCTTGACAACC AAAH Ρ V F A D A WН

The sequences shown below provide the location of the AT/DH boundary chosen in the FK-520 module 8 coding sequences. The region where an XhoI site was engineered is indicated by lower case and underlining.

TCCTCGGGGCTGGGTCACGGCACGACGCGGATGTGCCCGCGTACGCGTTCCAACGGCGGC

I L G A G S R H D A D V P A Y A F Q R R ACTACTGGatcgagTCGGCACGCCGGCCGCATCCGACGCGGGCCACCCCGTGCTGGGCT H Y W I E S A R P A A S D A G H P V L G

The sequences shown below provide the location of the KS/AT boundaries chosen in the FK-506 module 8 coding sequences. Regions where *Avr*II and *Nhe*I sites were engineered are indicated by lower case and underlining.

TCGGCCAGGCCGTGCCGGACCGCCGTccqcqCCGTGCGGCGGTCTCGTCGTTCGGG SARPWPRTGRP RRAAVS GTGAGCGGCACCAACGCCCACATCATCCTGGAGGCCGGACCCGACCAGGAGGAGCCGTCG 35 V S G ${f T}$ N A H Ι Ι L Ε Α G P D 0 Ε E GCAGAACCGGCCGGTGACCTCCCGCTGCTCGTGTCGCACGGTCCCCGGAGGCACTGGAC G D L Ρ L L V S Α R S GAGCAGATCGGGCGCCTGCGCGACTATCTCGACGCCGCCCCCGGCGTGGACCTGGCGGCC G R L R D Α G V D Y L Α 40 GTGGCGCGGACACTGGCCACGCGTACGCACTTCTCCCACCGCGCCGTACTGCTCGGTGAC L A T R T Н F S Н R Α L ACCGTCATCACCGCTCCCCCGTGGAACAGCCGGGCGAGCTCGTCTTCGTCTACTCGGGA T V I Τ A P P V E Q P G E L V Y CAGGGCACCCAGCATCCCGCGATGGGTGAGCGGctcgcCCCCGCGTGTTCGCC 45 H P A M G E R L A A Α F Р



Atty Dkt: 300622002600

- 127 -

GACCCGGACGTACCCGCCTACGCCTTCCAGCGGCGCCCTACTGGATCGAGTCCGCGCCG DVPAYAFQRRPYWIES

The sequences shown below provide the location of the AT/DH boundary chosen in the FK-506 module 8 coding sequences. The region where an *XhoI* site was engineered is indicated by lower case and underlining.

 ${\tt GACCCGGACGTACCCGCCTACGCCTTCCAGCGGCGCCCTACTGGatcgagTCCGCGCCG}$ F Q R R P Y

10

15

20

Example 4

Replacement of Methoxyl with Hydrogen or Methyl at C-15 of FK-506 and FK-520

The methods and reagents of the present invention also provide novel FK-506 and FK-520 derivatives in which the methoxy group at C-15 is replaced by a hydrogen or methyl. These derivatives are produced in recombinant host cells of the invention that express recombinant PKS enzymes the produce the derivatives. These recombinant PKS enzymes are prepared in accordance with the methodology of Examples 1 and 2, with the exception that AT domain of module 7, instead of module 8, is replaced. Moreover, the present invention provides recombinant PKS enzymes in which the AT domains of both modules 7 and 8 have been changed. The table below summarizes the various compounds provided by the present invention.

	Compound	C-13	C-15	Derivative Provided
	FK-506	hydrogen	hydrogen	13, 15-didesmethoxy-FK-506
٠	FK-506	hydrogen	methoxy	13-desmethoxy-FK-506
25	FK-506	hydrogen	methyl	13,15-didesmethoxy-15-methyl-FK-506
	FK-506	methoxy	hydrogen	15-desmethoxy-FK-506
	FK-506	methoxy	methoxy	Original Compound FK-506
	FK-506	methoxy	methyl	15-desmethoxy-15-methyl-FK-506
	FK-506	methyl	hydrogen	13,15-didesmethoxy-13-methyl-FK-506
30	FK-506	methyl	methoxy	13-desmethoxy-13-methyl-FK-506
	FK-506	methyl	methyl	13,15-didesmethoxy-13,15-dimethyl-FK-506
	FK-520	hydrogen	hvdrogen	13, 15-didesmethoxy FK-520

	1	\mathbf{r}	0	
•	- 1	L	o	-

	FK-520	hydrogen	methoxy	13-desmethoxy FK-520
	FK-520	hydrogen	methyl	13,15-didesmethoxy-15-methyl-FK-520
	FK-520	methoxy	hydrogen	15-desmethoxy-FK-520
	FK-520	methoxy	methoxy	Original Compound FK-520
5	FK-520	methoxy	methyl	15-desmethoxy-15-methyl-FK-520
	FK-520	methyl	hydrogen	13,15-didesmethoxy-13-methyl-FK-520
	FK-520	methyl	methoxy	13-desmethoxy-13-methyl-FK-520
	FK-520	methyl	methyl	13,15-didesmethoxy-13,15-dimethyl-FK-520

15

20

Example 5

Replacement of Methoxyl with Ethyl at C-13 and/or C-15 of FK-506 and FK-520

The present invention also provides novel FK-506 and FK-520 derivative compounds in which the methoxy groups at either or both the C-13 and C-15 positions are instead ethyl groups. These compounds are produced by novel PKS enzymes of the invention in which the AT domains of modules 8 and/or 7 are converted to ethylmalonyl specific AT domains by modification of the PKS gene that encodes the module. Ethylmalonyl specific AT domain coding sequences can be obtained from, for example, the FK-520 PKS genes, the niddamycin PKS genes, and the tylosin PKS genes. The novel PKS genes of the invention include not only those in which either or both of the AT domains of modules 7 and 8 have been converted to ethylmalonyl specific AT domains but also those in which one of the modules is converted to an ethylmalonyl specific AT domain and the other is converted to a malonyl specific or a methylmalonyl specific AT domain.

25

Example 6

Neurotrophic Compounds

The compounds described in Examples 1 - 4, inclusive have immunosuppressant activity and can be employed as immunosuppressants in a manner and in formulations similar to those employed for FK-506. The compounds of the invention are generally effective for the prevention of organ rejection in patients receiving organ transplants and

30

10

15

20

25

30

- 129 -

in particular can be used for immunosuppression following orthotopic liver transplantation. These compounds also have pharmacokinetic properties and metabolism that are more advantageous for certain applications relative to those of FK-506 or FK-520. These compounds are also neurotrophic; however, for use as neurotrophins, it is desirable to modify the compounds to diminish or abolish their immunosuppressant activity. This can be readily accomplished by hydroxylating the compounds at the C-18 position using established chemical methodology or novel FK-520 PKS genes provided by the present invention.

Thus, in one aspect, the present invention provides a method for stimulating nerve growth that comprises administering a therapeutically effective dose of 18-hydroxy-FK-520. In another embodiment, the compound administered is a C-18,20-dihydroxy-FK-520 derivative. In another embodiment, the compound administered is a C-13-desmethoxy and/or C-15-desmethoxy 18-hydroxy-FK-520 derivative. In another embodiment, the compound administered is a C-13-desmethoxy and/or C-15-desmethoxy 18,20-dihydroxy-FK-520 derivative. In other embodiments, the compounds are the corresponding analogs of FK-506. The 18-hydroxy compounds of the invention can be prepared chemically, as described in U.S. Patent No. 5,189,042, incorporated herein by reference, or by fermentation of a recombinant host cell provided by the present invention that expresses a recombinant PKS in which the module 5 DH domain has been deleted or rendered non-functional.

The chemical methodology is as follows. A compound of the invention (~200 mg) is dissolved in 3 mL of dry methylene chloride and added to 45 μ L of 2,6-lutidine, and the mixture stirred at room temperature. After 10 minutes, tert-butyldimethylsilyl trifluoromethanesulfonate (64 μ L) is added by syringe. After 15 minutes, the reaction mixture is diluted with ethyl acetate, washed with saturated bicarbonate, washed with brine, and the organic phase dried over magnesium sulfate. Removal of solvent *in vacuo* and flash chromatography on silica gel (ethyl acetate: hexane (1:2) plus 1% methanol) gives the protected compound, which is dissolved in 95% ethanol (2.2 mL) and to which is added 53 μ L of pyridine, followed by selenium dioxide (58 mg). The flask is fitted with a water condenser and heated to 70°C on a mantle. After 20 hours, the mixture is

10

15

20

25

cooled to room temperature, filtered through diatomaceous earth, and the filtrate poured into a saturated sodium bicarbonate solution. This is extracted with ethyl acetate, and the organic phase is washed with brine and dried over magnesium sulfate. The solution is concentrated and purified by flash chromatography on silica gel (ethyl acetate: hexane (1:2) plus 1% methanol) to give the protected 18-hydroxy compound. This compound is dissolved in acetonitrile and treated with aqueous HF to remove the protecting groups. After dilution with ethyl acetate, the mixture is washed with saturated bicarbonate and brine, dried over magnesium sulfate, filtered, and evaporated to yield the 18-hydroxy compound. Thus, the present invention provides the C-18-hydroxyl derivatives of the compounds described in Examples 1 - 4.

Those of skill in the art will recognize that other suitable chemical procedures can be used to prepare the novel 18-hydroxy compounds of the invention. See, e.g., Kawai et al., Jan. 1993, Structure-activity profiles of macrolactam immunosuppressant FK-506 analogues, FEBS Letters 316(2): 107-113, incorporated herein by reference. These methods can be used to prepare both the C18-[S]-OH and C18-[R]-OH enantiomers, with the R enantiomer showing a somewhat lower IC₅₀, which may be preferred in some applications. See Kawai et al., supra. Another preferred protocol is described in Umbreit and Sharpless, 1977, JACS 99(16): 1526-28, although it may be preferable to use 30 equivalents each of SeO₂ and t-BuOOH rather than the 0.02 and 3-4 equivalents, respectively, described in that reference.

All scientific and patent publications referenced herein are hereby incorporated by reference. The invention having now been described by way of written description and example, those of skill in the art will recognize that the invention can be practiced in a variety of embodiments, that the foregoing description and example is for purposes of illustration and not limitation of the following claims.